Table of Contents  Part Number Index

# Rotary Cutters

## RC5015, RCM5015, RC6015 & RCM6015



15678

***318-047P***
***Parts Manual***

Land Pride

Read the Operator's manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

*© Copyright 2009 Printed 02/03/09*

*Cover photo may show optional equipment not supplied with standard unit.*

# Table of Contents

**Section 1: Introduction.....8**
Using This Manual.....8
Manual Replacement Information.....8
Manual Revisions.....8
Touch-up Paint.....8
Hardware Legend.....9
Replacement Hardware.....9
Serial Numbers.....9
Part Number Service Coding.....9

## RC5015 & RC6015 SERIES (540 RPM)

**Section 2: Decks.....10**
Blade Carrier.....10
Deck Center Section (540 RPM) (RC50 Series Only S/N 217473-).....12
Deck Center Section (540 RPM) (S/N 217474+).....14
Deck Wing Section (540 RPM).....18
Hitch.....22
Wing Turnbuckle and Transport Bar.....24
**Section 3: Axles.....26**
Axle Center Dual (S/N 489025-).....26
Axle Center Dual (S/N 489026+).....28
Axle Center Single (S/N 489025-).....30
Axle Tandem Center Deck (S/N 419602 to 489025).....32
Axle Tandem Center Deck (S/N 489026+).....34
Axle Wing (S/N 489025-).....36
Axle Wing (S/N 489026+).....38
**Section 4: Guards.....40**
Guards Center Deck (S/N 292791-).....40
Guards Center Deck (S/N 292792 To 419601).....42
Guards Center Deck (S/N 419602+).....44
Guards Center Deck Double Chains (S/N 292791-).....46
Guards Center Deck Double Chains (S/N 292792 To 419601).....48
Guards Center Deck Double Chains (S/N 419602+).....50
Guards Wing Deck (S/N 292791-).....52
Guards Wing Deck (S/N 292792+).....54
**Section 5: Drivelines.....56**
Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+).....56
Driveline Center 540 RPM (826-183C) Eurocardan.....58
Driveline Center 540 RPM (826-260C) Walterscheid (S/N 461934-).....60
Driveline Conv. 540 RPM (826-112C) Walterscheid (S/N 214515+).....62
Driveline Conv. 540 RPM (826-188C) EC New Shields.....64
Driveline Conv. 540 RPM (826-188C) EC Old Shields.....66
Driveline CV 540 RPM (826-117C) Walterscheid (S/N 214515 to 336516 & 388671 to 468557).....68
Driveline CV 540 RPM (826-181C) EC New Shields.....70
Driveline CV 540 RPM (826-181C) EC Old Shields.....72
Driveline CV 540 RPM (826-336C) Walterscheid (S/N 336516 to 388670).....74
Driveline CV 540 RPM (826-476C) Comer (S/N 468558 to 547835).....76
Driveline CV Joint (540 RPM) (7106622) Eurocardan.....78
Driveline CV Joint (540 RPM) (7600602) Eurocardan.....80
Driveline Slip Clutch (146.264.024.1) Comer.....82
Driveline Slip Clutch (146.284.020.1) Comer.....84
Driveline Slip Clutch (383805) Walterscheid.....86
Driveline Slip Clutch 540 RPM (391708) Walterscheid.....88
Driveline Slip Clutch 540/1000 RPM (1446016) EC.....90
Driveline Wing (826-185C) EC New Shielding.....92
Driveline Wing (826-185C) EC Old Shielding.....94
Driveline Wing (826-262C) Walterscheid (S/N 461934-).....96
Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+).....98
**Section 6: Gearboxes.....100**
Gearbox 540 RPM RC5015 (826-174C) RC6015 (826-231C) OMNI.....100
Gearbox 540 RPM RC5015 (826-175C) RC6015 (826-232C) OMNI.....102
Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Comer.....104
Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Eurocardan.....106
Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C Comer.....108
Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C) Eurocardan.....110
Gearbox Divider 540 RPM (826-179C) Comer.....112
Gearbox Divider 540 RPM (826-179C) OMNI.....114
**Section 7: Hydraulics.....116**
Hydraulic Center Lift.....116
Hydraulic Cylinder (810-150C) Red Lion.....118
Hydraulic Cylinder (810-162C) Red Lion.....120
Hydraulic Cylinder (810-312C) Red Lion).....122
Hydraulic Cylinder (810-624C) Midway.....124
Hydraulic Cylinder (810-624C) Red Lion.....126
Hydraulic Cylinder Center (810-195C) Midway.....128
Hydraulic Cylinder Center Lift (810-162C) Cross.....130
Hydraulic Cylinder Center Lift (810-162C) Midway.....132
Hydraulic Cylinder Wing (810-150C) Cross.....134
Hydraulic Cylinder Wing (810-150C) Midway.....136
Hydraulic Cylinder Wing (810-312C) Cross.....138
Hydraulic Cylinder Wing (810-312C) Midway.....140
Hydraulic Independent Wing Control Accessory.....142
Hydraulic Valve Selector Assessory.....144
Hydraulic Valve Spool Control Accessory.....146

© Copyright 2009. All rights reserved.

Land Pride provides this publication “as is” without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Land Pride assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Land Pride reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Land Pride is registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

*Printed in the United States of America.*

# Table of Contents (continued)

Hydraulic Wing Lift.....148
Maunal Winch Wing Deck Accessory.....150
**Section 8: Labels.....152**
Label Placement.....152
**Section 9: Options.....155**
Baffle Shreader Kit.....156
Shredder Kit Comer (S/N 235492+).....158
Shredder Kit Omni (S/N 235491-).....160
Shredder Kit Omni (S/N 235491-).....162

## RCM5015 & RCM6015 SERIES (1000 RPM)

**Section 2: Decks.....164**
Blade Carrier.....164
Deck Center Section (1000 RPM) (RCM50 Series Only S/N 217473-).....166
Deck Center Section (1000 RPM) (S/N 217474+).....168
Deck Wing Section (1000 RPM).....172
Hitch.....176
Wing Turnbuckle and Transport Bar.....178
**Section 3: Axles.....180**
Axle Center Dual (S/N 489025-).....180
Axle Center Dual (S/N 489026+).....182
Axle Center Single (S/N 489025-).....184
Axle Tandem Center Deck (S/N 419602 to 489025)...186
Axle Tandem Center Deck (S/N 489026+).....188
Axle Wing (S/N 489025-).....190
Axle Wing (S/N 489026+).....192
**Section 4: Guards.....194**
Guards Center Deck (S/N 292791-).....194
Guards Center Deck (S/N 292792 To 419601).....196
Guards Center Deck (S/N 419602+).....198
Guards Center Deck Double Chains (S/N 292791-)...200
Guards Center Deck Double Chains (S/N 292792 To 419601).....202
Guards Center Deck Double Chains (S/N 419602+)...204
Guards Wing Deck (S/N 292791-).....206
Guards Wing Deck (S/N 292792+).....208
**Section 5: Drivelines.....210**
Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+).....210
Driveline Center 1000 RPM (826-184C) Eurocardan..212
Driveline Center 1000 RPM (826-261C) Walterscheid.214
Driveline Conv. 1000 RPM (826-189C) EC New Shields.....216
Driveline Conv. 1000 RPM (826-189C) EC Old Shields.....218
Driveline Conv. 1000 RPM (826-247C) Walterscheid (S/N 214515+).....220
Driveline CV 1000 RPM (826-118C) Walterscheid (S/N 214514-).....222
Driveline CV 1000 RPM (826-182C) EC New Shields.224
Driveline CV 1000 RPM (826-182C) EC Old Shields..226
Driveline CV 1000 RPM (826-244C) 1 3/8-21 Walterscheid (S/N 214515 to 468225).....228
Driveline CV 1000 RPM (826-245C) 1 3/4-20 Walterscheid (S/N 488896-).....230
Driveline CV 1000 RPM (826-477C) 1 3/8-21 Comer (S/N 468226 to 547835).....232
Driveline CV 1000 RPM (826-499C) 1 3/4-20 Comer (S/N 488897+).....234
Driveline CV Joint (1000 RPM) (7106632) Eurocardan.....236
Driveline CV Joint (1000 RPM) (7600621) Eurocardan.....238
Driveline Slip Clutch (146.264.024.1) Comer.....240
Driveline Slip Clutch (146.284.020.1) Comer.....242
Driveline Slip Clutch (383805) Walterscheid.....244
Driveline Slip Clutch 1000 RPM (1406016) Eurocardan.....246
Driveline Slip Clutch 1000 RPM (391359) Walterscheid.....248
Driveline Slip Clutch 540/1000 RPM (1446016) EC....250
Driveline Wing (826-185C) EC New Shielding.....252
Driveline Wing (826-185C) EC Old Shielding.....254
Driveline Wing (826-262C) Walterscheid (S/N 461934-).....256
Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+).....258
**Section 6: Gearboxes.....260**
Gearbox 1000 RPM RCM5015 (826-176C) RCM6015 (826-233C) OMNI.....260
Gearbox 1000 RPM RCM5015 (826-177C) RCM6015 (826-234C) OMNI.....262
Gearbox 1000 RPM RCM5015 (826-178C) & (826-175C) RCM6015 (826-235C) OMNI.....264
Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Comer.....266
Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Eurocardan.....268
Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Comer.....270
Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Eurocardan.....272
Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Comer.....274
Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Eurocardan.....276
Gearbox Divider 1000 RPM (826-180C) Comer.....278
Gearbox Divider 1000 RPM (826-180C) OMNI.....280
**Section 7: Hydraulics.....282**
Hydraulic Center Lift.....282
Hydraulic Cylinder (810-150C) Red Lion.....284
Hydraulic Cylinder (810-162C) Red Lion.....286
Hydraulic Cylinder (810-312C) Red Lion).....288
Hydraulic Cylinder (810-624C) Midway.....290
Hydraulic Cylinder (810-624C) Red Lion.....292
Hydraulic Cylinder Center (810-195C) Midway.....294
Hydraulic Cylinder Center Lift (810-162C) Cross.....296
Hydraulic Cylinder Center Lift (810-162C) Midway.....298
Hydraulic Cylinder Wing (810-150C) Cross.....300
Hydraulic Cylinder Wing (810-150C) Midway.....302

# Table of Contents (continued)

Hydraulic Cylinder Wing (810-312C) Cross.....304
Hydraulic Cylinder Wing (810-312C) Midway.....306
Hydraulic Independent Wing Control Accessory.....308
Hydraulic Valve Selector Assessory.....310
Hydraulic Valve Spool Control Accessory.....312
Hydraulic Wing Lift.....314
Maunal Winch Wing Deck Accessory.....316
**Section 8: Labels.....318**
Label Placement.....318
**Section 9: Options.....321**
Baffle Shreader Kit.....322
Shredder Kit Comer (S/N 235492+).....324
Shredder Kit Omni (S/N 235491-).....326
Shredder Kit Omni (S/N 235491-).....328

**Part Number Index.....330**

# Alphabetized Table of Contents

## RC5015 & RC6015 SERIES (540 RPM)


### A

Axle Center Dual (S/N 489025-).....26
Axle Center Dual (S/N 489026+).....28
Axle Center Single (S/N 489025-).....30
Axle Tandem Center Deck (S/N 419602 to 489025).....32
Axle Tandem Center Deck (S/N 489026+).....34
Axle Wing (S/N 489025-).....36
Axle Wing (S/N 489026+).....38

### B

Baffle Shreader Kit.....156
Blade Carrier.....10

### D

Deck Center Section (540 RPM) (RC50 Series Only S/N 217473-).....12
Deck Center Section (540 RPM) (S/N 217474+).....14
Deck Wing Section (540 RPM).....18
Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+).....56
Driveline Center 540 RPM (826-183C) Eurocardan.....58
Driveline Center 540 RPM (826-260C) Walterscheid (S/N 461934-).....60
Driveline Conv. 540 RPM (826-112C) Walterscheid (S/N 214515+).....62
Driveline Conv. 540 RPM (826-188C) EC New Shields.....64
Driveline Conv. 540 RPM (826-188C) EC Old Shields.....66
Driveline CV 540 RPM (826-117C) Walterscheid (S/N 214515 to 336516 & 388671 to 468557).....68
Driveline CV 540 RPM (826-181C) EC New Shields....70
Driveline CV 540 RPM (826-181C) EC Old Shields.....72
Driveline CV 540 RPM (826-336C) Walterscheid (S/N 336516 to 388670).....74
Driveline CV 540 RPM (826-476C) Comer (S/N 468558 to 547835).....76
Driveline CV Joint (540 RPM) (7106622) Eurocardan..78
Driveline CV Joint (540 RPM) (7600602) Eurocardan..80
Driveline Slip Clutch (146.264.024.1) Comer.....82
Driveline Slip Clutch (146.284.020.1) Comer.....84
Driveline Slip Clutch (383805) Walterscheid.....86
Driveline Slip Clutch 540 RPM (391708) Walterscheid.....88
Driveline Slip Clutch 540/1000 RPM (1446016) EC.....90
Driveline Wing (826-185C) EC New Shielding.....92
Driveline Wing (826-185C) EC Old Shielding.....94
Driveline Wing (826-262C) Walterscheid (S/N 461934-).....96
Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+).....98

### G

Gearbox 540 RPM RC5015 (826-174C) RC6015 (826-231C) OMNI.....100
Gearbox 540 RPM RC5015 (826-175C) RC6015 (826-232C) OMNI.....102
Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Comer.....104
Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Eurocardan.....106
Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C Comer.....108
Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C) Eurocardan.....110
Gearbox Divider 540 RPM (826-179C) Comer.....112
Gearbox Divider 540 RPM (826-179C) OMNI.....114
Guards Center Deck (S/N 292791-).....40
Guards Center Deck (S/N 292792 To 419601).....42
Guards Center Deck (S/N 419602+).....44
Guards Center Deck Double Chains (S/N 292791-).....46
Guards Center Deck Double Chains (S/N 292792 To 419601).....48
Guards Center Deck Double Chains (S/N 419602+).....50
Guards Wing Deck (S/N 292791-).....52
Guards Wing Deck (S/N 292792+).....54

### H

Hitch.....22
Hydraulic Center Lift.....116
Hydraulic Cylinder (810-150C) Red Lion.....118
Hydraulic Cylinder (810-162C) Red Lion.....120
Hydraulic Cylinder (810-312C) Red Lion).....122
Hydraulic Cylinder (810-624C) Midway.....124
Hydraulic Cylinder (810-624C) Red Lion.....126
Hydraulic Cylinder Center (810-195C) Midway.....128
Hydraulic Cylinder Center Lift (810-162C) Cross.....130
Hydraulic Cylinder Center Lift (810-162C) Midway.....132
Hydraulic Cylinder Wing (810-150C) Cross.....134
Hydraulic Cylinder Wing (810-150C) Midway.....136
Hydraulic Cylinder Wing (810-312C) Cross.....138
Hydraulic Cylinder Wing (810-312C) Midway.....140
Hydraulic Independent Wing Control Accessory.....142
Hydraulic Valve Selector Assessory.....144
Hydraulic Valve Spool Control Accessory.....146
Hydraulic Wing Lift.....148

### L

Label Placement.....152

### M

Maunal Winch Wing Deck Accessory.....150

### S

Shredder Kit Comer (S/N 235492+).....158
Shredder Kit Omni (S/N 235491-).....160
Shredder Kit Omni (S/N 235491-).....162

### W

Wing Turnbuckle and Transport Bar.....24

# Alphabetized Table of Contents (continued)

## RCM5015 & RCM6015 SERIES (1000 RPM)


**A**

Axle Center Dual (S/N 489025-).....180
Axle Center Dual (S/N 489026+).....182
Axle Center Single (S/N 489025-).....184
Axle Tandem Center Deck (S/N 419602 to 489025).....186
Axle Tandem Center Deck (S/N 489026+).....188
Axle Wing (S/N 489025-).....190
Axle Wing (S/N 489026+).....192

**B**

Baffle Shreader Kit.....322
Blade Carrier.....164

**D**

Deck Center Section (1000 RPM) (RCM50 Series Only S/N 217473-).....166
Deck Center Section (1000 RPM) (S/N 217474+).....168
Deck Wing Section (1000 RPM).....172
Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+).....210
Driveline Center 1000 RPM (826-184C) Eurocardan.....212
Driveline Center 1000 RPM (826-261C) Walterscheid.....214
Driveline Conv. 1000 RPM (826-189C) EC New Shields.216
Driveline Conv. 1000 RPM (826-189C) EC Old Shields...218
Driveline Conv. 1000 RPM (826-247C) Walterscheid (S/N 214515+).....220
Driveline CV 1000 RPM (826-118C) Walterscheid (S/N 214514-).....222
Driveline CV 1000 RPM (826-182C) EC New Shields.....224
Driveline CV 1000 RPM (826-182C) EC Old Shields.....226
Driveline CV 1000 RPM (826-244C) 1 3/8-21 Walterscheid (S/N 214515 to 468225).....228
Driveline CV 1000 RPM (826-245C) 1 3/4-20 Walterscheid (S/N 488896-).....230
Driveline CV 1000 RPM (826-477C) 1 3/8-21 Comer (S/N 468226 to 547835).....232
Driveline CV 1000 RPM (826-499C) 1 3/4-20 Comer (S/N 488897+).....234
Driveline CV Joint (1000 RPM) (7106632) Eurocardan...236
Driveline CV Joint (1000 RPM) (7600621) Eurocardan...238
Driveline Slip Clutch (146.264.024.1) Comer.....240
Driveline Slip Clutch (146.284.020.1) Comer.....242
Driveline Slip Clutch (383805) Walterscheid.....244
Driveline Slip Clutch 1000 RPM (1406016) Eurocardan..246
Driveline Slip Clutch 1000 RPM (391359) Walterscheid..248
Driveline Slip Clutch 540/1000 RPM (1446016) EC.....250
Driveline Wing (826-185C) EC New Shielding.....252
Driveline Wing (826-185C) EC Old Shielding.....254
Driveline Wing (826-262C) Walterscheid (S/N 461934-)..256
Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+).....258

**G**

Gearbox 1000 RPM RCM5015 (826-176C) RCM6015 (826-233C) OMNI.....260
Gearbox 1000 RPM RCM5015 (826-177C) RCM6015 (826-234C) OMNI.....262
Gearbox 1000 RPM RCM5015 (826-178C) & (826-175C) RCM6015 (826-235C) OMNI.....264
Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Comer.....266
Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Eurocardan.....268
Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Comer.....270
Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Eurocardan.....272
Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Comer.....274
Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Eurocardan.....276
Gearbox Divider 1000 RPM (826-180C) Comer.....278
Gearbox Divider 1000 RPM (826-180C) OMNI.....280
Guards Center Deck (S/N 292791-).....194
Guards Center Deck (S/N 292792 To 419601).....196
Guards Center Deck (S/N 419602+).....198
Guards Center Deck Double Chains (S/N 292791-).....200
Guards Center Deck Double Chains (S/N 292792 To 419601).....202
Guards Center Deck Double Chains (S/N 419602+).....204
Guards Wing Deck (S/N 292791-).....206
Guards Wing Deck (S/N 292792+).....208

**H**

Hitch.....176
Hydraulic Center Lift.....282
Hydraulic Cylinder (810-150C) Red Lion.....284
Hydraulic Cylinder (810-162C) Red Lion.....286
Hydraulic Cylinder (810-312C) Red Lion).....288
Hydraulic Cylinder (810-624C) Midway.....290
Hydraulic Cylinder (810-624C) Red Lion.....292
Hydraulic Cylinder Center (810-195C) Midway.....294
Hydraulic Cylinder Center Lift (810-162C) Cross.....296
Hydraulic Cylinder Center Lift (810-162C) Midway.....298
Hydraulic Cylinder Wing (810-150C) Cross.....300
Hydraulic Cylinder Wing (810-150C) Midway.....302
Hydraulic Cylinder Wing (810-312C) Cross.....304
Hydraulic Cylinder Wing (810-312C) Midway.....306
Hydraulic Independent Wing Control Accessory.....308
Hydraulic Valve Selector Assessory.....310
Hydraulic Valve Spool Control Accessory.....312
Hydraulic Wing Lift.....314

**L**

Label Placement.....318

**M**

Maunal Winch Wing Deck Accessory.....316

# Alphabetized Table of Contents (continued)

**S**

Shredder Kit Comer (S/N 235492+).....324
Shredder Kit Omni (S/N 235491-).....326
Shredder Kit Omni (S/N 235491-).....328

**W**

Wing Turnbuckle and Transport Bar.....178

# General Information

## Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Land Pride parts in this manual are specially designed for this machine and should be replaced with Land Pride parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.

## Manual Replacement Information

Replacement manuals are available. Refer to our website at www.landpride.com or e-mail us at lit@landpride.com for additional information. Our website continues to provide the most up-to-date manuals available.

## Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans and touch-up bottles with brush applicator are available through your local dealer. Land Pride color descriptions and part numbers are listed below. Also available are quart and gallon size paints. Add QT or GL to end of the Aerosol P/N.

| Color | Product[1] | Aerosol | Touch-Up |
|---|---|---|---|
| Gloss Black | LP | 821-032C | 821-032CTU |
| Medium Gloss Black | UV | 821-053C | 821-053CTU |
| Beige | LP | 821-011C | 821-011CTU |
| Green | SLP | 821-058C | 821-058CTU |
| Orange | SLP | 821-066C | 821-066CTU |
| Red | SLP/UV | 821-054C | 821-054CTU |
| Blue | SLP/UV | 821-067C | 821-067CTU |
| Dark Green Sparkle | UV | 821-055C | 821-055CTU |
| Gondo Forest Green | UV | 821-057C | 821-057CTU |
| Brite Yellow[2] | UV | 821-056C | 821-056CTU |
| Gondo Yellow[3] | UV | 821-059C | 821-059CTU |

Notes:
1 LP = All Land Pride Products except Utility Vehicles
SLP = Select Land Pride Products that are available in optional Green, Orange, Red, & Blue colors.
UV = Utility Vehicles
2 Used on Trekers and (Runabouts with S/N 407628-)
3 Used on Gondos and (Runabouts with S/N 407629+)


Section No. and Name
Serial Number Break
Illustration Page
Parts Page
Parts List on this page applies to the models listed here.
Illustration Heading
Illustration on this page applies to the models listed here.
Illustration
Parts List
Illustration Number
Page Number
Manual Name
New or Modification Date
Manual Number
Section 2 Frames
Land Pride
Frame (S/N 00000-)
Applies to Model No's.
1. 317-138H LIFTING LUG
2. 802-143C HHCS 5/16-16x2 GR5
3. 803-209C NUT HEX 3/8-16PLT
4. 804-013C WASHER LOCK SPRING 3/8 PLT
29008
6 MODEL NO. & PRODUCT LINE XXX-XXXP 05/18/05
05/18/05 MODEL NO. & PRODUCT LINE XXX-XXXP 7

# General Information

## Hardware Legend

| | |
|---|---|
| AR | As Required |
| BLADE | Blade Bolt |
| C | Cap Screw |
| CP | Cotter Pin |
| CPHSSS | Cup Point Hex Socket Set Screw |
| CPSHSS | Cup Point Square Head Set Screw |
| CPSQHSS | Cup Point Square Head Set Screw |
| CRFCHMS3 | Cross Recess Flat Countersunk Head Machine Screw |
| CRPHMS | Cross Recess Pan Head Machine Screw |
| CRPHTFS | Cross Recess Pan Head Thread Forming |
| CRRHMS | Cross Recess Round Head Machine Screw |
| CRTHMS | Cross Recess Truss Head Machine Screw |
| CSNB | Countersunk Square Neck Bolt |
| FHMS | Flat Head Machine Screw |
| FTC | Full Thread Cap Screw |
| H | Hex Nut |
| HCLN | Hex Center Lock Nut |
| HFLCS | Hex Flange Lock Cap Screw |
| HFS | Hex Flange Screw |
| HFSLN | Hex Flange Serrated Lock Nut |
| HFSS | Hex Flange Serrated Screw |
| HHCS | Hex Head Cap Screw or Metric Bolt |
| HSBHCS | Hex Socket Button Head Cap Screw |
| HSFCHCS | Hex Socket Flat Countersunk Head Cap Screw |
| HSHCS | Hex Socket Head Cap Screw |
| HSSS | Hex Socket Head Screw |
| HTLN | Hex Top Lock Nut |
| HWHCS | Hex Washer Head Cap Screw |
| HWHMS | Hex Washer Head Machine Screw |
| HXBHCS | Hex Socket Button Head Cap Screw |
| J | Hex Jam Nut |
| JIC | 37 Degree Tapered Thread |
| L | Helical Spring Lock Washer |
| LUG | Lug Bolt |
| NFC | National Fine Cap Screw |
| NPSM | National Pipe Straight Mechanical |
| NPTF | National Pipe Taper Fuel |
| P | Wide Plain Washer |
| PHMS | Pan Head Machine Screw |
| PLOW | Plow Bolt |
| RHMS | Round Head Machine Screw |
| RHSNB | Round Head Square Neck Bolt |
| SCREW LEVELING | Leveling Screw |
| SCREW THUMB | Thumb Screw |
| SCREW WELD | Weld Screw |
| SFCHMS | Slotted Flat Countersunk Head Machine Screw |
| SFHMS | Slotted Fillister Head Machine Screw |
| SP | Special |
| SP SCREW | Special Screw |
| SQHSS | Square Head Set Screw |
| SRHMS | Slotted Round Head Machine Screw |
| SSS | Socket Set Screw |
| STCS | Self Tapping Cap Screw |
| STHMS | Slotted Truss Head Machine Screw |
| WHEEL | Wheel Studs and Hub Long Bolts |
| WING | Wing Bolt |

## Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

## Colored Replacement Parts

Land Pride offers replacement parts in factory standard colors and also on select models in Green, Orange, Red and Blue. Because of the variety of colors available, special attention must be given to the part number to prevent ordering the wrong replacement part.

A suffix number corresponding to one of the colors below must be added at the end of Land Pride's part number when ordering a replacement part with that color.

**81 . . . . . Green** **83 . . . . .Red**
**82 . . . . . Orange** **84 . . . . .Blue**

For example, if you are ordering a replacement part with part number 555-555C and the part you need is red, then add the suffix 83 to the end of the number to make the part number read 555-555C83. Parts ordered without a suffix number will be supplied in factory standard colors.

## Black Replacement Parts

Some parts are factory standard black and some must be special ordered black. If your part is special ordered black, a second part number with the additional suffix number 85 on the end will be available. In this situation you must order that part with the suffix number for it to be black. Parts that are factory standard black will not have the suffix number.

## Part Number Service Coding

Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.

## Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

| | |
|---|---|
| (S/N 20001+) | Includes serial numbers 20001 and above (to the latest number) |
| (S/N 10001 to 20000) | Includes serial numbers between and including 10001 and 20000 |
| (S/N 10000-) | Includes serial numbers 10000 and below (to the earliest number) |

# Blade Carrier

**Applies to RC5015, RC6015**




16969

# Blade Carrier

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16969 | Drawing Image Number | | |
| **1.** | 802-277C | BLADE BOL 1 1/8-12X3 7/16 W/KY | | |
| **2.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | Standard Blade Quantity 2 per Center Section | |
| **2.** | 820-188C | CUTTER BLADE 1/2X4X29 LL CCW | Optional Blade Quantity 2 per Center Section | |
| **2.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | Standard Blade Quantity 2 per RH Wing | |
| **2.** | 820-189C | CUTTER BLADE 1/2X4X23 LL CCW | Optional Blade Quantity 2 per RH Wing | |
| **2.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | Standard Blade Quantity 2 per LH Wing | |
| **2.** | 820-190C | CUTTER BLADE 1/2X4X23 LL CW | Optional Blade Quantity 2 per LH Wing | |
| **3.** | 318-363H | WLDMT. DP. 50 SERIES/U125 HUB | RC5015 & RCM5015 (S/N 325492+) Comer | |
| **3.** | 318-012H | WLDMT. DISHPAN | RC5015 & RCM5015 (S/N 325491-) Omni | |
| **4.** | 803-170C | NUT HEX TOP LOCK 1 1/8-12 PLT. | | |
| **5.** | 804-147C | WASHER FLAT 1 HARD ASTMF436 PN | | |
| **6.** | 318-365S | ASSY. CCW | BLADE CARRIER CTR. (S/N 32592+) | |
| **6.** | 318-078S | ASSY. CCW | BLADE CARRIER CTR. (S/N 32591-) | |
| **6.** | 318-366S | ASSY. CCW BLADE CARRIER RH. | RC5015 & RCM5015 (S/N 325492+) | |
| **6.** | 318-079S | ASSY. CCW BLADE CARRIER RH. | RC5015 & RCM5015 (S/N 325491-) | |
| **6.** | 318-367S | ASSY. CW BLADE CARRIER LH. | RC5015 & RCM5015 (S/N 325492+) | |
| **6.** | 318-080S | ASSY. CW BLADE CARRIER LH. | RC5015 & RCM5015 (S/N 325491-) | |
| **7.** | 318-364H | WLDMT. DP. 60 SERIES/U125 HUB | RC6015 & RCM6015 (S/N 325492+) Comer | |
| **7.** | 318-164H | WLDMT. DISHPAN | RC6015 & RCM6015 (S/N 325491-) Omni | |
| **8.** | 802-065C | HHCS 3/4-10X2 1/4 GR5 | | |
| **9.** | 803-181C | NUT HEX FLANGE LOCK 3/4-10 PLT | | |
| **10.** | 318-190D | LARGE ROUND DISHPAN 3/16 | RC6015 & RCM6015 | Rev. 2 |
| **10.** | 318-111D | LARGE ROUND DISHPAN 3/16 | RC6015 & RCM6015 | Rev 1; Use up stock |
| **11.** | 318-368V | ASSY. BLADE CARRIER | RC6015 & RCM6015 (S/N 325492+) | |
| **11.** | 318-165V | ASSY. BLADE CARRIER | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-369S | ASSY. CCW BLADE CARRIER CTR. | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-159S | ASSY. CCW BLADE CARRIER CTR. | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-370S | ASSY. CCW BLADE CARRIER RH. | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-161S | ASSY. CCW BLADE CARRIER RH. | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-371S | ASSY. CW BLADE CARRIER LH | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-163S | ASSY. CW BLADE CARRIER LH. | RC6015 & RCM6015 (S/N 325491-) | |
| **13.** | 312-075D | BLADE SPACER 16 GA. .06 Thick | As Required | |
| **13.** | 312-082D | BLADE SPACER 18 GA .048 Thick | As Required | |
| **13.** | 312-089D | BLADE SPACER 20 GA. .036 Thick | As Required | |
| **13.** | 312-808D | BLADE SPACER 24GA .024 Thick | As Required | |
| **14.** | 318-586A | BLADE BOLT KIT | | |

# Deck Center Section (540 RPM) (RC50 Series Only S/N 217473-)

**Applies to RC5015**




15338

# Deck Center Section (540 RPM) (RC50 Series Only S/N 217473-)

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15338 | Drawing Image Number | | |
| | 318-026L | ASSY. CENTER SECT. 540 RPM | | |
| | 318-073S | ASSY. SUB CENTER SECT.540 RPM | Includes items 26 part no. 826-174C, 27, 33 & 34 | |
| **1.** | 318-016H | RPBY 318-148K | | |
| **2.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **3.** | 802-629C | HHCS 1/2-13X1 1/2GR5 | | |
| **4.** | 804-023C | WASHER LOCK SPRING 3/4 PLT | | |
| **5.** | 802-184C | HHCS 3/4-10X1 1/2 GR5 | | |
| **6.** | 318-015H | RPBY 318-147K | | |
| **7.** | 826-179C | DIV OMNI/CO 540RPM 1 3/4-20 | | |
| **8.** | 318-114D | SHIELD DIVIDER BOX | | |
| **9.** | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| **10.** | 802-032C | HHCS 1/2-13X3/4 GR5 | | |
| **11.** | 318-099H | WLDMT. GEARBOX SHIELD | | |
| **12.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **13.** | 803-231C | NUT WING 3/8-16 PLT | | |
| **14.** | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| **15.** | 318-098H | WLDMT. SHIELD BRACKET | | |
| **16.** | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| **17.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **18.** | 802-007C | HHCS 5/16-18X3/4 GR5 | | Rev. 2 |
| **18.** | 802-159C | HHCS 5/16-18X1 GR5 | | Rev 1; Use up stock |
| **19.** | 826-183C | PTO INT. CAT.4 540W/CLUTCH | | |
| **20.** | 807-023C | SPRING HOSE LOOP | | |
| **21.** | 826-174C | GBOX RC130S 1 3/4-20 1:1.46 SU | | |
| **22.** | 802-064C | HHCS 3/4-10X2 GR5 | | |
| **23.** | 318-019H | WLDMT. CYLINDER SPRING BASE | | |
| **24.** | 807-143C | SPRING COMP 1.88OD x .362W | | |
| **25.** | 802-235C | HHCS 1-8X5 GR5 | | |
| **26.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **27.** | 312-611D | BLADE BOLT ACCESS COVER | | |
| **28.** | 803-026C | NUT LOCK 3/4-10 PLT | | |
| **29.** | 318-001H | WLDMT. CENTER SECTION | | |
| **30.** | 318-078S | ASSY. CCW BLADE CARRIER CTR. | | |
| **31.** | 802-258C | HHCS 1/2-13X1 GR5 | | |
| **32.** | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| **33.** | 826-117 C | RPBY 826-336C | | Rev. 1 |
| **33.** | 826-181C | RPBY 826-117C | | |
| **33.** | 826-188C | RPBY 826-112C | (S/N 214514-) | |
| **34.** | 804-169C | WASHER HARDENED 1 1/8 USS | | |
| **35.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | | |
| **36.** | 805-105C | PIN COTTER 1/4 X 2 1/2 PLT | | |

# Deck Center Section (540 RPM) (S/N 217474+)

**Applies to RC5015, RC6015**




16924

# Deck Center Section (540 RPM) (S/N 217474+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16924 | Drawing Image Number | | |
| 1. | 318-146H | WLDMT. SKID SHOE LH. | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-456C | HFS 1/2-13X2 GR8 | | |
| 4. | 804-023C | WASHER LOCK SPRING 3/4 PLT | OMNI Gear Box | |
| 5. | 802-184C | HHCS 3/4-10X1 1/2 GR5 | OMNI Gear Box | |
| 6. | 318-145H | WLDMT. SKID SHOE RH. | | |
| 7. | 826-179C | DIVBX.RCD101HD 1 3/4-20 1:1.21 | | |
| 7. | 826-179C81 | DIVBX.RCD101HD 1 3/4-20 1:1.21 GREEN | | |
| 7. | 826-179C83 | DIVBX.RCD101HD 1 3/4-20 1:1.21 RED | | |
| 8. | 318-114D | SHIELD DIVIDER BOX | Metal (S/N 325491-) | |
| 8. | 817-416C | PLASTIC DIVIDER BOX SHIELD | Plastic (S/N 325492+) | |
| 9. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 10. | 802-032C | HHCS 1/2-13X3/4 GR5 | | |
| 11. | 318-099H | WLDMT. GEARBOX SHIELD | Metal (S/N 325491-) | |
| 12. | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| 13. | 803-231C | NUT WING 3/8-16 PLT | | |
| 14. | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| 15. | 318-098H | WLDMT. SHIELD BRACKET | (S/N 325491-) | |
| 15. | 318-401H | SHIELD BRACKET WELDMENT | (S/N 325492+) | |
| 16. | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| 17. | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| 18. | 802-007C | HHCS 5/16-18X3/4 GR5 | OMNI GEARBOX | |
| 18. | 802-314C | HHCS M8X1.25X20 GR8.8 | COMER GEARBOX | |
| 19. | 826-183C | PTO INT. CAT.4 540W/CLUTCH | RC5015 | |
| 19. | 826-478C | PTO E60 X 21.7 1280NM CLUTCH | RC6015 (S/N 461935 to 461937, 468573+) | Rev. 2 |
| 19. | 826-260C | PTO INT. W2500/WSC CAT5 540 | RC6015 (S/N 461934-) | Rev. 1 |
| 20. | 807-023C | SPRING HOSE LOOP | | |
| 21. | 826-315C | GBOX RC50 1.75-20 1:1.46 CCW | RC5015 (S/N 325492+) | |
| 21. | 826-315C81 | GBOX RC50 1.75-20 1:1.46 CCW | | |
| 21. | 826-315C83 | GBOX RC50 1.75-20 1:1.46 CCW | | |
| 21. | 826-320C | GBOX RC60 1.75-20 1:1.46 CCW | RC6015 (S/N 325492+) | |
| 21. | 826-320C81 | GBOX RC60 1.75-20 1:1.46 CCW GREEN | | |
| 22. | 826-320C83 | GBOX RC60 1.75-20 1:1.46 CCW RED | | |
| 21. | 826-174C | GBOX RC130S 1.75-20 1:1.46 CW | RC5015 (S/N 325491-) | |
| 21. | 826-231C | GBOX RC130L 1.75-20 1:1.46 CW | RC6015 (S/N 325491-) | |
| 22. | 802-064C | HHCS 3/4-10X2 GR5 | | |
| 23. | 318-169H | WLDMT. CYLINDER SPRING BASE | | |
| 24. | 807-143C | SPRING COMP 1.88OD x .362W | | |
| 25. | 802-235C | HHCS 1-8X5 GR5 | | |
| 26. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 27. | 312-812D | BLADE BOLT ACCESS COVER | | |
| 27. | 312-812D81 | BLADE BOLT ACCESS COVER GREEN | | |
| 27. | 312-812D83 | BLADE BOLT ACCESS COVER RED | | |
| 28. | 803-299C | NUT HEX FLG TOP LK 3/4-10 PLT | | |
| 29. | 318-170H | WLDMT. CENTER SECTION | RC5015 (S/N 325491-) | |
| 29. | 318-374H | WLDMT. CENTER SECTION | RC5015 (S/N 325492 to 419601-) | |
| 29. | 318-692H | WLDMT. CENTER SECTION | RC5015 (S/N 419602+) | |
| 29. | 318-692H81 | WLDMT. CENTER SECTION GREEN | | |
| 29. | 318-692H83 | WLDMT. CENTER SECTION RED | | |
| 29. | 318-885H | WLD. CTR. SECTION W/DECK RINGS | RC5015 | |
| 29. | 318-885H81 | WLD. CTR. SECTION W/DECK RINGS GREEN | | |
| 29. | 318-885H83 | WLD. CTR. SECTION W/DECK RINGS RED | | |
| 29. | 318-149H | WLDMT. CENTER SECTION | RC6015 (S/N 325491-) | |
| 29. | 318-375H | WLDMT. CENTER SECTION | RC6015 (S/N 325492 to 419601-) | |
| 29. | 318-568H | WLDMT. CENTER SECTION | RC6015 (S/N 419602+) | |
| 29. | 318-568H81 | WLDMT. CENTER SECTION GREEN | | |

# Deck Center Section (540 RPM) (S/N 217474+) (continued)

**Applies to RC5015, RC6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **29.** | 318-568H83 | WLDMT. CENTER SECTION RED | | |
| **29.** | 318-931H | WLDMT. CENTER SECTION W/DECK RINGS | RC6015 | |
| **29.** | 318-931H81 | WLDMT. CENTER SECTION W/DECK RINGS GREEN | | |
| **29.** | 318-931H83 | WLDMT. CENTER SECTION W/DECK RINGS RED | | |
| **30.** | 802-258C | HHCS 1/2-13X1 GR5 | | |
| **31.** | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| **32.** | 826-476C | PTO CV V80 X 54.8 NO CLUTCH | (S/N 468558+) | Rev. 4 |
| **32.** | 826-117C | RPBY 826-476C | (S/N 388671 TO 468557) | Rev. 3 |
| **32.** | 826-336C | RPBY 826-117C | (S/N 336516 TO 388670) | Rev. 2 |
| **32.** | 826-117C | RPBY 826-336C | (S/N 388669-) | Rev. 1 |
| **32.** | 826-112C | PTO 2500 X 39.76 NO CLUTCH | (S/N 214515+) | |
| **33.** | 804-028C | WASHER FLAT 1 USS PLT | | |
| **34.** | 802-070C | HHCS 3/4-10X6 GR5 | | |
| **35.** | 318-167D | TOP PLATE SKID REINFORCEMENT | | |
| **36.** | 817-259C | KNOB 3/8-16 FEMALE THD 2 3/8OD | S/N 325492+ | |
| **37.** | 802-017C | HHCS 3/8-16X1 GR5 | S/N 325492+ | |
| **38.** | 318-322D | FORMED HINGE BRACKET | S/N 325492+ | |
| **39.** | 805-309C | PIN CLEVIS 3/8 X 5 1/2 PLT | S/N 325492+ | |
| **40.** | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | S/N 325492+ | |
| **41.** | 802-058C | HHCS 5/8-11X2 1/2 GR5 | COMER GEARBOX | |
| **42.** | 803-271C | NUT HEX TOP LOCK 5/8-11 PLT | COMER GEARBOX | |
| **43.** | 803-013C | NUT LOCK 3/8-16 PLT | | |
| **44.** | 816-481C | MANUAL STORAGE CONTAINER | RC5010 S/N 495289+ RC6010 S/N 488627+ RC(M)5015 S/N 495289+ RC(M)6015 488627+ | |
| **45.** | 802-005C | HHCS 1/4-20X1 GR5 | RC5010 S/N 495289+ RC6010 S/N 488627+ RC(M)5015 S/N 495289+ RC(M)6015 488627+ | |
| **46.** | 803-255C | NUT HEX NYLOCK 1/4-20 | RC5010 S/N 495289+ RC6010 S/N 488627+ RC(M)5015 S/N 495289+ RC(M)6015 488627+ | |
| **47.** | 804-007C | WASHER FLAT 1/4 SAE PLT | RC5010 S/N 495289+ RC6010 S/N 488627+ RC(M)5015 S/N 495289+ RC(M)6015 488627+ | |
| **48.** | 890-005C | BUSHING CYL 1 1/4 X 1 X 1 | S/N 509805+ | |

## *Deck Center Section (540 RPM) (S/N 217474+) (continued)*

**Applies to RC5015, RC6015**

***This Page Intentionally Left Blank***

# Deck Wing Section (540 RPM)

**Applies to RC5015, RC6015**




15340

# Deck Wing Section (540 RPM)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15340 | Drawing Image Number | | |
| 1. | 318-087D | DEFLECTOR | LH Wing Shown | |
| 1. | 318-087D81 | DEFLECTOR GREEN | | |
| 1. | 318-087D82 | DEFLECTOR RED | | |
| 1. | 318-086D | DEFLECTOR | RH Wing | |
| 1. | 318-086D81 | DEFLECTOR GREEN | | |
| 1. | 318-086D83 | DEFLECTOR RED | | |
| 2. | 318-317H | WLDMT. WING SECTION RH. | (S/N 292792+) RC5015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-317H81 | WLDMT. WING SECTION RH. GREEN | | |
| 2. | 318-317H83 | WLDMT. WING SECTION RH. RED | | |
| 2. | 318-886H | WLD. RH WING SECT. W/DECK RING | RC5015 | |
| 2. | 318-886H81 | WLD. RH WING SECT. W/DECK RING GREEN | | |
| 2. | 318-886H83 | WLD. RH WING SECT. W/DECK RING RED | | |
| 2. | 318-002H | WLDMT. WING SECTION RH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-318H | WLDMT. WING SECTION LH. | (S/N 292792+) RC5015 (Shown) | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-318H81 | WLDMT. WING SECTION LH. GREEN | | |
| 2. | 318-318H83 | WLDMT. WING SECTION LH. RED | | |
| 2. | 318-887H | WLD. LH WING SECT. W/DECK RING | RC5015 | |
| 2. | 318-887H81 | WLD. LH WING SECT. W/DECK RING GREEN | | |
| 2. | 318-887H83 | WLD. LH WING SECT. W/DECK RING RED | | |
| 2. | 318-003H | WLDMT. WING SECTION LH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-339H | WLDMT. WING SECTION RH. | (S/N 292792+) RC6015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-339H81 | WLDMT. WING SECTION RH. GREEN | | |
| 2. | 318-339H83 | WLDMT. WING SECTION RH. RED | | |
| 2. | 318-932H | WLDMT. WING SECTION RH. W/DECK RING | RC6015 | |
| 2. | 318-932H81 | WLDMT. WING SECTION RH. W/DECK RING GREEN | | |
| 2. | 318-932H83 | WLDMT. WING SECTION RH. W/DECK RING RED | | |
| 2. | 318-150H | WLDMT. WING SECTION RH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-340H | WLDMT. WING SECTION LH. | (S/N 292792+) RC6015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-340H81 | WLDMT. WING SECTION LH. GREEN | | |
| 2. | 318-340H83 | WLDMT. WING SECTION LH. RED | | |
| 2. | 318-941H | WLDMT. WING SECTION LH. W/DECK RING | RC6015 | |
| 2. | 318-941H81 | WLDMT. WING SECTION LH. W/DECK RING GREEN | | |
| 2. | 318-941H83 | WLDMT. WING SECTION LH. W/DECK RING RED | | |
| 2. | 318-151H | WLDMT. WING SECTION LH. | (S/N 292791-) | Rev. 1 |
| 3. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 4. | 318-086D | DEFLECTOR | RC5015 (S/N 219145-) | |
| 5. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 6. | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| 7. | 803-026C | NUT LOCK 3/4-10 PLT | | |
| 8. | 826-315C | GBOX RC50 1.75-20 1:1.46 CCW | RC5015 LH 540 RPM (S/N 325492+) | |
| 8. | 826-315C81 | GBOX RC50 1.75-20 1:1.46 CCW GREEN | | |
| 8. | 826-315C83 | GBOX RC50 1.75-20 1:1.46 CCW RED | | |
| 8. | 826-174C | REPLACE BY 318-559S | RC5015 LH 540 RPM (S/N 325491-) | |
| 8. | 826-316C | GBOX RC50 1.75-20 1:1.46 CW | RC5015 RH 540 RPM (S/N 325492+) | |
| 8. | 826-175C | REPLACE BY 318-560S | RC5015 RH 540 RPM (S/N 325491-) | |
| 8. | 826-320C | GBOX RC60 1.75-20 1:1.46 CCW | RC6015 LH 540 RPM (S/N 325492+) | |
| 8. | 826-320C81 | GBOX RC60 1.75-20 1:1.46 CCW GREEN | | |
| 8. | 826-320C83 | GBOX RC60 1.75-20 1:1.46 CCW RED | | |
| 8. | 826-231C | GBOX RC130L 1.75-20 1:1.46 CW | RC6015 LH 540 RPM (S/N 325491-) | |
| 8. | 826-321C | GBOX RC60 1.75-20 1:1.46 CW | RC6015 RH 540 RPM (S/N 325492+) | |
| 8. | 826-321C81 | GBOX RC60 1.75-20 1:1.46 CW GREEN | | |
| 8. | 826-321C83 | GBOX RC60 1.75-20 1:1.46 CW RED | | |
| 8. | 826-232C | GBOX RC130L 1.75-20 1:1.46 CCW | RC6015 RH 540 RPM (S/N 325491-) | |

# Deck Wing Section (540 RPM) (continued)

**Applies to RC5015, RC6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **9.** | 802-064C | HHCS 3/4-10X2 GR5 | | |
| **10.** | 318-400H | SHIELD WELDMENT | (S/N 325492+) | Rev. 2 not compat. w/Rev. 1. |
| **10.** | 312-399H | SHIELD WELDMENT | (S/N 325491-) | Rev. 1 |
| **11.** | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| **12.** | 817-259C | KNOB 3/8-16 FEMALE THD 2 3/8OD | | |
| **12.** | 803-231C | NUT WING 3/8-16 PLT | | |
| **13.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **14.** | 318-401H | SHIELD BRACKET WELDMENT | (S/N 325492+) | Rev. 2 not compat. w/Rev. 1. |
| **14.** | 312-400H | SHIELD MOUNT BRACKET WELDMENT | (S/N 325491-) | Rev. 1 |
| **15.** | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| **16.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **17.** | 802-007C | HHCS 5/16-18X3/4 GR5 | | |
| **18.** | 312-812D | BLADE BOLT ACCESS COVER | | |
| **18.** | 312-812D81 | BLADE BOLT ACCESS COVER GREEN | | |
| **18.** | 312-812D83 | BLADE BOLT ACCESS COVER RED | | |
| **19.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **20.** | 802-466C | PLOW 3/8-16X1 1/4 GR5 | | |
| **21.** | 318-335D | SKID SHOE | (S/N 292792+) | Rev. 2 not compat. w/Rev. 1. |
| **21.** | 318-335D81 | SKID SHOE GREEN | | |
| **21.** | 318-335D83 | SKID SHOE RED | | |
| **21.** | 318-096D | SKID SHOE | (S/N 292791-) | Rev. 1 |
| **22.** | 0.288.7101.00 | COMER BLANK WASHER | RC5015 & RC6015 804-169C OMNI WASHER HARDENED 1 1/8 USS | |
| **23.** | 8.2.2.00560 | COMER CASTLE NUT M36X3 | RC5015 & RC6015 | |
| **23.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RC5015 | |
| **23.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RC6015 | |
| **24.** | 805-105C | PIN COTTER 1/4 X 2 1/2 PLT | | |
| **25.** | 318-171D | DEFLECTOR FLAT LH. | (S/N 219146+) Shown | |
| **25.** | 318-171D81 | DEFLECTOR FLAT LH. GREEN | | |
| **25.** | 318-171D83 | DEFLECTOR FLAT LH. RED | | |
| **25.** | 318-170D | DEFLECTOR FLAT RH. | (S/N 219146+) | |
| **25.** | 318-170D81 | DEFLECTOR FLAT RH. GREEN | | |
| **25.** | 318-170D83 | DEFLECTOR FLAT RH. RED | | |
| **26.** | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 | RC5015 | |
| **26.** | 826-481C | PTO V80 X 59.3 1280NM CLUTCH | RC6015 (S/N 461635 to 461937, 468573+) | Rev. 2 |
| **26.** | 826-262C | RPBY 826-481C | RC6015 (S/N 461634-) | Rev. 1 |

## *Deck Wing Section (540 RPM) (continued)*

**Applies to RC5015, RC6015**

***This Page Intentionally Left Blank***

# Hitch

**Applies to RC5015, RC6015**




15351

# Hitch

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15351 | Drawing Image Number | | |
| | 318-054L | ASSY. TONGUE | Includes items 1 through 9 | |
| **1.** | 318-005H | WLDMT. TONGUE CLEVIS | | |
| **2.** | 890-182C | SAFETY CHAIN 10000 LB | | |
| **3.** | 802-096C | HHCS 1-8X2 1/2 GR5 | | |
| **4.** | 804-028C | WASHER FLAT 1 USS | | |
| **5.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **6.** | 318-570H | WLDMT. TONGUE | (S/N 419602+) | Rev. 2 not compat. w/Rev.1 |
| **6.** | 318-004H | WLDMT. TONGUE | (S/N 419601-) | Rev. 1 |
| **7.** | 802-074C | HHCS 1-8X6 1/2 GR5 | S/N 509805+ | |
| **7.** | 802-235C | HHCS 1-8X5 GR5 | S/N 509804- | |
| **8.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **9.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **10.** | 805-109C | PIN COTTER 1/8 X 1 1/4 LG | | |
| **11.** | 805-083C | PIN CLEVIS 3/4 X 1 1/2 | | |
| **12.** | 804-025C | WASHER FLAT 3/4 SAE PLT | | |
| **13.** | 318-006H | WLDMT. CLEVIS LEVEL ROD | | |
| **14.** | 318-008H | WLDMT. LEVEL ROD SHORT | | |
| **15.** | 803-265C | NUT HEX COUPLER 7/8-9 x 5 | | |
| **16.** | 803-075C | NUT HEX JAM 7/8-9 | | |
| **17.** | 318-007H | WLDMT. LEVEL ROD LONG | | |
| **18.** | 890-226C | SIDEWIND JACK 5000 LB | | |
| **19.** | 318-052L | ASSY. LEVEL ROD | Includes items 10, 11, 12 & 14-through 17 | |
| **20.** | 318-053L | ASSY. LEVEL ROD CLEVIS | Includes items 10 through 13 | |
| **21.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |

# Wing Turnbuckle and Transport Bar

**Applies to RC5015, RC6015**




15488

# Wing Turnbuckle and Transport Bar

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15488 | Drawing Image Number | | |
| **1.** | 318-017H | WLDMT. HINGE ROD | | |
| **2.** | 802-022C | HHCS 3/8-16X1 1/2 GR5 | | |
| **3.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **4.** | 802-205C | HHCS 1-8X5 1/2 GR5 | S/N 222150+ | |
| **4.** | 802-235C | HHCS 1-8X5 GR5 | S/N 222149- | |
| **5.** | 805-104C | PIN COTTER 3/16 X 1 1/2 PLT | | |
| **6.** | 804-029C | WASHER FLAT 1 SAE | | |
| **7.** | 318-018H | WLDMT. CYLINDER PIN | | |
| **8.** | 890-893C | OB RPBY 890-974C | S/N 419602+ | |
| **8.** | 890-506C | TURNBUCKLE 1BORE W/SWIVELS | S/N 419601- | |
| **9.** | 803-266C | NUT HEX JAM 1 1/8-7 PLTD. | | |
| **10.** | 800-130C | GREASE ZERK STRAIGHT 1/8-27NPT | | |
| **11.** | 803-008C | NUT HEX 5/16-18 PLT | | |
| **12.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **13.** | 802-649C | HHCS 5/16-18X2 1/2 GR8 | | Rev. 2 |
| **13.** | 802-172C | HHCS 5/16-18X2 1/2 GR5 | | Rev 1; Use up stock |
| **14.** | 803-014C | NUT HEX 3/8-16 PLT | | |
| **15.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **16.** | 318-040D | TRANSPORT BAR | | |
| **17.** | 802-073C | HHCS 1-8X4 GR5 | | |
| **18.** | 805-088C | PIN, HAIR COTTER 3/16 WIRE DIA | | |
| **19.** | 318-055L | ASSY. HINGE ROD | | |
| **20.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |

# Axle Center Dual (S/N 489025-)

**Applies to RC5015, RC6015**




15376

# Axle Center Dual (S/N 489025-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15376 | Drawing Image Number | | |
| 1. | 318-085D | SPACER 1 1/2OD X .234W X 1 | (S/N 419601-) | |
| 2. | 802-205C | HHCS 1-8X5 1/2 GR5 | (S/N 222150+) | Rev. 2 not compat. w/Rev. 1. |
| 2. | 802-235C | HHCS 1-8X5 GR5 | (S/N 222149-) | Rev. 1 |
| 3. | 802-110C | HHCS 1-8X9 GR5 | | |
| 4. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 5. | 318-009H | WLDMT. CENTER DUAL AXLE | (S/N 223259-) | |
| 6. | 200-001D | HUB GREASE CAP | | |
| 7. | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| 8. | 804-055C | WASHER SPINDLE - 7/8 | | |
| 9. | 822-091C | BEARING CONE 15123 | | |
| 10. | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| 10. | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| 10. | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| 11. | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| 12. | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| 13. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| 14. | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #17, 18 & 19 S/N 414627- | |
| 15. | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #17, 18 & 19 S/N 414627- | |
| 16. | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #17, 18 & 19 S/N 336501 to 414627 | |
| 16. | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #20 S/N 336501 to 414627 | |
| 17. | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| 17. | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| 18. | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+) | Rev. 3; Not interchangeable |
| 18. | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 18. | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| 19. | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| 19. | 814-202C | AC TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 19. | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| 20. | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| 21. | 318-623H | WLDMT. STD. CENTER AXLE | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 21. | 318-188H | WLDMT. CENTER AXLE | (S/N 223260 to 419601) | Rev. 1 |
| 22. | 815-141C | SPINDLE - DUAL AXLE BOLT ON | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 22. | 815-109C | SPINDLE - DUAL AXLE BOLT ON | (S/N 223260 to 419601) | Rev. 1 |
| 23. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| 24. | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| 25. | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 25. | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 25. | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| 26. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 26. | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 26. | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| 27. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| 27. | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 27. | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| 28. | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #17, 18 & 19 S/N 414628+ | |
| 29. | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use #20 S/N 414628+ | |
| 29. | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| 30. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 31. | 822-092C | BEARING CUP 15245 | | |
| 32. | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |
| 33. | 827-001C | SPACER 1/2 | (S/N 419602+) | |

# *Axle Center Dual (S/N 489026+)*

**Applies to RC5015, RC6015**




23962

# Axle Center Dual (S/N 489026+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23962 | Drawing Image Number | | |
| **1.** | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| **2.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **3.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **4.** | 200-001D | HUB GREASE CAP | | |
| **5.** | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| **6.** | 804-216C | WASHER HARDENED .81ID | | |
| **7.** | 822-021C | BEARING CONE LM-67048 | | |
| **8.** | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| **9.** | 816-497C | SEAL 1.75ID CR17617 | | |
| **10.** | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| **11.** | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| **12.** | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| **13.** | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| **14.** | 814-284C | WHEEL 15 X 5 X 5 BOLT | | |
| **15.** | 318-623H | WLDMT. STD. CENTER AXLE | | |
| **16.** | 815-240C | SPINDLE-DUAL BOLT-ON | | |
| **17.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| **18.** | 803-019C | NUT LOCK 1/2-13 PLT | | |
| **19.** | 814-295C | TIRE 24X7.7-14 (814-285C) | | |
| **20.** | 814-297C | TUBE FOR 24X7.7-14 (814-285C) | | |
| **21.** | 814-296C | RIM 2PC 5BLT 10X6 | | |
| **22.** | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| **23.** | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| **24.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **25.** | 822-020C | BEARING CUP LM-67010 | | |
| **26.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| **27.** | 827-001C | SPACER 1/2 | | |
| **28.** | 822-033C | BEARING CUP LM-48510 | | |
| **29.** | 822-034C | BEARING CONE LM-48548 | | |
| **30.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | | |

# Axle Center Single (S/N 489025-)

**Applies to RC5015, RC6015**




15384

# Axle Center Single (S/N 489025-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15384 | Drawing Image Number | | |
| | 318-043A | 21LAMINATED TIRE SGL. PACKAGE | | |
| | 318-044A | 15WHEEL RIM SGL. PACKAGE | | |
| | 318-045A | AIRPLANE TIRE SGL. AXLE | | |
| **1.** | 318-085D | SPACER 1 1/2OD X .234W X 1 | (S/N 419601-) | |
| **2.** | 802-205C | HHCS 1-8X5 1/2 GR5 | (S/N 222150+) | Rev. 2 not compat. w/Rev. 1 |
| **2.** | 802-235C | HHCS 1-8X5 GR5 | (S/N 222149-) | Rev. 1 |
| **3.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **4.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **5.** | 318-081H | WLDMT. CENTER SGL. AXLE | (S/N 223259-) | |
| **6.** | 200-001D | HUB GREASE CAP | | |
| **7.** | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| **8.** | 804-055C | WASHER SPINDLE - 7/8 | | |
| **9.** | 822-091C | BEARING CONE 15123 | | |
| **10.** | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| **10.** | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| **10.** | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| **11.** | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| **12.** | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| **13.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **14.** | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #17, 18 & 19 S/N 414627- | |
| **15.** | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #17, 18 & 19 S/N 414627- | |
| **16.** | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #17, 18 & 19 S/N 336501 to 414627 | |
| **16.** | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #20 S/N 336501 to 414627 | |
| **17.** | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| **17.** | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| **18.** | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+) | Rev. 3; Not interchangeable |
| **18.** | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **18.** | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| **19.** | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| **19.** | 814-202C | TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **19.** | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| **20.** | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| **21.** | 318-623H | WLDMT. STD. CENTER AXLE | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1 |
| **21.** | 318-188H | WLDMT. CENTER AXLE | (S/N 223260 to 419601) | Rev. 1 |
| **22.** | 815-140C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1 |
| **22.** | 815-108C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 223260 to 419601) | Rev. 1 |
| **23.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| **24.** | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| **25.** | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| **25.** | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **25.** | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| **26.** | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (SW/N 419602+) | |
| **26.** | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 416601) | Rev. 2 not compat. w/Rev. 1 |
| **26.** | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| **27.** | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| **27.** | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **27.** | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| **28.** | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #17, 18 & 19 S/N 414628+ | |
| **28.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use with #20 S/N 414628+ | |
| **29.** | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| **30.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| **31.** | 822-092C | BEARING CUP 15245 | | |
| **32.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |
| **33.** | 827-001C | SPACER 1/2 | (S/N 419602+) | |

# Axle Tandem Center Deck (S/N 419602 to 489025)

**Applies to RC5015, RC6015**




22084

# Axle Tandem Center Deck (S/N 419602 to 489025)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22084 | Drawing Image Number | | |
| 1. | 200-001D | HUB GREASE CAP | | |
| 2. | 318-571H | WLDMT. CENTER AXLE | | |
| 3. | 318-573H | WLDMT. TANDEM ARM | | |
| 4. | 318-855H | WLDMT. PVT. PIN WALKING TANDEM | Optional | |
| 5. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 6. | 802-357C | HHCS 1-8X6 GR5 | | |
| 7. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| 8. | 802-110C | HHCS 1-8X9 GR5 | | |
| 9. | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | | |
| 10. | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| 11. | 803-019C | NUT LOCK 1/2-13 PLT | | |
| 12. | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| 13. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 14. | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | | |
| 15. | 804-029C | WASHER FLAT 1 SAE | Optional | |
| 16. | 804-055C | WASHER SPINDLE - 7/8 | | |
| 17. | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| 18. | 805-146C | PIN ROLL 1/4 X 2 LG PL | Optional | |
| 19. | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | |
| 20. | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | | |
| 21. | 814-263C | AC TIRE 24 X 7.7 2PC | | |
| 22. | 814-266C | TIRE 24X7.7-14 (814-263C) | | |
| 23. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | | |
| 24. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | | |
| 25. | 815-199C | SPINDLE - SINGLE BOLT ON 14IN | | |
| 26. | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | W/CUPS, ZERK & STUDS | |
| 27. | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| 28. | 822-091C | BEARING CONE 15123 | | |
| 29. | 822-092C | BEARING CUP 15245 | | |
| 30. | 827-001C | SPACER 1/2 | | |
| 31. | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| 32. | 890-817C | BUSHING 1.25ODX1.00IDX3.75 | | |

# Axle Tandem Center Deck (S/N 489026+)

**Applies to RC5015, RC6015**




23964

# Axle Tandem Center Deck (S/N 489026+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23964 | Drawing Image Number | | |
| 1. | 200-001D | HUB GREASE CAP | | |
| 2. | 318-571H | WLDMT. CENTER AXLE | Added Hardened Bushings | |
| 3. | 318-573H | WLDMT. TANDEM ARM | | |
| 4. | 318-966H | WLDMT. PVT. PIN WALKING TANDEM | Optional | |
| 5. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | Optional W/ #4 | |
| 6. | 802-075C | HHCS 1-8X7 GR5 | | |
| 7. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| 8. | 802-110C | HHCS 1-8X9 GR5 | | |
| 9. | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| 10. | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| 11. | 803-019C | NUT LOCK 1/2-13 PLT | | |
| 12. | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| 13. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 14. | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| 15. | 804-029C | WASHER FLAT 1 SAE | Optional | |
| 16. | 804-216C | WASHER HARDENED .81ID | | |
| 17. | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| 18. | 805-146C | PIN ROLL 1/4 X 2 LG PL | Optional | |
| 19. | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| 20. | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| 21. | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| 22. | 814-266C | TIRE 24X7.7-14 (814-263C) | | |
| 23. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | | |
| 24. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | | |
| 25. | 815-241C | SPINDLE-SINGLE BOLT-ON | | |
| 26. | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| 27. | 816-497C | SEAL 1.75ID CR17617 | | |
| 28. | 822-034C | BEARING CONE LM-48548 | | |
| 29. | 822-033C | BEARING CUP LM-48510 | | |
| 30. | 827-001C | SPACER 1/2 | | |
| 31. | 890-005C | BUSHING CYL 1 1/4 X 1 X 1 | | |
| 32. | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| 33. | 890-817C | BUSHING 1.25ODX1.00IDX3.75 | | |
| 34. | 822-021C | BEARING CONE LM-67048 | | |
| 35. | 822-020C | BEARING CUP LM-67010 | | |

# Axle Wing (S/N 489025-)

**Applies to RC5015, RC6015**




15352

# Axle Wing (S/N 489025-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15352 | Drawing Image Number | | |
| **1.** | 318-011H | WLDMT. WING AXLE LH. | (S/N 223259-) | |
| **2.** | 318-010H | WLDMT. WING AXLE RH. | (S/N 223259-) | |
| **3.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **4.** | 802-357C | HHCS 1-8X6 GR5 | | |
| **5.** | 200-001D | HUB GREASE CAP | | |
| **6.** | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| **7.** | 804-055C | WASHER SPINDLE - 7/8 | | |
| **8.** | 822-091C | BEARING CONE 15123 | | |
| **9.** | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| **9.** | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| **9.** | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| **10.** | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| **11.** | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| **12.** | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #16, 17 & 18 S/N 414627- | |
| **13.** | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #16, 17 & 18 S/N 414627- | |
| **14.** | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #16, 17 & 18 S/N 336501 to 414627 | |
| **14.** | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #19 S/N 336501 to 414627 | |
| **15.** | 802-073C | HHCS 1-8X4 GR5 | | |
| **16.** | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| **16.** | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| **17.** | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+ | Rev. 3; Not interchangeable |
| **17.** | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| **17.** | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| **18.** | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| **18.** | 814-202C | AC TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| **18.** | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| **19.** | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| **20.** | 318-583H | WLDMT. WING AXLE LH. HAND | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| **20.** | 318-190H | WLDMT. WING AXLE LEFT HAND | (S/N 223260 to 419601) | Rev. 1 |
| **21.** | 318-576H | WLDMT. WING AXLE RH. HAND | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| **21.** | 318-189H | WLDMT. WING AXLE RT. HAND | (S/N 223260 to 419601) | Rev. 1 |
| **22.** | 815-108C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 223260+) | |
| **22.** | 815-109C | SPINDLE - DUAL AXLE BOLT ON | (S/N 223260+) | |
| **23.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| **24.** | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| **25.** | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| **25.** | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| **25.** | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| **26.** | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| **26.** | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| **26.** | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| **27.** | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| **27.** | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| **27.** | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| **28.** | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #16, 17 & 18 S/N 414628+ | |
| **28.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use with #19 S/N 414628+ | |
| **29.** | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| **30.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| **31.** | 822-092C | BEARING CUP 15245 | | |
| **32.** | 890-819C | BUSHING 1.25ODX1.00IDX3.50 | (S/N 419602+) | |

# *Axle Wing (S/N 489026+)*

**Applies to RC5015, RC6015**




23963

# Axle Wing (S/N 489026+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23963 | Drawing Image Number | | |
| **1.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **2.** | 802-357C | HHCS 1-8X6 GR5 | | |
| **3.** | 200-001D | HUB GREASE CAP | | |
| **4.** | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| **5.** | 804-216C | WASHER HARDENED .81ID | | |
| **6.** | 822-021C | BEARING CONE LM-67048 | | |
| **7.** | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| **8.** | 816-497C | SEAL 1.75ID CR17617 | | |
| **9.** | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| **10.** | 802-073C | HHCS 1-8X4 GR5 | | |
| **11.** | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| **12.** | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| **13.** | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| **14.** | 814-284C | WHEEL 15 X 5 X 5 BOLT | | |
| **15.** | 318-576H | WLDMT. WING AXLE RH. HAND | | |
| **15.** | 318-583H | WLDMT. WING AXLE LH. HAND | | |
| **16.** | 815-237C | SPINDLE-SINGLE BOLT-ON | | |
| **16.** | 815-238C | SPINDLE-DUAL BOLT-ON | | |
| **17.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| **18.** | 803-019C | NUT LOCK 1/2-13 PLT | | |
| **19.** | 814-295C | TIRE 24X7.7-14 (814-285C) | | |
| **20.** | 814-297C | TUBE FOR 24X7.7-14 (814-285C) | | |
| **21.** | 814-296C | RIM 2PC 5BLT 10X6 | | |
| **22.** | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| **23.** | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| **24.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **25.** | 822-020C | BEARING CUP LM-67010 | | |
| **26.** | 890-819C | BUSHING 1.25ODX1.00IDX3.50 | | |
| **27.** | 822-033C | BEARING CUP LM-48510 | | |
| **28.** | 822-034C | BEARING CONE LM-48548 | | |
| **29.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | | |

# Guards Center Deck (S/N 292791-)

**Applies to RC5015, RC6015**



15410

# Guards Center Deck (S/N 292791-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15410 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-098D | CG. FRONT CTR. LH.OUTER | | |
| 5. | 318-113D | ROUND ROD 1/4 X 22 | | |
| 6. | 318-048K | ASSY. CG. FRT. CENTER LH.OUTER | Includes items 1 through 5 & 14 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-097D | CG. FRONT CENTER | | |
| 9. | 318-108D | ROUND ROD 1/4 X 36 | | |
| 10. | 318-057K | ASSY. CG. FRT. CENTER | Includes items 1, 2, 3, 7, 8 & 9 | |
| 11. | 318-125D | CG. FRONT CTR. RH.OUTER | | |
| 12. | 318-113D | ROUND ROD 1/4 X 22 | | |
| 13. | 318-058K | ASSY. CG. FRT. CENTER RH.OUTER | Includes items 1, 2, 3, 11 & 12 | |
| 14. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 15. | 318-089K | ASSY. FRT. CTR. OUTER RH. DEF. | Includes items 18 through 22 | |
| 16. | 318-088K | ASSY. FRT. CTR. DEFLECTOR | Includes items 21 through 25 | |
| 17. | 318-090K | ASSY. FRT. CTR. OUTER LH. DEF. | Includes items 19 through 22 & 26 | |
| 18. | 318-133D | FRT. DEF. BRKT. CTR. OUTER RH. | | |
| 19. | 816-248C | RUBBER GUARD FRT. CTR. OUTER | | |
| 20. | 318-139D | RUBBER GUARD FLAT BRKT. 20 | | |
| 21. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 22. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 23. | 318-132D | FRT. DEF. BRKT. CTR. | | |
| 24. | 816-247C | RUBBER GUARD FRT.CTR. | | |
| 25. | 318-138D | RUBBER GUARD FLAT BRKT. 35 1/2 | | |
| 26. | 318-134D | FRT. DEF. BRKT. CTR. OUTER LH. | | |
| 27. | 318-063K | ASSY. CG. REAR CENTER OUTER | Includes items 1, 2, 29, 30 & 31 | |
| 28. | 318-062K | ASSY. CG. REAR CENTER | Includes items 1, 2, 29, 32 & 33 | |
| 29. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 30. | 318-105D | ROUND ROD 1/4 X 10 | | |
| 31. | 318-103D | CG. CENTER REAR OUTER | | |
| 32. | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| 33. | 318-102D | CG. CENTER REAR | | |
| 34. | 318-094K | ASSY. REAR CTR. DEFLECTOR | Includes items 2, 21, 22, 29, 36, 37 & 38 | |
| 35. | 318-095K | ASSY. REAR CTR. OUT. DEFLECTOR | Includes items 2, 21, 22, 29, 39, 40 & 41 | |
| 36. | 318-126D | RUBBER GUARD CTR. REAR BRKT. | | |
| 37. | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| 38. | 816-244C | RUBBER GUARD REAR CENTER | | |
| 39. | 318-127D | RUBBER GUARD CTR.RR OUTER BRKT | | |
| 40. | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| 41. | 816-245C | RUBBER GUARD REAR CTR.OUTER | | |

# Guards Center Deck (S/N 292792 To 419601)

**Applies to RC5015, RC6015**



19019

# Guards Center Deck (S/N 292792 To 419601)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19019 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-331D | RC5015 CEN CHAINGUARD LH | | |
| 5. | 318-337D | ROUND ROD 1/4 X 25 | | |
| 6. | 318-321K | ASSY. SGL. CG. FRT. CTR. LH. | Includes items 1 through 5 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-329D | RC5015 CEN SECT CHAINGUARD | | |
| 9. | 318-143D | ROUND ROD 1/4 X 34 | | |
| 10. | 318-319K | ASSY. SGL. CG. FRT. CTR. | Includes items 1, 2, 3, 8 & 9 | |
| 11. | 318-330D | RC5015 CEN CHAINGUARD RH | | |
| 12. | 318-320K | ASSY. SGL. CG. FRT. CTR. RH. | Includes items 1, 2, 3, 5 & 11 | |
| 13. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 14. | 318-335K | ASSY. FRT. CTR. OUT. RH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 15. | 318-334K | ASSY. FRT. CTR. DEFLECTOR | Includes items 2, 3 & 20 through 24 | |
| 16. | 318-336K | ASSY. FRT. CTR. OUT. LH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 17. | 318-357D | FRT. DEF. CTR. OUT.BRKT. | | |
| 18. | 816-350C | FRONT DEFLECTOR CENTER OUT. | | |
| 19. | 318-358D | FRT. DEF. CTR. OUT. STRAP | | |
| 20. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 21. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 22. | 318-355D | FRT. DEF. CTR. BRKT. | | |
| 23. | 816-349C | FRONT DEFLECTOR CENTER. | | |
| 24. | 318-356D | FRT. DEF. CTR. STRAP | | |
| 25. | 318-063K | ASSY. CG. REAR CENTER OUTER | Includes items 1, 2, 29, 30 & 31 | |
| 26. | 318-062K | ASSY. CG. REAR CENTER | Includes items 1, 2, 29, 32 & 33 | |
| 27. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 28. | 318-105D | ROUND ROD 1/4 X 10 | | |
| 29. | 318-103D | CG. CENTER REAR OUTER | | |
| 30. | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| 31. | 318-102D | CG. CENTER REAR | | |
| 32. | 318-094K | ASSY. REAR CTR. DEFLECTOR | Includes items 2, 21, 22, 29, 36, 37 & 38 | |
| 33. | 318-095K | ASSY. REAR CTR. OUT. DEFLECTOR | Includes items 2, 21, 22, 29, 39, 40 & 41 | |
| 34. | 318-126D | RUBBER GUARD CTR. REAR BRKT. | | |
| 35. | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| 36. | 816-244C | RUBBER GUARD REAR CENTER | | |
| 37. | 318-127D | RUBBER GUARD CTR.RR OUTER BRKT | | |
| 38. | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| 39. | 816-245C | RUBBER GUARD REAR CTR.OUTER | | |

# Guards Center Deck (S/N 419602+)

**Applies to RC5015, RC6015**



22135

# Guards Center Deck (S/N 419602+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22135 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-331D | RC5015 CEN CHAINGUARD LH | | |
| 5. | 318-337D | ROUND ROD 1/4 X 25 | | |
| 6. | 318-321K | ASSY. SGL. CG. FRT. CTR. LH. | Includes items 1 through 5 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-329D | RC5015 CEN SECT CHAINGUARD | | |
| 9. | 318-143D | ROUND ROD 1/4 X 34 | | |
| 10. | 318-319K | ASSY. SGL. CG. FRT. CTR. | Includes items 1, 2, 3, 8 & 9 | |
| 11. | 318-330D | RC5015 CEN CHAINGUARD RH | | |
| 12. | 318-320K | ASSY. SGL. CG. FRT. CTR. RH. | Includes items 1, 2, 3, 5 & 11 | |
| 13. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 14. | 318-335K | ASSY. FRT. CTR. OUT. RH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 15. | 318-334K | ASSY. FRT. CTR. DEFLECTOR | Includes items 2, 3 & 20 through 24 | |
| 16. | 318-336K | ASSY. FRT. CTR. OUT. LH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 17. | 318-357D | FRT. DEF. CTR. OUT.BRKT. | | |
| 18. | 816-350C | FRONT DEFLECTOR CENTER OUT. | | |
| 19. | 318-358D | FRT. DEF. CTR. OUT. STRAP | | |
| 20. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 21. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 22. | 318-355D | FRT. DEF. CTR. BRKT. | | |
| 23. | 816-349C | FRONT DEFLECTOR CENTER. | | |
| 24. | 318-356D | FRT. DEF. CTR. STRAP | | |
| 25. | 318-644D | REAR RUBBER GUARD BRACKET | | |
| 26. | 318-645D | FLAT SUPPORT BAND | | |
| 27. | 318-704K | ASSY. CENTER DEFLECTOR | | |
| 28. | 802-015C | RHSNB 3/8-16X1 GR5 | | |
| 29. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 30. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 31. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 32. | 816-448C | REAR CENTER RUBBER GUARD | | |
| 33. | 318-607D | CTR. REAR SGL. CG. BRKT. | | |
| 34. | 318-620D | ROUND ROD .25 X 66.5 | | |
| 35. | 318-632K | ASSY. SGL. REAR CG. CTR. | | |
| 36. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 37. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 38. | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| 39. | 890-485C | CHAIN WELD 5/16 PROOF X 3 LINK | | |

# Guards Center Deck Double Chains (S/N 292791-)

**Applies to RC5015, RC6015**




15690

# Guards Center Deck Double Chains (S/N 292791-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15690 | Drawing Image Number | | |
| **1.** | 318-066K | ASSY. DBL.CG.FRT.CTR. RH.OUTER | | |
| **2.** | 318-065K | ASSY. DBL.CG.FRT.CENTER | | |
| **3.** | 318-097K | ASSY. DBL.CG.FRT.CTR. LH.OUTER | | |
| **4.** | 318-071K | ASSY. CG. REAR CENTER OUTER | | |
| **5.** | 318-070K | ASSY. CG. REAR CENTER | | |
| **6.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **7.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **8.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **9.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **10.** | 318-117D | CG. FRONT CENTER DUAL RH. | | |
| **11.** | 318-142D | ROUND ROD 1/4 X 21 | | |
| **12.** | 318-141D | ROUND ROD 1/4 X 19 | | |
| **13.** | 318-116D | CG. FRONT CENTER DUAL | | |
| **14.** | 318-108D | ROUND ROD 1/4 X 36 | | |
| **15.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **16.** | 318-124D | CG. FRONT CENTER DUAL LH. | | |
| **17.** | 318-122D | CG. CENTER REAR OUTER DUAL | | |
| **18.** | 318-105D | ROUND ROD 1/4 X 10 | | |
| **19.** | 318-121D | CG. CENTER REAR DUAL | | |
| **20.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **21.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |

# Guards Center Deck Double Chains (S/N 292792 To 419601)

**Applies to RC5015, RC6015**




19020

# Guards Center Deck Double Chains (S/N 292792 To 419601)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19020 | Drawing Image Number | | |
| **1.** | 318-325K | ASSY. DBL. CG. FRT. CTR. RH. | | |
| **2.** | 318-324K | ASSY. DBL. CG. FRT. CTR. | | |
| **3.** | 318-326K | ASSY. DBL. CG. FRT. CTR. LH. | | |
| **4.** | 318-071K | ASSY. CG. REAR CENTER OUTER | | |
| **5.** | 318-070K | ASSY. CG. REAR CENTER | | |
| **6.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **7.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **8.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **9.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **10.** | 318-340D | RC5015 CEN FRONT DBLCHAIN RH | | |
| **11.** | 318-337D | ROUND ROD 1/4 X 25 | | |
| **12.** | 318-339D | RC5015 CEN SECT FRNT DBL CHAIN | | |
| **13.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **14.** | 318-341D | RC5015 CEN FRONT DBLCHAIN LH | | |
| **15.** | 318-122D | CG. CENTER REAR OUTER DUAL | | |
| **16.** | 318-105D | ROUND ROD 1/4 X 10 | | |
| **17.** | 318-121D | CG. CENTER REAR DUAL | | |
| **18.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **19.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **20.** | 802-017C | HHCS 3/8-16X1 GR5 | | |

# Guards Center Deck Double Chains (S/N 419602+)

**Applies to RC5015, RC6015**




22136

# Guards Center Deck Double Chains (S/N 419602+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22136 | Drawing Image Number | | |
| **1.** | 318-325K | ASSY. DBL. CG. FRT. CTR. RH. | | |
| **2.** | 318-324K | ASSY. DBL. CG. FRT. CTR. | | |
| **3.** | 318-326K | ASSY. DBL. CG. FRT. CTR. LH. | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **6.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **7.** | 318-340D | RC5015 CEN FRONT DBLCHAIN RH | | |
| **8.** | 318-337D | ROUND ROD 1/4 X 25 | | |
| **9.** | 318-339D | RC5015 CEN SECT FRNT DBL CHAIN | | |
| **10.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **11.** | 318-341D | RC5015 CEN FRONT DBLCHAIN LH | | |
| **12.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **13.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **14.** | 318-608D | CTR. REAR DBL. CG. BRKT | | |
| **15.** | 318-620D | ROUND ROD .25 X 66.5 | | |
| **16.** | 318-633K | ASSY. DBL. REAR CG. CTR. | | |
| **17.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **18.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **19.** | 890-175C | CHAIN 5/16 PROOF X 6 LINKS PLT | | |
| **20.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **21.** | 890-400C | CHAIN WELD 5/16 PROOF X 4 LINK | | |
| **22.** | 890-485C | CHAIN WELD 5/16 PROOF X 3 LINK | | |

# Guards Wing Deck (S/N 292791-)

**Applies to RC5015, RC6015**



15436

# Guards Wing Deck (S/N 292791-)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15436 | Drawing Image Number | | |
| **1.** | 318-106D | ROUND ROD 1/4 X 28 1/2 | | |
| **2.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **3.** | 318-100D | CG. WING FRONT OUTER LH. | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **6.** | 318-061K | ASSY. CG. FRT. WING OUTER LH. | Includes items 1 through 5 | |
| **7.** | 318-180D | CG. WING FRONT INNER R.H. | | |
| **8.** | 318-109D | ROUND ROD 1/4 X 49 | | |
| **9.** | 318-171K | ASSY. CG. FRT. WING INNER RH | Includes items 2, 4, 5, 8 & 47 | |
| **10.** | 318-060K | ASSY. CG. FRT. WING OUTER RH. | Includes items 1, 2, 4, 5 & 12 | |
| **11.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **12.** | 318-101D | CG. WING FRONT OUTER RH. | | |
| **13.** | 318-064K | ASSY. CG. REAR WING | Includes items 5, 11, 14, 15 & 33 | |
| **14.** | 318-104D | CG. WING REAR | | |
| **15.** | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| **16.** | 318-175K | ASSY. FRT. WG. INNER DEF. RH. | Includes items 19 through 23 | |
| **17.** | 318-093K | ASSY. FRT. WING OUT. LH. DEF. | Includes items 19, 20 & 24 through 27 | |
| **18.** | 318-092K | ASSY. FRT. WING OUT. RH. DEF. | Includes items 19, 20, 24, 25, 26 & 28 | |
| **19.** | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| **20.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **21.** | 318-130D | RUBBER GUARD FLAT BRKT. 47 1/4 | | |
| **22.** | 318-185D | FRT. DEF. BRKT. WING INNER RH. | | |
| **23.** | 816-249C | RUBBER GUARD FRT. WING INNER | | |
| **24.** | 318-140D | RUBBER GUARD FLAT BRKT. 12 1/2 | | |
| **25.** | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| **26.** | 816-250C | RUBBER GUARD FRT. WING OUTER | | |
| **27.** | 318-137D | FRT. DEF. BRKT. WING OUTER LH. | | |
| **28.** | 318-136D | FRT. DEF. BRKT. WING OUTER RH. | | |
| **29.** | 318-096K | ASSY. REAR WING DEFLECTOR | Includes items 19, 20 30, 31 & 32 | |
| **30.** | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| **31.** | 816-246C | RUBBER GUARD REAR WING | | |
| **32.** | 318-128D | RUBBER GUARD WING REAR BRKT. | | |
| **33.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **34.** | 318-068K | ASSY. DBL.CG.FRT.WING OUT.RH. | | |
| **35.** | 318-172K | ASSY. DBL.CG.FRT.WING INNER RH | Includes items 2, 4, 5, 41 & 42 | |
| **36.** | 318-069K | ASSY. DBL. CG. FRT. WING OUTER LH. | | |
| **37.** | 318-072K | ASSY. CG. REAR WING | | |
| **38.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **39.** | 318-123D | CG. WING REAR DUAL | | |
| **40.** | 318-119D | CG. FRONT WING OUTER RH. DUAL | | |
| **41.** | 318-109D | ROUND ROD 1/4 X 49 | | |
| **42.** | 318-183D | CG. FRONT WING INNER DUAL RH | | |
| **43.** | 318-120D | CG. FRONT WING OUTER LH. DUAL | | |
| **44.** | 318-106D | ROUND ROD 1/4 X 28 1/2 | | |
| **45.** | 318-173K | ASSY. CG. FRT. WG INNER LH | | |
| **46.** | 318-174K | ASSY. DBL CG. FRT. WG. INNR LH | | |
| **47.** | 318-181D | CG. WING FRONT INNER L.H. | | |
| **48.** | 318-184D | CG. FRONT WING INNER DUAL LH | | |
| **49.** | 318-176K | ASSY. FRT. WG. INNER DEF. LH. | | |
| **50.** | 318-186D | FRT. DEF. BRKT. WING INNER LH. | | |

# Guards Wing Deck (S/N 292792+)

**Applies to RC5015, RC6015**




19018

# Guards Wing Deck (S/N 292792+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19018 | Drawing Image Number | | |
| **1.** | 318-336D | ROUND ROD 1/4 X 73 | | |
| **2.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **3.** | 318-327D | RC5015 WING CHAINGUARD LH | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **6.** | 318-323K | ASSY. SGL. CG. FRT. WING LH. | Includes items 1 through 5 | |
| **7.** | 318-322K | ASSY. SGL. CG. FRT. WING RH. | Includes items 1, 2, 4, 5 & 9 | |
| **8.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **9.** | 318-328D | RC5015 WING CHAINGUARD RH | | |
| **10.** | 318-064K | ASSY. CG. REAR WING | Includes items 4, 8, 11, 12 & 22 | |
| **11.** | 318-104D | CG. WING REAR | | |
| **12.** | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| **13.** | 318-337K | ASSY. FRT. WING RH. DEF. | Includes items 14 through 16 | |
| **14.** | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| **15.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **16.** | 318-359D | FRT. DEF. WING BRKT. | | |
| **17.** | 816-351C | FRONT DEFLECTOR WING | | |
| **18.** | 318-096K | ASSY. REAR WING DEFLECTOR | Includes items 14, 15, 19, 20 & 21 | |
| **19.** | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| **20.** | 816-246C | RUBBER GUARD REAR WING | | |
| **21.** | 318-128D | RUBBER GUARD WING REAR BRKT. | | |
| **22.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **23.** | 318-327K | ASSY. DBL. CG. FRT. WING RH. | Includes items 1, 2, 4, 5, & 27 | |
| **24.** | 318-072K | ASSY. CG. REAR WING | Includes items 4, 12, 22, 25 & 26 | |
| **25.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **26.** | 318-123D | CG. WING REAR DUAL | | |
| **27.** | 318-342D | RC5015 WING FRONT DBLCHAIN RH | | |
| **28.** | 318-328K | ASSY. DBL. CG. FRT. WING LH. | Includes items 1, 2, 4, 5 & 29 | |
| **29.** | 318-343D | RC5015 WING FRONT DBLCHAIN LH | | |
| **30.** | 318-338K | ASSY. FRT. WING LH. DEF. | Includes items 14 through 17 | |

# *Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+)*

**Applies to RC6015**




23952

# Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+)

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23952 | Drawing Image Number | | |
| | 826-478C | PTO E60 X 21.7 1280NM CLUTCH | | |
| **1.** | 141.026.357.1 | COMER YOKE COMPLETE | | |
| **2.** | 180.016.130 | COMER CROSS ASSEMBLY | | |
| **3.** | 170.016.630.1 | COMER YOKE, OUTER | | |
| **4.** | 155.150.726 | COMER SHAFT, SPLINED | | |
| **5.** | 190.000.016 | COMER ROLL PIN, INNER TUBE | | |
| **6.** | 151.016.031.1 | COMER INNER YOKE | | |
| **7.** | 146.264.024.1 | COMER CLUTCH, COMPLETE ASSY | | |
| **8.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# Driveline Center 540 RPM (826-183C) Eurocardan

**Applies to RC5015, RC6015**




15570

# Driveline Center 540 RPM (826-183C) Eurocardan

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15570 | Drawing Image Number | | |
| | 826-183C | PTO INT. CAT.4 540W/CLUTCH * | | |
| | 6761280 | EC BOLT ASSY KIT | Includes items 7, 8 & 9 | |
| **1.** | 1106525 | YOKE ASSEMBLY (TRACTOR END) | | |
| **2.** | 1006020 | CROSS ASSEMBLY | | |
| **3.** | 1706027 | OUTER TUBE YOKE | | |
| **4.** | 6331080 | 10 X 80-DIN-148 ROLL PIN | | |
| **5.** | 1528014D | EC TUBE JACK SHAFT | | |
| **5.** | 1528304 | RPBY 1528014D | | |
| **6.** | 1446016 | TORQUE LIMITER 4 FRICTION DISC | | |
| **7.** | 6141280 | EC.BOLT | | |
| **8.** | 6412112 | EC SPRING WASHER | | |
| **9.** | 6410112 | EC NUT | | |
| **10.** | 084099 | WS ZERK M8 X 1 | | |

# Driveline Center 540 RPM (826-260C) Walterscheid (S/N 461934-)

**Applies to RC6015**




16965

# *Driveline Center 540 RPM (826-260C) Walterscheid (S/N 461934-)*

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16965 | Drawing Image Number | | |
| | 826-260C | PTO INT. W2500/WSC CAT5 540 | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **3.** | 097140 | WS INBOARD YOKE 2500 | | |
| **4.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **5.** | 391709 | WS OUTER PROFILE S5 | | |
| **6.** | 391708 | WS FRICTION CLUTCH | | |
| **7.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **8.** | 304011 | WS LOCK NUT M16 | | |

# Driveline Conv. 540 RPM (826-112C) Walterscheid (S/N 214515+)

**Applies to RC5015, RC6015**




18548

# Driveline Conv. 540 RPM (826-112C) Walterscheid (S/N 214515+)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg18548 | Drawing Image Number | | |
| | 826-112C | PTO 2500 X 39.76 NO CLUTCH | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 097136 | WS YOKE 1 3/8-6 SPL Q.D. 2500 | | |
| **3.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **4.** | 097140 | WS INBOARD YOKE 2500 | | |
| **5.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **6.** | 321256 | WS INNER PROFILE 2400 | | |
| **7.** | 390257 | WS PROFILE & SLEEVE W.A. | | |
| **8.** | 097133 | WS INBOARD YOKE 2400 | | |
| **9.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **10.** | 365305 | WALTERSCHEID SCREW | | |
| **11.** | 087276 | WS BEARING RING - SC25 | | |
| **12.** | 044321 | WALTERSCHEID SAFETY CHAIN | | |
| **13.** | 389850 | WS OUTER SHIELD TUBE RND. | | |
| **14.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **15.** | 388957 | WS INNER SHIELD TUBE ROUND | | |
| **16.** | 339107 | WS Q.D. PIN KIT | | |
| **17.** | 377437 | WS SHIELD CONE 7 RIB | | |
| **18.** | 380371 | WS ZERK | | |
| **19.** | 355155 | WS SUPPORT BEARING | | |
| **20.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **21.** | 304011 | WS LOCK NUT M16 | | |
| **22.** | 377442 | WS SHIELD CONE - 12 RIB | | |

# Driveline Conv. 540 RPM (826-188C) EC New Shields

**Applies to RC5015**




16736

# Driveline Conv. 540 RPM (826-188C) EC New Shields

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16736 | Drawing Image Number | | |
| | 826-188C | RPBY 826-112C | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885703 | EC STANDARD CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877075 | EC INNER TUBE SHIELD 750MM | | |
| **7.** | 1876075 | EC OUTER TUBE SHIELD 750MM | | |
| **8.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **9.** | 1528085 | EC OUTER TUBE (1528084) 840MM | | |
| **10.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **11.** | 1706027 | EC OUTER TUBE YOKE | | |
| **12.** | 1006020 | EC CROSS ASSEMBLY | | |
| **13.** | 1016010 | EC YOKE ASSEMBLY (TRACT. END) | | |
| **14.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **15.** | 1706029 | EC INNER TUBE YOKE | | |
| **16.** | 1526085 | EC INNER TUBE (1526084) 840MM | | |
| **17.** | 6331070 | EC 10X70 ROLL PIN | | |
| **18.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **19.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **20.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **21.** | 6821483 | EC COMPLETE CONICAL DOG | | |
| **22.** | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **23.** | 084099 | WS ZERK M8 X 1 | | Rev. 2 |
| **23.** | 6560508 | RPBY 084099 | | Rev 1; Use up stock |

# Driveline Conv. 540 RPM (826-188C) EC Old Shields

**Applies to RC5015**




15569

# Driveline Conv. 540 RPM (826-188C) EC Old Shields

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15569 | Drawing Image Number | | |
| | 826-188C | RPBY 826-112C | | |
| **1.** | 1006020 | EC CROSS ASSEMBLY | | |
| **2.** | 1786009 | EC TUBE BEARING (OLD STYLE) | | |
| **3.** | 1706029 | EC INNER TUBE YOKE | | |
| **4.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **5.** | 1526085 | EC INNER TUBE (1526084) 840MM | | |
| **6.** | 1528085 | EC OUTER TUBE (1528084) 840MM | | |
| **7.** | 1706027 | EC OUTER TUBE YOKE | | |
| **8.** | 1886010 | EC OUTER RIGID CONE(OLD STYLE) | | |
| **9.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **10.** | 1016010 | EC YOKE ASSEMBLY (TRACT. END) | | |
| **11.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **12.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **13.** | 1874077 | EC INNER TUBE (1874113) 770MM | | |
| **14.** | 1886013 | EC SOFT CONE (OLD STYLE) | | |
| **15.** | 1875077 | EC OUTER TUBE (1875113) 770MM | | |
| **16.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **17.** | 1886011 | EC INNER RIGID CONE(OLD STYLE) | | |
| **18.** | 1786008 | EC TUBE BEARING (OLD STYLE) | | |
| **19.** | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **20.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **21.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **22.** | 1216233 | EC STIFFENING RING | | |

# *Driveline CV 540 RPM (826-117C) Walterscheid (S/N 214515 to 336516 & 388671 to 468557)*

**Applies to RC5015, RC6015**




26857

# *Driveline CV 540 RPM (826-117C) Walterscheid (S/N 214515 to 336516 & 388671 to 468557)*

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26857 | Drawing Image Number | | |
| | 826-117C | PTO CV 2580 X 41.73 | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 363617 | WS YOKE 1 3/8-6 SPL | | |
| **3.** | 020672 | WS GREASE ZERK | | |
| **4.** | 365725 | WS DOUBLE YOKE 2500 | | |
| **5.** | 384316 | WS CROSS & BEARING KIT 2500 | | |
| **6.** | 097140 | WS INBOARD YOKE 2500 | | |
| **7.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **8.** | 355527 | WS INNER PROFILE S4GA/S5L | | |
| **9.** | 394526 | PROFILE (S5HL) & SLEEVE W.A. | HARDENED SLEEVE | Rev. 2 |
| **9.** | 388141 | WS PRFL.& SLEEVE W.A. S4GA/S5L | NON-HARDENED SLEEVE | Rev. 1 |
| **10.** | 331573 | WS INBOARD YOKE S4 | | |
| **11.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **12.** | 377442 | WS SHIELD CONE - 12 RIB | | |
| **13.** | 365305 | WALTERSCHEID SCREW | | |
| **14.** | 087276 | WS BEARING RING - SC25 | | |
| **15.** | 044321 | WALTERSCHEID SAFETY CHAIN | | |
| **16.** | 386561 | WS IN SHEILD TUBE ROUND | | |
| **17.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **18.** | 388698 | WS OUTER SHIELD TUBE OVAL | | |
| **19.** | 104810 | WS SHIELD CONE 4 RIB | | |
| **20.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **21.** | 355155 | WS SUPPORT BEARING | | |
| **22.** | 386048 | WS CV CONE & BEARING ASSY | | |
| **23.** | 380371 | WS ZERK | | |
| **24.** | 364915 | WS ASSY COLLAR KIT | | |
| **25.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **26.** | 304011 | WS LOCK NUT M16 | | |

# Driveline CV 540 RPM (826-181C) EC New Shields

**Applies to RC5015**




16732

# Driveline CV 540 RPM (826-181C) EC New Shields

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16732 | Drawing Image Number | | |
| | 826-181C | RPBY 826-117C | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885703 | EC STANDARD CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877068 | EC INNER TUBE SHIELD 680MM | | |
| **7.** | 1876068 | EC OUTER TUBE SHIELD 680MM | | |
| **8.** | 1885702 | EC SHORT CONE | | |
| **9.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **10.** | 1786527 | EC BEARING SOFT CONE | | |
| **11.** | 1886528 | EC SOFT CONE | | |
| **12.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **13.** | 1006020 | EC CROSS ASSEMBLY | | |
| **14.** | 1706029 | EC INNER TUBE YOKE | | |
| **15.** | 1546078 | EC INNER TUBE (1526084) 780MM | | |
| **16.** | 6331070 | EC 10X70 ROLL PIN | | |
| **17.** | 1548078 | EC OUTER TUBE (1528084) 780MM | | |
| **18.** | 7106622 | EC CV JOINT 1 3/8-6 SPLINE | Service Only | Rev. 2 |
| **18.** | 7600602 | RPBY 7106622 | | Rev. 1 |
| **19.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **20.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **21.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **22.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **23.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **24.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **25.** | 6280313 | EC SELF THREADING SCREW | | |

# Driveline CV 540 RPM (826-181C) EC Old Shields

**Applies to RC5015**




15512

# Driveline CV 540 RPM (826-181C) EC Old Shields

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15512 | Drawing Image Number | | |
| | 826-181C | RPBY 826-117C | | |
| **1.** | 7106622 | EC CV JOINT 1 3/8-6 SPLINE | Service only | Rev. 2 |
| **1.** | 7600602 | RPBY 7106622 | | Rev. 1 |
| **2.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **3.** | 1886528 | EC SOFT CONE | | |
| **4.** | 1786009 | EC TUBE BEARING (OLD STYLE) | | |
| **5.** | 1548078 | EC OUTER TUBE (1528084) 780MM | | |
| **6.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **7.** | 1786527 | EC BEARING SOFT CONE | | |
| **8.** | 1886322 | EC OUTER TUBE RIGID CONE | | |
| **9.** | 3360313 | EC SELF THREADING SCREW | | |
| **10.** | 1886012 | EC SOFT CONE | | |
| **11.** | 1875070 | EC OUTER TUBE (1875113) 700MM | | |
| **12.** | 1874070 | EC INNER TUBE (1874113) 700MM | | |
| **13.** | 1886013 | EC SOFT CONE (OLD STYLE) | | |
| **14.** | 1886011 | EC INNER RIGID CONE(OLD STYLE) | | |
| **15.** | 1786008 | EC TUBE BEARING (OLD STYLE) | | |
| **16.** | 1546078 | EC INNER TUBE (1526084) 780MM | | |
| **17.** | 1706029 | EC INNER TUBE YOKE | | |
| **18.** | 1006020 | EC CROSS ASSEMBLY | | |
| **19.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **20.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **21.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **22.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **23.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |

# Driveline CV 540 RPM (826-336C) Walterscheid (S/N 336516 to 388670)

**Applies to RC5015**




19897

# Driveline CV 540 RPM (826-336C) Walterscheid (S/N 336516 to 388670)

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19897 | Drawing Image Number | | |
| | 826-336C | Driveline CV Walterscheid (540 RPM) | | |
| **1.** | 363617 | WS YOKE 1 3/8-6 SPL | | |
| **2.** | 365725 | WS DOUBLE YOKE 2500 | | |
| **3.** | 020672 | WS GREASE ZERK | | |
| **4.** | 331573 | WS INBOARD YOKE S4 | | |
| **5.** | 384316 | WS CROSS & BEARING KIT 2500 | | |
| **6.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **7.** | 355527 | WS IN PROFILE (330162) 800MM | | |
| **8.** | 388141 | WS PRF& SLV W.A. 780MM | | |
| **9.** | 097140 | WS INBOARD YOKE 2500 | | |
| **10.** | 391239 | WS KB61/20 2500 SERIES CLUTCH | | |
| **11.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **12.** | 087276 | WS BEARING RING - SC25 | | |
| **13.** | 388698 | WS OUT SHLD OVL (391409) 705MM | | |
| **14.** | 386561 | WS IN SHIELD TUBE ROUND | | |
| **15.** | 386048 | WS CV CONE & BEARING ASSY | | |
| **16.** | 104810 | WS SHIELD CONE 4 RIB | | |
| **17.** | 377437 | WS SHIELD CONE 7 RIB | | |
| **18.** | 380371 | WS ZERK | | |
| **19.** | 365305 | WS SCREW | | |
| **20.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **21.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **22.** | 355155 | WS SUPPORT BEARING | | |
| **23.** | 304123 | WS GREASE ZERK | | |
| **24.** | 099601 | WS BALL | | |
| **25.** | 010490 | WS SELF-LCKG HEX NUT | | |
| **26.** | 304011 | WS LOCK NUT M16 | | |
| **27.** | 702351 | WS BOLT M16 X 80 - 8.8 | | |
| **28.** | 020466 | WS BOLT M12 X 60 - 8.8 | | |
| **29.** | 364915 | WS ASSY COLLAR KIT | | |

# Driveline CV 540 RPM (826-476C) Comer (S/N 468558 to 547835)

**Applies to RC5015, RC6015**




23947

# Driveline CV 540 RPM (826-476C) Comer (S/N 468558 to 547835)

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23947 | Drawing Image Number | | |
| | 826-476C | PTO CV V80 X 54.8 NO CLUTCH * | | |
| **1.** | 141.028.358.1 | COMER COLLER YOKE ASSEMBLY | | |
| **2.** | 180.018.158 | COMER CV -JOINT CROSS ASSEMBLY | | |
| **3.** | 141.028.472.1 | COMER WIDE ANGLE DOUBLE YOKE | | |
| **4.** | 141.028.248.1 | COMER OUTER YOKE | | |
| **5.** | 190.000.243 | COMER OUTER TUBE ROLL PIN | | |
| **6.** | 180.018.437 | COMER WIPER | | |
| **7.** | 1522805320710 | COMER OUTER TUBE | | |
| **8.** | 180.018.004 | COMER CROSS ASSEMBLY | | |
| **9.** | 141.028.195.1 | COMER YOKE COMPLETE | | |
| **10.** | 180.018.567 | COMER CV JOINT GUARD CONE | | |
| **11.** | 165.000.694 | COMER SCREW KIT FOR CV GUARD | | |
| **12.** | 158.018.470 | COMER BEARING RING | | |
| **13.** | 180.018.251 | COMER RETAINING COLLER INNER | | |
| **14.** | 180.014.240 | COMER BOLT | | |
| **15.** | 180.018.252 | COMER RETAINING COLLER INNER | | |
| **16.** | 180.016.025 | COMER SAFTEY CHAINS | | |
| **17.** | 165.000.785 | COMER CONE GUARD ASSEMBLY | | |
| **18.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |
| **19.** | 122.981.027.1 | COMER TUBE W/YOKE/LUBE/FEMALE | | |
| **20.** | 122.580.510.1 | COMER TUBE W/YOKE/LUBE /MALE | | |
| **21.** | 1422831412821 | COMER HLF FEMALE GRD W/LABEL | | |
| **22.** | 1422871632821 | COMER HALF MALE GUARDING | | |
| **23.** | 180.018.393 | COMER CAP OUTER TUBE, PLASTIC | | |
| **24.** | 165.000.628 | COMER COLLER KIT 3/8 YOKE | | |

# *Driveline CV Joint (540 RPM) (7106622) Eurocardan*

**Applies to RC5015**




23994

# Driveline CV Joint (540 RPM) (7106622) Eurocardan

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23994 | Drawing Image Number | | |
| | 7106622 | EC 1 3/8" Z6PULL COLLAR | Service Only | |
| **1.** | 1006875 | EC PULL TYPE YOKE | | |
| **2.** | 1006830 | EC GO6 CROSS ASSEMBLY | | |
| **3.** | 1006831 | EC HOMOKINETIC JOINT | | |
| **4.** | 1006827 | EC OUTER TUBE HOMOKINETIC YOKE | | |
| **5.** | 1004227 | EC PULL COLLAR KIT EVOLUTION | | Rev. 2 |
| **5.** | 1004225 | RPBY 1004227 | | Rev. 1 |

# *Driveline CV Joint (540 RPM) (7600602) Eurocardan*

**Applies to RC5015, RC6015**




15513

# Driveline CV Joint (540 RPM) (7600602) Eurocardan

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15513 | Drawing Image Number | | |
| | 7600602 | EC CV JOINT 1 3/8-6 SPLINE | | |
| **1.** | 1000618 | EC YOKE ASSY. 1 3/8-6 SPLINE | | |
| **2.** | 1000630 | EC EC SPIDER ASSEMBLY | | |
| **3.** | 1700600 | EC SEMI MALE SUPPORT | | |
| **4.** | 1700603 | EC BEARING RING | | |
| **5.** | 1720602 | EC GUIDE DISK | | |
| **6.** | 1700601 | EC SEMI FEMALE SUPPORT | | |
| **7.** | 6402608 | EC CONICAL KNURLED WASHER | | |
| **8.** | 6040820 | EC SCREW | | |
| **9.** | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| **10.** | 1000608 | EC OUTER TUBE YOKE | | |
| **11.** | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **12.** | 1000604 | EC SPIDER PIN | | |

# Driveline Slip Clutch (146.264.024.1) Comer

**Applies to RC6015**




23957

# Driveline Slip Clutch (146.264.024.1) Comer

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23957 | Drawing Image Number | | |
| | 146.264.024.1 | COMER CLUTCH, COMPLETE ASSY * | | |
| **1.** | 180.014.022 | COMER SPRING | | |
| **2.** | 151.016.037.1 | COMER YOKE, FLANGED | | |
| **3.** | 180.019.019 | COMER BUSH | | |
| **4.** | 180.019.018 | COMER LINING RING | | |
| **5.** | 151.018.228.1 | COMER CLUTCH SUPPORT | | |
| **6.** | 180.019.014 | COMER INNER PLATE | | |
| **7.** | 180.019.115 | COMER INTERMEDIATE PLATE | | |
| **8.** | 180.019.116.1 | COMER PRESSURE PLATE | | |
| **9.** | 165.000.548 | COMER BOLT WITH NUT M10X100 | | |
| **10.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# Driveline Slip Clutch (146.284.020.1) Comer

**Applies to RC6015**




23958

# Driveline Slip Clutch (146.284.020.1) Comer

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23958 | Drawing Image Number | | |
| | 146.284.020.1 | COMER CLUTCH, DISC COMPLETE * | | |
| **1.** | 180.014.022 | COMER SPRING | | |
| **2.** | 151.018.016.1 | COMER YOKE, FLANGED | | |
| **3.** | 180.019.019 | COMER BUSH | | |
| **4.** | 180.019.018 | COMER LINING RING | | |
| **5.** | 151.018.228.1 | COMER CLUTCH SUPPORT | | |
| **6.** | 180.019.014 | COMER INNER PLATE | | |
| **7.** | 180.019.115 | COMER INTERMEDIATE PLATE | | |
| **8.** | 180.019.116.1 | COMER PRESSURE PLATE | | |
| **9.** | 165.000.548 | COMER BOLT WITH NUT M10X100 | | |
| **10.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# Driveline Slip Clutch (383805) Walterscheid

**Applies to RC6015**




17005

# Driveline Slip Clutch (383805) Walterscheid

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17005 | Drawing Image Number | | |
| | 383805 | WS FRICTION CLUTCH | | |
| **1.** | 324822 | WS CLUTCH HOUSING | | |
| **2.** | 168556 | WS FRICTION DISK | | |
| **3.** | 351793 | WS HUB 1 3/4"-20 SPL | | |
| **4.** | 042454 | WS DRIVE PLATE | | |
| **5.** | 042459 | WS DRIVE PLATE | | |
| **6.** | 381495 | WS THRUST PLATE | | |
| **7.** | 043489 | WS BELLEVILLE SPRING | | |
| **8.** | 381957 | WS HEX NUT M8 | | |
| **9.** | 186397 | WS BRIDGE | | |
| **10.** | 304011 | WS LOCK NUT M16 | | |
| **11.** | 304065 | WS BOLT M16X110 DIN 931-8.8 | | |

# Driveline Slip Clutch 540 RPM (391708) Walterscheid

**Applies to RC6015**




16947

# Driveline Slip Clutch 540 RPM (391708) Walterscheid

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16947 | Drawing Image Number | | |
| | 391708 | WS FRICTION CLUTCH | | |
| **1.** | 324822 | WS CLUTCH HOUSING | | |
| **2.** | 168556 | WS FRICTION DISK | | |
| **3.** | 391358 | WS HUB 1-3/4"-20 SPL | | |
| **4.** | 042454 | WS DRIVE PLATE | | |
| **5.** | 042459 | WS DRIVE PLATE | | |
| **6.** | 381495 | WS THRUST PLATE | | |
| **7.** | 043489 | WS BELLEVILLE SPRING | | |
| **8.** | 381957 | WS HEX NUT M8 | | |

# Driveline Slip Clutch 540/1000 RPM (1446016) EC

**Applies to RC5015**




15521

# Driveline Slip Clutch 540/1000 RPM (1446016) EC

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15521 | Drawing Image Number | | |
| | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL * | | |
| **1.** | 1215012 | RPBY 330-297A | | |
| **2.** | 1706033 | EC CLUTCH YOKE W/FLANGE | | |
| **3.** | 1705009 | EC CLUTCH BUSHING | | |
| **4.** | 1808010 | EC CLUTCH LINING RING | | |
| **5.** | 1708034 | EC CLUTCH MIDDLE DISK | | |
| **6.** | 1138008 | EC INNER DISK | | |
| **7.** | 1708016 | EC HUB WITH FLANGE | | |
| **8.** | 6821484 | EC CONICAL DOG KIT REPLACEMENT | Includes nut and washer | |
| **9.** | 1138007 | EC PRESSURE DISK | | |
| **10.** | 6691010 | EC BOLT & SCREW NUT KIT REPL. | | |
| **11.** | 330-297A | SV KIT, EC SLIP CLUTCH SPRING | Contains 8 Springs | |

# Driveline Wing (826-185C) EC New Shielding

**Applies to RC5015**




23996

# Driveline Wing (826-185C) EC New Shielding

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23996 | Drawing Image Number | | |
| | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 * | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885702 | EC SHORT CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877901 | EC INNER TUBE SHEILD | | |
| **6.** | 1877111 | RPBY 1877901 | | |
| **7.** | 1876901 | EC OUTER TUBE SHEILD | | |
| **7.** | 1876111 | RPBY 1876901 | | |
| **8.** | 1885703 | EC STANDARD CONE | | |
| **9.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **10.** | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL | | |
| **11.** | 1006020 | EC CROSS ASSEMBLY | | |
| **12.** | 1706029 | EC INNER TUBE YOKE | | |
| **13.** | 1526121 | EC 1380MM INNER TUBE | | |
| **14.** | 6331070 | EC 10X70 ROLL PIN | | |
| **15.** | 1528901 | EC OUTER TUBE | | |
| **15.** | 1528121 | RPBY 1528901 | | |
| **16.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **17.** | 1706027 | EC OUTER TUBE YOKE | | |
| **18.** | 1016025 | EC YOKE ASSY 1 3/4-20(TRAC.END | | |
| **19.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **20.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **21.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **22.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **23.** | 1006220 | EC TWIST COLLAR KIT(TRACT END) | | |
| **24.** | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| **25.** | 1106025 | EC YOKE | | |
| **26.** | 6761480 | EC BOLT | Includes 27,28 | |
| **27.** | 6410114 | EC SCREW NUT (M14) | | |
| **28.** | 6412114 | EC WASHER (d14) | | |

# Driveline Wing (826-185C) EC Old Shielding

**Applies to RC5015**




15567

# Driveline Wing (826-185C) EC Old Shielding

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15567 | Drawing Image Number | | |
| | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 | | |
| **1.** | 1006020 | EC CROSS ASSEMBLY | | |
| **2.** | 1786009 | EC TUBE BEARING | | |
| **3.** | 1706029 | EC INNER TUBE YOKE | | |
| **4.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **5.** | 1526121 | EC 1380MM INNER TUBE | | |
| **6.** | 1528121 | EC 1380MM OUTER TUBE | | |
| **7.** | 1706027 | EC OUTER TUBE YOKE | | |
| **8.** | 1886010 | EC OUTER TUBE RIGID CONE | | |
| **9.** | 1006065 | EC ANTIROTATION CHAIN | | |
| **10.** | 1016025 | EC YOKE ASSY 1 3/4-20(TRAC.END | | |
| **11.** | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL | Refer to "Axle Center Single" | |
| **12.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **13.** | 1874113 | EC 1130MM INNER TUBE | | |
| **14.** | 1886013 | EC SOFT CONE | | |
| **15.** | 1875113 | EC 1130MM OUTER TUBE | | |
| **16.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **17.** | 1886011 | EC INNER TUBE RIGID CONE | | |
| **18.** | 1886012 | EC SOFT CONE | | |
| **19.** | 1786008 | EC TUBE BEARING | | |
| **20.** | 1006220 | EC TWIST COLLAR KIT(TRACT END) | | |
| **21.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **22.** | 1106025 | EC YOKE | | |
| **23.** | 6761480 | EC BOLT | | |
| **24.** | 6410114 | EC SCREW NUT (M14) | | |
| **25.** | 6412114 | EC WASHER (d14) | | |

# Driveline Wing (826-262C) Walterscheid (S/N 461934-)

**Applies to RC6015**




17004

# Driveline Wing (826-262C) Walterscheid (S/N 461934-)

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17004 | Drawing Image Number | | |
| | 826-262C | PTO W2500/WSC CAT5 540/1000 | | |
| **1.** | 304011 | WS LOCK NUT M16 | | |
| **2.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **3.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **4.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **5.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **6.** | 097140 | WS INBOARD YOKE 2500 | | |
| **7.** | 382223 | WS PROFILE & SLEEVE W.A. | | |
| **8.** | 380371 | WS ZERK | | |
| **9.** | 365305 | WS SCREW | | |
| **10.** | 377437 | WS SHIELD CONE 7 RIB | | |
| **11.** | 087276 | WS BEARING RING - SC25 | | |
| **12.** | 387767 | WS INNER SHEILD TUBE RND | | |
| **13.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **14.** | 391707 | WS OUTER SHEILD TUBE OVAL | | |
| **15.** | 323524 | WS INNER PROFILE S4L | | |
| **16.** | 097133 | WS INBOARD YOKE 2400 | | |
| **17.** | 355155 | WS SUPPORT BEARING | | |
| **18.** | 383805 | WS FRICTION CLUTCH | | |
| **19.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **20.** | 818-540C | DECAL DANGER GUARD MISS | | |

# Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+)

**Applies to RC6015**




23953

# Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+)

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23953 | Drawing Image Number | | |
| | 826-481C | PTO V80 X 59.3 1280NM CLUTCH | | |
| **1.** | 141.028.195.1 | COMER YOKE COMPLETE | | |
| **2.** | 180.018.004 | COMER CROSS ASSEMBLY | | |
| **3.** | 151.018.241.1 | COMER YOKE OUTER | | |
| **4.** | 190.000.243 | COMER OUTER TUBE ROLL PIN | | |
| **5.** | 180.018.437 | COMER WIPER | | |
| **6.** | 1522805450710 | COMER TUBE OUTER | | |
| **7.** | 146.284.020.1 | COMER CLUTCH, DISC COMPLETE | | |
| **8.** | 180.018.251 | COMER RETAINING COLLER INNER | | |
| **9.** | 180.014.240 | COMER BOLT | | |
| **10.** | 180.018.252 | COMER RETAINING COLLER INNER | | |
| **11.** | 180.016.025 | COMER SAFTEY CHAINS | | |
| **12.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |
| **13.** | 122.580.023.1 | COMER TUBE W/YOKE/LUBE/FEMALE | | |
| **14.** | 122.580.511.1 | COMER TUBE W/YOKE/LUBE/MALE | | |
| **15.** | 1422831949821 | COMER HALF FEMALE GRD W/LABEL | | |
| **16.** | 1422871029821 | COMER HALF MALE GUARDING | | |
| **17.** | 180.018.393 | COMER CAP OUTER TUBE, PLASTIC | | |

# Gearbox 540 RPM RC5015 (826-174C) RC6015 (826-231C) OMNI

**Applies to RC5015, RC6015**




15500

# Gearbox 540 RPM RC5015 (826-174C) RC6015 (826-231C) OMNI

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15500 | Drawing Image Number | | |
| | 826-174C | GBOX RC130S 1.75-20 1:1.46 CW | RC5015 | |
| | 826-231C | GBOX RC130L 1.75-20 1:1.46 CW | RC6015 | |
| **1.** | 010156 | OMNI HOUSING RC130S CW | RC5015 (826-174C) | |
| **1.** | 010167 | OMNI HOUSING RC-130LS | RC6015 (826-231C) | |
| **2.** | 020211 | OMNI INPUT CAP | | |
| **3.** | 030417 | OMNI OUTPUT PINION, 13T | | |
| **4.** | 030418 | OMNI GEAR INPUT, 19T | | |
| **5.** | 040300 | OMNI INPUT SHAFT, 1.75-20 SPL | | |
| **6.** | 040312 | OMNI OUTPUT SHAFT | Uses #33 spacer RC5015 (826-174C) | Rev. 2 |
| **6.** | 040301 | RPBY 040312 & 090144 | No spacer #33 RC5015 (826-174C) | Rev. 1 |
| **6.** | 040314 | OMNI OUTPUT SHAFT TAP. SPL 18T | Uses #33 spacer RC6015 (826-231C) | Rev. 2 |
| **6.** | 040313 | RPBY 040314 & 090144 | No spacer #33 RC6015 (826-231C) | Rev. 1 |
| **7.** | 050200 | OMNI BEARING CUP, 30210 | | |
| **8.** | 050202 | OMNI BEARING CUP,32012 | | |
| **9.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **10.** | 060115 | OMNI OUTPUT SEAL | | |
| **11.** | 070240 | OMNI INPUT GASKET, 0.20MM | | |
| **12.** | 070241 | OMNI INPUT GASKET, 0.30MM | | |
| **13.** | 070242 | OMNI GASKET, 0.50MM | | |
| **14.** | 090145 | OMNI SHIM INPUT 0.10MM | | |
| **15.** | 090146 | OMNI SHIM INPUT 0.20MM | | |
| **16.** | 090147 | OMNI SHIM INPUT 0.30MM | | |
| **17.** | 090148 | OMNI SHIM OUTPUT 0.10MM | | |
| **18.** | 090149 | OMNI SHIM OUTPUT 0.20MM | | |
| **19.** | 090150 | OMNI SHIM OUTPUT 0.30MM | | |
| **20.** | 100114 | OMNI COTTER PIN 6.3X60 | | |
| **21.** | 100118 | OMNI COTTER PIN 5X65 | | |
| **22.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 120094 | OMNI NUT HEX SLOTTED, 1 3/8-18 | | |
| **25.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RC5015 (826-174C) | |
| **25.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RC6015 (826-231C) | |
| **26.** | 130002 | OMNI LOCKWASHER | | |
| **27.** | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| **28.** | 140044 | OMNI PLUG 1/2 RELIEF W/LEVEL | | |
| **29.** | 200127 | OMNI RETAINING RING | | |
| **30.** | 240274 | OMNI INSPECTION COVER | | |
| **31.** | 050201 | OMNI BEARING CONE, 30210 | | |
| **32.** | 050203 | OMNI BEARING CONE, 32012 | | |
| **33.** | 090144 | OMNI SPACER | Used with 040312 #6 only | |

# Gearbox 540 RPM RC5015 (826-175C) RC6015 (826-232C) OMNI

**Applies to RC5015, RC6015**




15506

# Gearbox 540 RPM RC5015 (826-175C) RC6015 (826-232C) OMNI

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15506 | Drawing Image Number | | |
| | 826-175C | GBOX RC130S 1.75-20 1:1.46 CCW | RC5015 | |
| | 826-232C | GBOX RC130L 1.75-20 1:1.46 CCW | RC6015 | |
| **1.** | 010157 | OMNI HOUSING RC130C CCW | RC5015 (826-175C) | |
| **1.** | 010168 | OMNI HOUS. RC-130LS REV. ROT. | RC6015 (826-232C) | |
| **2.** | 020212 | OMNI BLANK CAP | | |
| **3.** | 030417 | OMNI OUTPUT PINION, 13T | | |
| **4.** | 030418 | OMNI GEAR INPUT, 19T | | |
| **5.** | 040300 | OMNI INPUT SHAFT, 1.75-20 SPL | | |
| **6.** | 040312 | OMNI OUTPUT SHAFT | Uses #33 spacer RC5015 (826-174C) | Rev. 2 |
| **6.** | 040301 | RPBY 040312 & 090144 | No spacer #33 RC5015 (826-174C) | Rev. 1 |
| **6.** | 040314 | OMNI OUTPUT SHAFT TAP. SPL 18T | Uses #33 spacer RC6015 (826-231C) | Rev. 2 |
| **6.** | 040313 | RPBY 040314 & 090144 | No spacer #33 RC6015 (826-231C) | Rev. 1 |
| **7.** | 050200 | OMNI BEARING CUP, 30210 | | |
| **8.** | 050202 | OMNI BEARING CUP,32012 | | |
| **9.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **10.** | 060115 | OMNI OUTPUT SEAL | | |
| **11.** | 070240 | OMNI INPUT GASKET, 0.20MM | | |
| **12.** | 070241 | OMNI INPUT GASKET, 0.30MM | | |
| **13.** | 070242 | OMNI GASKET, 0.50MM | | |
| **14.** | 090145 | OMNI SHIM INPUT 0.10MM | | |
| **15.** | 090146 | OMNI SHIM INPUT 0.20MM | | |
| **16.** | 090147 | OMNI SHIM INPUT 0.30MM | | |
| **17.** | 090148 | OMNI SHIM OUTPUT 0.10MM | | |
| **18.** | 090149 | OMNI SHIM OUTPUT 0.20MM | | |
| **19.** | 090150 | OMNI SHUM OUTPUT 0.30MM | | |
| **20.** | 100114 | OMNI COTTER PIN 6.3X60 | | |
| **21.** | 100118 | OMNI COTTER PIN 5X65 | | |
| **22.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 120094 | OMNI NUT HEX SLOTTED, 1 3/8-18 | | |
| **25.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RC5015 (826-175C) | |
| **25.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RC6015 (826-232C) | |
| **26.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **27.** | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| **28.** | 140044 | OMNI PLUG 1/2 RELIEF W/LEVEL | | |
| **29.** | 050201 | OMNI BEARING CONE, 30210 | | |
| **30.** | 200127 | OMNI RETAINING RING | | |
| **31.** | 240274 | OMNI INSPECTION COVER | | |
| **32.** | 050203 | OMNI BEARING CONE, 32012 | | |
| **33.** | 090144 | OMNI SPACER | Used with 040312 #6 only | |

# Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Comer

**Applies to RC5015, RC6015**




21167

# Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Comer

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21167 | Drawing Image Number | | |
| | 826-315C | GBOX RC50 1.75-20 1:1.46 CCW | RC5015 | |
| | 826-320C | GBOX RC60 1.75-20 1:1.46 CCW | RC6015 | |
| **1.** | U0.125.0531.00 | CO HOUSING | RC5015 (826-315C) | |
| **1.** | UO.125.0532.00 | CO HOUSING | RC6015 (826-320C) | |
| **2.** | U0.125.5005.00 | CO CROWN GEAR Z22 M8 | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **5.** | U0.125.2050.00 | CO INPUT SHAFT 1 3/4"-20 | | |
| **6.** | 8.5.2.00332 | CO SNAP RING UNI 7437 | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | | |
| **9.** | U0.125.7100.00 | CO CASTLE NUT | | |
| **10.** | 0.712.7500.00 | CO SHIM 50.3X70.3 | | |
| **11.** | 8.0.9.01090 | CO BEARING 32210 | | |
| **12.** | 1.181.7101.00 | CO SEAL PROTECTOR | | |
| **13.** | 8.7.1.02349 | CO OIL SEAL 60X110X12 | | |
| **14.** | 8.0.9.00079 | CO BEARING 30212 | | |
| **15.** | U0.125.3002.00 | CO OUTPUT SHAFT | RC5015 (826-315C) | |
| **15.** | U0.125.3003.00 | CO OUTPUT SHAFT | RC6015 (826-320C) | |
| **16.** | 8.4.7.02265 | CO COTTER PIN B 5X60 | | |
| **17.** | 0.121.7101.00 | CO CAP | | |
| **18.** | 0.288.7101.00 | CO BLANK WASHER | | |
| **19.** | 0.252.7525.00 | CO SHIM 45.3X2.5 | | |
| **20.** | 0.285.7510.00 | CO SHIM 40.3 X 61.7 X 1 | | |
| **21.** | U0.125.1301.00 | CO COVER | | |
| **22.** | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| **23.** | U0.125.7003.00 | CO OIL LEVEL PLUG SOLD-SPRTLY | | |
| **24.** | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| **25.** | 8.4.7.01045 | CO COTTER PIN B6X70 SLD-SPRTLY | | |
| **26.** | 8.2.2.00560 | CO CASTLE NUT M36X3 | | |
| **27.** | U0.125.6004.00 | CO CROWN GEAR Z15 M8 | | |

# Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Eurocardan

**Applies to RC5015, RC6015**




21266

# Gearbox 540 RPM RC5015 (826-315C) RC6015 (826-320C) Eurocardan

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21266 | Drawing Image Number | | |
| | 826-315C | GBOX RC50 1.75-20 1:1.46 CCW | RC5015 | |
| | 826-320C | GBOX RC60 1.75-20 1:1.46 CCW | RC6015 | |
| **1.** | 16571-01 | HOUSING | RC5015 (826-315C) | |
| **1.** | 16572-01 | HOUSING | RC6015 (826-320C) | |
| **2.** | 17271-03 | BEVEL GEAR Z22 M8 | | |
| **3.** | 17271-04 | BEVEL PINION Z15 M8 | | |
| **4.** | 12171-03 | INPUT SHAFT 1 3/4" Z20 | | |
| **5.** | 12171-02 | OUTPUT SHAFT | RC5015 (826-315C) | |
| **5.** | 12172-01 | OUTPUT SHAFT | RC6015 (826-320C) | |
| **6.** | 2032209 | TIMKEN CONICAL BEARING | | |
| **7.** | 2732210 | TIMKEN CONICAL BEARING | | |
| **8.** | 2030212 | TIMKEN CONICAL BEARING | | |
| **9.** | 6204585 | SEAL (DOUBLE RIMS) | | |
| **10.** | 6206011 | SEAL (DOUBLE RIMS) | | |
| **11.** | 6100085 | SIDE RUBBER COVER | | |
| **12.** | 6310085 | INTERNAL CIRCLIP DIAM. 85 | | |
| **13.** | 6320050 | EXTERNAL CIRCLIP DIAM. 50 | | |
| **14.** | 16571-03 | UPPER COVER | | |
| **15.** | 12071-01 | WASHER ID 37; OD 75 H=8 | | |
| **16.** | 65316-10 | PRES. RELIEF/OIL LEV PLUG L150 | | |
| **17.** | 6481600 | FR OIL DRAIN PLUG | | |
| **18.** | 6037012 | OIL LEVEL PLUG GASKET | | |
| **19.** | 30210025 | SCREW M10X25 | | |
| **20.** | 34021010 | WASHER | | |
| **21.** | 34007036 | NOTCH NUT | | |
| **22.** | 6340680 | COTTER PIN DIAM. 6X80 | | |
| **23.** | 17871-01 | UPPER COVER PAPER GASKET | | |

# Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C Comer

**Applies to RC5015, RC6015**




21171

# Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C Comer

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21171 | Drawing Image Number | | |
| | 826-316C | GBOX RC50 1.75-20 1:1.46 CW | RC5015 | |
| | 826-321C | GBOX RC60 1.75-20 1:1.46 CW | RC6015 | |
| **1.** | U0.125.0531.00 | CO HOUSING | RC5015 (826-316C) | |
| **1.** | U0.125.0532.00 | CO HOUSING | RC6015 (826-321C) | |
| **2.** | U0.125.5005.00 | CO CROWN GEAR Z22 M8 | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **5.** | U0.125.2050.00 | CO INPUT SHAFT 1 3/4"-20 | | |
| **6.** | 8.5.2.00332 | CO SNAP RING UNI 7437 | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | | |
| **9.** | U0.125.7100.00 | CO CASTLE NUT | | |
| **10.** | 0.712.7500.00 | CO SHIM 50.3X70.3 | | |
| **11.** | 8.0.9.01090 | CO BEARING 32210 | | |
| **12.** | 1.181.7101.00 | CO SEAL PROTECTOR | | |
| **13.** | 8.7.1.02349 | CO OIL SEAL 60X110X12 | | |
| **14.** | 8.0.9.00079 | CO BEARING 30212 | | |
| **15.** | U0.125.3002.00 | CO OUTPUT SHAFT | RC5015 (826-316C) | |
| **15.** | U0.125.3003.00 | CO OUTPUT SHAFT | RC6015 (826-321C) | |
| **16.** | 8.4.7.02265 | CO COTTER PIN B 5X60 | | |
| **17.** | 0.121.7101.00 | CO CAP | | |
| **18.** | 0.288.7101.00 | CO BLANK WASHER | | |
| **19.** | 0.252.7525.00 | CO SHIM 45.3X2.5 | | |
| **20.** | 0.285.7510.00 | CO SHIM 40.3 X 61.7 X 1 | | |
| **21.** | U0.125.1301.00 | CO COVER | | |
| **22.** | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| **23.** | U0.125.7003.00 | CO OIL LEVEL PLUG SOLD-SPRTLY | | |
| **24.** | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| **25.** | 8.4.7.01045 | CO COTTER PIN B6X70 SLD-SPRTLY | | |
| **26.** | 8.2.2.00560 | CO CASTLE NUT M36X3 | | |
| **27.** | U0.125.6004.00 | CO CROWN GEAR Z15 M8 | | |

# Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C) Eurocardan

**Applies to RC5015, RC6015**




21267

# Gearbox 540 RPM RC5015 (826-316C) RC6015 (826-321C) Eurocardan

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21267 | Drawing Image Number | | |
| | 826-316C | GBOX RC50 1.75-20 1:1.46 CW | RC5015 | |
| | 826-321C | GBOX RC60 1.75-20 1:1.46 CW | RC6015 | |
| **1.** | 16571-01 | HOUSING | RC5015 (826-316C) | |
| **1.** | 16571-01 | HOUSING | RC6015 (826-321C) | |
| **2.** | 17271-03 | BEVEL GEAR Z22 M8 | | |
| **3.** | 17271-04 | BEVEL PINION Z15 M8 | | |
| **4.** | 12171-03 | INPUT SHAFT 1 3/4" Z20 | | |
| **5.** | 12171-02 | OUTPUT SHAFT | RC 5015 (826-316C) | |
| **5.** | 12172-01 | OUTPUT SHAFT | RC 6015 (826-321C) | |
| **6.** | 2032209 | TIMKEN CONICAL BEARING | | |
| **7.** | 2732210 | TIMKEN CONICAL BEARING | | |
| **8.** | 2030212 | TIMKEN CONICAL BEARING | | |
| **9.** | 6204585 | SEAL (DOUBLE RIMS) | | |
| **10.** | 6206011 | SEAL (DOUBLE RIMS) | | |
| **11.** | 6100085 | SIDE RUBBER COVER | | |
| **12.** | 6310085 | INTERNAL CIRCLIP DIAM. 85 | | |
| **13.** | 6320050 | EXTERNAL CIRCLIP DIAM. 50 | | |
| **14.** | 16571-03 | UPPER COVER | | |
| **15.** | 12071-01 | WASHER ID 37; OD 75 H=8 | | |
| **16.** | 65316-10 | PRES. RELIEF/OIL LEV PLUG L150 | | |
| **17.** | 6481600 | FR OIL DRAIN PLUG | | |
| **18.** | 6037012 | OIL LEVEL PLUG GASKET | | |
| **19.** | 30210025 | SCREW M10X25 | | |
| **20.** | 34021010 | WASHER | | |
| **21.** | 34007036 | NOTCH NUT | | |
| **22.** | 6340680 | COTTER PIN DIAM. 6X80 | | |
| **23.** | 17871-01 | UPPER COVER PAPER GASKET | | |

# Gearbox Divider 540 RPM (826-179C) Comer

**Applies to RC5015, RC6015**




19604

# Gearbox Divider 540 RPM (826-179C) Comer

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19604 | Drawing Image Number | | |
| | 826-179C | DIV OMNI/CO 540RPM 1 3/4-20 | | |
| **1.** | 8.1.1.00109 | CO BOLT M10 X 35 8.8 | | |
| **2.** | 0.305.1300.00 | TOP COVER PLATE | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.5.2.01772 | CO SNAP RING | | |
| **5.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **6.** | 0.305.0300.01 | CO CASING | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 0.305.6000.00 | CO GEAR M6.5 Z20 | | |
| **9.** | 0.305.3000.00 | CO SHAFT 1" 3/4 Z20 | | |
| **10.** | 0.305.2000.00 | CO SHAFT 1" 3/4 Z20 | | |
| **11.** | 0.305.5001.00 | CO GEAR M6.5 Z24 | | |
| **12.** | 8.6.6.00201 | CO PLUG 3/8 GAS | | |
| **13.** | 8.6.7.00269 | CO 1/2" GAS BREATHER PLUG | | |

# Gearbox Divider 540 RPM (826-179C) OMNI

**Applies to RC5015, RC6015**




15503

# Gearbox Divider 540 RPM (826-179C) OMNI

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15503 | Drawing Image Number | | |
| | 826-179C | DIV OMNI/CO 540RPM 1 3/4-20 * | | |
| **1.** | 010063 | OMNI HOUSING RCD101HD | | |
| **2.** | 020162 | OMNI INPUT CAP | | |
| **3.** | 020061 | OMIN CANTILEVERED OUTPUT CAP | | |
| **4.** | 020110 | OMNI OUTPUT CAP | | |
| **5.** | 030413 | OMNI PINION, 20T | | |
| **6.** | 030412 | OMNI GEAR, 24T | | |
| **7.** | 040121 | OMNI OUTPUT SHAFT,1.75-20SHORT | | |
| **8.** | 040124 | OMNI INPUT SHAFT, 1.75-20 LONG | | |
| **9.** | 050008 | OMNI BEARING CONE - 368 | | |
| **10.** | 050012 | OMNI BEARING CONE -LM603049 | | |
| **11.** | 050013 | OMNI BEARING CUP - LM 603014 | | |
| **12.** | 050014 | BEARING CUP - 362A, OMNI | | |
| **13.** | 050015 | BEARING CUP - 362, OMNI | | |
| **14.** | 060020 | OMNI OUTPUT SEAL | | |
| **15.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **16.** | 070057 | OMNI GASKET, 0.30MM | | |
| **17.** | 070058 | OMNI GASKET, 0.15MM | | |
| **18.** | 070151 | OMNI INPUT GASKET, 0.10MM | | |
| **19.** | 070140 | OMNI GASKET 0.30MM | | |
| **20.** | 070141 | OMNI GASKET 0.15MM | | |
| **21.** | 070142 | OMNI GASKET 0.10MM | | |
| **22.** | 090003 | SPACER, OMNI | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **25.** | 120025 | OMNI LOCKNUT, TN-06 | | |
| **26.** | 130030 | OMNI LOCKWASHER, TW-06 | | |
| **27.** | 130021 | OMNI FLAT WASHER | | |
| **28.** | 140046 | OMNI PLUG 1/2-14NPT,PRW/OIL LV. | | |
| **29.** | 200003 | OMNI RETAINING RING | | |

# Hydraulic Center Lift

**Applies to RC5015, RC6015**




15427

# Hydraulic Center Lift

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15427 | Drawing Image Number | | |
| **1.** | 810-195C | CYL 3X8X1.25 ROD (TIE) NO PINS | RC5015 & RCM5015 | |
| **1.** | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | RC6015 & RCM6015 | |
| **2.** | 811-394C | CP 3/4FORB MALE QD | | |
| **3.** | 811-619C | HH3/8R1 168 3/4MORB 3/4FJIC | | |
| **4.** | 811-063C | EL 3/4MJIC 3/4MORB | | |
| **5.** | 800-306C | FILL PLUG VENTED 3/4-16 PLT | (S/N 222462+) | Rev. 2 not compat. w/Rev. 1. |
| **5.** | 800-094C | FILL PLUG VENTED 3/4-16 PLT | (S/N 222461-) | Rev. 1 |
| **6.** | 810-317C | STROKE CONTROL SPACERS 1 1/4 | | |

# Hydraulic Cylinder (810-150C) Red Lion

**Applies to RC5015**




25899

# Hydraulic Cylinder (810-150C) Red Lion

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25899 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) * | | |
| **1.** | 803-014C | NUT HEX 3/8-16 PLT | | |
| **2.** | 130556 | MON PISTON NUT | | |
| **3.** | 134953 | LION PIN | | |
| **4.** | 135995 | MON CLEVIS PIN COTTER | | |
| **5.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **6.** | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| **7.** | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| **8.** | N/A | MON PISTON SEAL | Only Found in Kit #20 | |
| **9.** | N/A | MON END CAP BACKUP WASHERS | Only Found in Kit #20 | |
| **10.** | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| **11.** | N/A | SEAL WIPER ROD | Only Found in Kit #20 | |
| **12.** | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| **13.** | 491672 | LION CYL TUBE 2.5 X 12 | | |
| **14.** | 492222 | LION TIE ROD 3/8, 12 CYL | | |
| **15.** | 492647 | LION ROD 1.25 X 12 | | |
| **16.** | 492650 | LION ROD CLEVIS 1 1/8-12UNF | | |
| **17.** | 492688 | LION CLEVIS CAP 2.5, 9/16 ORB | | |
| **18.** | 492724 | LION ROD CAP 2.5X1.25 9/16 ORB | | |
| **19.** | 494768 | MON PISTON | | |
| **20.** | 645004 | MON SEALS REPAIR KIT | | |

# Hydraulic Cylinder (810-162C) Red Lion

**Applies to RC6015**




25900

# Hydraulic Cylinder (810-162C) Red Lion

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25900 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) * | | |
| **1.** | 803-022C | NUT HEX 5/8-18 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 134953 | LION PIN | | |
| **4.** | 135995 | MON CLEVIS PIN COTTER | | |
| **5.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **6.** | 186562 | LION PLUG 3/4-16UNF SOCKET HD | | |
| **7.** | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| **8.** | N/A | MON PISTON SEAL (PSP) | Only Found in Kit #20 | |
| **9.** | N/A | LION B.U. WASHER 073-236 | Only Found in Kit #20 | |
| **10.** | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| **11.** | N/A | SEAL WIPER ROD | Only Found in Kit #20 | |
| **12.** | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| **13.** | 491798 | LION CYL. TUBE 3.5 X 8 | | |
| **14.** | 492338 | LION TIE ROD 5/8 X 8 | | |
| **15.** | 492652 | LION ROD CLEVIS 1 1/4 (1PIN) | | |
| **16.** | 492676 | LION CLEVIS CAP 3.5 ORB | | |
| **17.** | 492677 | LION ROD CAP 3.5 X 1 1/4 ORB | | |
| **18.** | 492700 | LION ROD 1.25 DIA. ASAE 8 | | |
| **19.** | 494754 | MON PISTON | | |
| **20.** | 648411 | MON SEALS REPAIR KIT | | |

# *Hydraulic Cylinder (810-312C) Red Lion)*

**Applies to RC6015**




25902

# Hydraulic Cylinder (810-312C) Red Lion)

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12345 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD) * | | |
| **1.** | 803-020C | NUT HEX 1/2-13 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **4.** | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| **5.** | N/A | MON ROD SEAL | Only Found in Kit #18 | |
| **6.** | N/A | MON PISTON SEAL (PSP) | Only Found in Kit #18 | |
| **7.** | N/A | MON END CAP B/U WASHER | Only Found in Kit #18 | |
| **8.** | N/A | MON END CAP O-RING | Only Found in Kit #18 | |
| **9.** | N/A | SEAL WIPER ROD | Only Found in Kit #18 | |
| **10.** | N/A | MON PISTON WEAR RING | Only Found in Kit #18 | |
| **11.** | 294753 | MON PISTON | | |
| **12.** | 491742 | MON CYL TUBE | | |
| **13.** | 492282 | MON TIE ROD | | |
| **14.** | 492652 | LION ROD CLEVIS 1 1/4 (1PIN) | | |
| **15.** | 492721 | LION CLEVIS CAP 3.0-9/16 ORB | | |
| **16.** | 492722 | LION ROD CAP 3.0X1.25-9/16 ORB | | |
| **17.** | 492870 | MON CYL ROD | | |
| **18.** | 645599 | MON SEALS REPAIR KIT | | |

# Hydraulic Cylinder (810-624C) Midway

**Applies to RC5015**




12499

# Hydraulic Cylinder (810-624C) Midway

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12499 | Drawing Image Number | | |
| | 810-624C | CYL 3X8X1.25 ROD (TIE) NO PINS * | | |
| **1.** | 6M4166 | MW BASE 3 X 3/4 SAE ORB PORT | | |
| **2.** | 2A0014 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only found in sealkit 17 | |
| **4.** | 7M4316 | MW TIE ROD 3 X 8 CYLINDER | | |
| **5.** | 5M4116 | MW TUBE 3 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **8.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **9.** | 2M4416 | MW ROD 1-1/4 DIA X 8 STROKE | | |
| **10.** | | WIPER | Only found in sealkit 17 | |
| **11.** | | BACK-UP | Only found in sealkit 17 | |
| **12.** | | O-RING | Only found in sealkit 17 | |
| **13.** | 3M4412 | MW HEAD CAP 3X1-1/4 ROD 3/4SAE | | |
| **14.** | | BACK-UP | Only found in sealkit 17 | |
| **15.** | 4M4104 | MW PISTON 3 DIA. | | |
| **16.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **17.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | |

# *Hydraulic Cylinder (810-624C) Red Lion*

**Applies to RC5015**




25896

# Hydraulic Cylinder (810-624C) Red Lion

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25896 | Drawing Image Number | | |
| | 810-624C | CYL 3X8X1.25 ROD (TIE) NO PINS * | | |
| **1.** | 803-020C | NUT HEX 1/2-13 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **4.** | 186562 | LION PLUG 3/4-16UNF SOCKET HD | | |
| **5.** | N/A | MON ROD SEAL | Only found in seal kit #19 | |
| **6.** | N/A | MON PISTON SEAL (PSP) | Only found in seal kit #19 | |
| **7.** | N/A | MON END CAP B/U WASHER | Only found in seal kit #19 | |
| **8.** | N/A | MON END CAP O-RING | Only found in seal kit #19 | |
| **9.** | N/A | SEAL WIPER ROD | Only found in seal kit #19 | |
| **10.** | N/A | MON PISTON WEAR RING | Only found in seal kit #19 | |
| **11.** | 292003 | MON TIE ROD EXTND THD | | |
| **12.** | 294753 | MON PISTON | | |
| **13.** | 491738 | MON CYL TUBE | | |
| **14.** | 492278 | MON TIE ROD | | |
| **15.** | 492670 | MON ROD CAP | | |
| **16.** | 492675 | MON CLEVIS CAP | | |
| **17.** | 493211 | MON CYL ROD | | |
| **18.** | 493830 | LION HARDENED ROD CLEVIS 1 1/4 | | |
| **19.** | 645599 | MON SEALS REPAIR KIT | | |

# Hydraulic Cylinder Center (810-195C) Midway

**Applies to RC5015**




12499

# Hydraulic Cylinder Center (810-195C) Midway

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12499 | Drawing Image Number | | |
| | 810-195C | CYL 3X8X1.25 ROD (TIE) NO PINS | | |
| **1.** | 6M4166 | MW BASE 3 X 3/4 SAE ORB PORT | | |
| **2.** | 2A0014 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only found in sealkit 17 | |
| **4.** | 7M4316 | MW TIE ROD 3 X 8 CYLINDER | | |
| **5.** | 5M4116 | MW TUBE 3 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **8.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **9.** | 2M4416 | MW ROD 1-1/4 DIA X 8 STROKE | | |
| **10.** | | WIPER | Only found in sealkit 17 | |
| **11.** | | BACK-UP | Only found in sealkit 17 | |
| **12.** | | O-RING | Only found in sealkit 17 | |
| **13.** | 3M4412 | MW HEAD CAP 3X1-1/4 ROD 3/4SAE | | |
| **14.** | | BACK-UP | Only found in sealkit 17 | |
| **15.** | 4M4104 | MW PISTON 3 DIA. | | |
| **16.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **17.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | Rev. 2 |

# Hydraulic Cylinder Center Lift (810-162C) Cross

**Applies to RC6015**




11421

# Hydraulic Cylinder Center Lift (810-162C) Cross

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11421 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | | |
| **1.** | 1D1509-4 | BASE CROSS | | |
| **2.** | 2A0236-9 | TIE ROD NUT CROSS | | |
| **3.** | | O-RING | Only available in Seal Kit (#19) | |
| **4.** | 2A0581-1325 | TIE ROD CROSS | | |
| **5.** | 1D0009-1050 | TIE ROD CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW, CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN, CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **11.** | 1D0205-1262 | ROD CROSS | | |
| **12.** | | WIPER | Only available in Seal Kit (#19) | |
| **13.** | | BACK-UP ROD | Only available in Seal Kit (#19) | |
| **14.** | | O-RING | Only available in Seal Kit (#19) | |
| **15.** | 1D1159-4 | HEAD CROSS | | |
| **16.** | | BACK-UP PISTON | Only available in Seal Kit (#19) | |
| **17.** | 1D1401-350 | PISTON CROSS | | |
| **18.** | 1A1141 | PISTON NUT CROSS | | |
| **19.** | 810-146C | SEAL KIT CROSS 3.5 CYL 1C4429 | | |

# Hydraulic Cylinder Center Lift (810-162C) Midway

**Applies to RC6015**




11421

# Hydraulic Cylinder Center Lift (810-162C) Midway

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19893 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | | |
| **1.** | 6M5142 | MW BASE (STD 1 PIN) | | |
| **2.** | 2A0016 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only available in Seal Kit (#19) | |
| **4.** | 7M5316 | MW ROD | | |
| **5.** | 5M5116 | MW TUBE 3 1/2 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 2A0208 | MW CLEVIS PIN | | |
| **8.** | 2A0132 | MW PIN CLIP | | |
| **9.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **10.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **11.** | 2M5416 | MW ROD | | |
| **12.** | | WIPER | Only available in Seal Kit (#19) | |
| **13.** | | BACK-UP ROD | Only available in Seal Kit (#19) | |
| **14.** | | O-RING | Only available in Seal Kit (#19) | |
| **15.** | 3M5408 | MW HEAD | | |
| **16.** | | BACK-UP PISTON | Only available in Seal Kit (#19) | |
| **17.** | 4M5102 | MW PISTON 3 1/2 DIA. | | |
| **18.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **19.** | 810-149C | SEAL KIT 810-104C MW 3A5102 | | |

# Hydraulic Cylinder Wing (810-150C) Cross

**Applies to RC5015**




15572

# Hydraulic Cylinder Wing (810-150C) Cross

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15572 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| **1.** | 1D1505-3 | BASE CROSS | | |
| **2.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **3.** | | MW O-RING | Only found in seal kit 19 | |
| **4.** | 2A0578-1675 | TIE ROD CROSS | | |
| **5.** | 1D0005-1450 | TUBE CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW, CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN, CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **11.** | 1D0206-1675 | ROD CROSS | | |
| **12.** | | MW WIPER | Only found in seal kit 19 | |
| **13.** | | BACK-UP | Only found in seal kit 19 | |
| **14.** | | O-RING | Only found in seal kit 19 | |
| **15.** | 1D1155-17 | HEAD CROSS | | |
| **16.** | | MW BACKUP | Only found in seal kit 19 | |
| **17.** | 1D1401-250 | CROSS PISTON | | |
| **18.** | 2A0246-12 | CROSS NUT, PISTON | | |
| **19.** | 810-178C | SEAL KIT CROSS 2.5 CYL 1C4982 | | |

# Hydraulic Cylinder Wing (810-150C) Midway

**Applies to RC5015**




15572

# Hydraulic Cylinder Wing (810-150C) Midway

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15572 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| **1.** | 6M3118 | MW BASE | | |
| **2.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **3.** | | MW O-RING | Only found in seal kit 19 | |
| **4.** | 7M3320 | MW TIE | ROD | |
| **5.** | 5M3120 | MW TUBE | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 2A0208 | MW CLEVIS PIN | | |
| **8.** | 2A0132 | MW PIN CLIP | | |
| **9.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **10.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **11.** | 2M3418 | MW ROD | | |
| **12.** | | MW WIPER | Only found in seal kit 19 | |
| **13.** | | BACK-UP | Only found in seal kit 19 | |
| **14.** | | O-RING | Only found in seal kit 19 | |
| **15.** | 3M3406 | MW HEAD | | |
| **16.** | | MW BACKUP | Only found in seal kit 19 | |
| **17.** | 4M3102 | MW PISTON 2 1/2 CYL | | |
| **18.** | 2A0022 | MW NUT, PISTON | | |
| **19.** | 810-177C | SEAL KIT MW 2.5X1.25ROD 3A3104 | | |

# Hydraulic Cylinder Wing (810-312C) Cross

**Applies to RC6015**




15572

# Hydraulic Cylinder Wing (810-312C) Cross

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15426 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD | | |
| **1.** | 1D1505-3 | BASE CROSS | | |
| **2.** | 2A0235-6 | CROSS NUT,CLEVIS AND TIE ROD | | |
| **3.** | | O-RING | Only found in seal kit 20. | |
| **4.** | 2A0578-1675 | TIE ROD CROSS | | |
| **5.** | 1D0005-1450 | TUBE CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN,CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS AND TIE ROD | | |
| **11.** | 1D0206-1675 | ROD CROSS | | |
| **12.** | | WIPER | Only found in seal kit 20. | |
| **13.** | | BACK-UP | Only found in seal kit 20. | |
| **14.** | | O-RING | Only found in seal kit 20. | |
| **15.** | 1D1155-17 | HEAD CROSS | | |
| **16.** | | BACK UP | Only found in seal kit 20. | |
| **17.** | 1D1401-250 | PISTON CROSS | | |
| **18.** | 2A0246-12 | CROSS NUT,PISTON | | |
| **19.** | 810-177C | SEAL KIT MW 2.5X1.25ROD 3A3104 | | |
| **19.** | 810-178C | SEAL KIT CROSS 2.5 CYL 1C498 | | |

# Hydraulic Cylinder Wing (810-312C) Midway

**Applies to RC6015**




15242

# Hydraulic Cylinder Wing (810-312C) Midway

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11196 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD | | |
| **1.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **2.** | 2M4418 | MW ROD 1-1/4 DIA. X 10 STROKE | | |
| **3.** | 3M4410 | MW HEAD CAP 3X1-1/4 RD 9/16SAE | | |
| **4.** | 4M4104 | MW PISTON 3 DIA. | | |
| **5.** | 5M4120 | MW TUBE 3 X 15 CYLINDER | | |
| **6.** | 6M4152 | MW BASE 3 X 9/16 SAE | | |
| **7.** | 7M4320 | MW TIE ROD 3 X 10 CYLINDER | | |
| **8.** | 2A0208 | MW CLEVIS PIN | | |
| **9.** | | MW WIPER | Only found in seal kit 19 | |
| **10.** | | MW O-RING | Only found in seal kit 19 | |
| **11.** | | MW BACK-UP | Only found in seal kit 19 | |
| **12.** | | MW O-RING | Only found in seal kit 19 | |
| **13.** | | MW BACK UP | Only found in seal kit 19 | |
| **14.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **15.** | 2A0014 | MW TIE ROD NUT | | |
| **16.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **17.** | 2A0006 | MW CAPSCREW | | |
| **18.** | 2A0132 | MW PIN CLIP | | |
| **19.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | |

# Hydraulic Independent Wing Control Accessory

**Applies to RC5015, RC6015**




25519

# Hydraulic Independent Wing Control Accessory

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25519 | Drawing Image Number | | |
| | 318-316A | HYDRAULIC WING CONTROL ASSY. * | | |
| **1.** | 811-315C | AD 9/16MJIC | | |
| **2.** | 811-394C | CP 3/4FORB MALE QD POPPET TYPE | | |
| **3.** | 811-633C | HH3/8R1 162 3/4MORB 9/16 FJIC | | |

# Hydraulic Valve Selector Assessory

**Applies to RC5015, RC6015**




19893

# Hydraulic Valve Selector Assessory

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19893 | Drawing Image Number | | |
| | 312-316A | 2-WAY SELECTOR VLV KIT | | |
| **1.** | 811-358C | HH1/4R1 265 1/2MNPT 9/16FJIC | | |
| **2.** | 811-021C | AD 1/2FNPTS 3/4MORB | | |
| **3.** | 810-152C | SELECTOR VALVE 3-WAY 2 POS | | |
| **4.** | 811-088C | AD 3/4MORB 3/4MJIC | | |
| **5.** | 811-360C | HH3/8R2 60 1/2MNPT 3/4FJIC | | |

# Hydraulic Valve Spool Control Accessory

**Applies to RC5015, RC6015**




11196

# Hydraulic Valve Spool Control Accessory

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11196 | Drawing Image Number | | |
| | 312-315A | 3-SPOOL VALVE KIT | | |
| **1.** | 810-167C | 3-SPOOL DIRECTION CONTROL VALV | | |
| **2.** | 811-358C | HH1/4R1 265 1/2MNPT 9/16FJIC | | |
| **3.** | 811-290C | AD 3/4MJIC 1/2FNPT | | |
| **4.** | 811-359C | EL 3/4MJIC X 3/4MNPT | | |
| **5.** | 811-008C | EL 1/2MNPT 1/2FNPTS | | |
| **6.** | 811-360C | HH3/8R2 60 1/2MNPT 3/4FJIC | | |
| **7.** | 810-402C | CROSS SEAL KIT 2V0010 | | |

# Hydraulic Wing Lift

**Applies to RC5015, RC6015**




15426

# Hydraulic Wing Lift

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15426 | Drawing Image Number | | |
| **1.** | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | RC5015 & RCM5015 | |
| **1.** | 810-312C | CYL 3X12X1.25 ROD (TIE ROD) | RC6015 & RCM6015 | |
| **2.** | 811-337C | OREL 1/16 9/16MJIC 9/16MORB | | |
| **3.** | 800-117C | VENT PLUG - 9/16-18 PLATED | | |
| **4.** | 811-309C | HH1/4R1 066 9/16FJIC | | |
| **5.** | 811-356C | TE 9/16MJIC BH 9/16MJIC 9/16MJ | | |
| **6.** | 811-633C | HH3/8R1 162 3/4MORB 9/16 FJIC | | |
| **7.** | 811-394C | CP 3/4FORB MALE QD POPPET TYPE | | |

# *Maunal Winch Wing Deck Accessory*

**Applies to RC5015, RC6015**




25515

# Maunal Winch Wing Deck Accessory

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25515 | Drawing Image Number | | |
| | 318-271A | MECHANICAL WINCH | | |
| | | * | | |
| **1.** | 318-256H | WLDMT. WINCH | | |
| **2.** | 802-023C | HHCS 3/8-16X1 3/4 GR5 | | |
| **3.** | 802-053C | HHCS 5/8-11X1 3/4 GR5 | | |
| **4.** | 803-013C | NUT LOCK 3/8-16 PLT | | |
| **5.** | 803-271C | NUT HEX TOP LOCK 5/8-11 PLT | | |
| **6.** | 804-011C | WASHER FLAT 3/8 USS PLT | | |
| **7.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **8.** | 804-019C | WASHER FLAT 5/8 USS PLT | | |
| **9.** | 890-671C | BRAKE WINCH DLB2000 | | |
| **10.** | 890-679C | WINCH HANDLE 12" DBL2000 | | |
| **11.** | 890-680C | WINCH CABLE AND HOOK | | |

# Label Placement

**Applies to RC5015, RC6015**



17564

# Label Placement

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17564 | Drawing Image Number | | |
| | 318-101A | RC5015 DECAL PACKAGE | | |
| | 318-102A | RCM5015 DECAL PACKAGE | | |
| | 318-183A | RC6015 DECAL PACKAGE | | |
| | 318-184A | RCM6015 DECAL PACKAGE | | |
| **1.** | 818-045C | DECAL WARNING PINCH PT/CRUSH | | |
| **2.** | 818-276C | DECAL WARNING OPERATING ANGLE | | |
| **3.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **4.** | 818-543C | DECAL DANGER PD GUARD MISS SML | | |
| **5.** | 838-586C | DECAL COMMANDER | RC5015, RC(M)5015 Beige & Red Colored Units S/N 418250 | Rev. 3 not compat. w/Rev. 1. |
| **5.** | 838-637C | DECAL COMMANDER GREEN | On Green Colored Units S/N 418250 | |
| **5.** | 838-585C | DECAL DOMINATOR | RC6015, RC(M)6015 Beige & Red Colored Units S/N 418250 | Rev. 3 not compat. w/Rev. 1. |
| **5.** | 838-636C | DECAL DOMINATOR GREEN | On Green Colored Units S/N 418250 | |
| **5.** | 818-902C | DECAL LANDPRIDE 16" - BIEGE | (S/N 223428+) | Rev. 2 not compat. w/Rev. 1. |
| **5.** | 818-163C | LP LOGO LARGE BUCKSKIN | (S/N 223427-) | Rev. 1 |
| **6.** | 818-190C | DECAL FLAG | | |
| **7.** | 818-130C | DECAL CAUTION 540 RPM | | |
| **7.** | 818-240C | DECAL CAUTION 1000 RPM | | |
| **8.** | 818-554C | DECAL WARNING GEN SAFE CUTTER | | |
| **9.** | 818-560C | DECAL NOTICE TO OWNER-NO WARRA | Replace all items 8 to 13 with #12 & #21. | |
| **10.** | 818-556C | DECAL DANGER THROWN OBJ CUTTER | Replace all items 8 to 13 with #12 & #21. | |
| **11.** | 818-557C | DECAL DANGER CANNOT READ ENG | Replace all items 8 to 13 with #12 & #21. | |
| **12.** | 818-561C | DECAL DANGER RAISED WING HAZAR | Replace all items 8 to 13 with #12 & #21. | |
| **13.** | 818-555C | DECAL DANGER ROTATE BLADE | Replace all items 8 to 13 with #12 & #21. | |
| **14.** | 818-230C | DECAL RED REFLECTOR | Replace all items 8 to 13 with #12 & #21. | |
| **15.** | 818-162C | LP LOGO LARGE GREEN | (S/N 223427-) | |
| **16.** | 818-675C | DECAL RC5015 | (540 RPM) (S/N 156953<->223427) | |
| **16.** | 818-676C | DECAL RCM5015 | (1000 RPM) (S/N 156953<->223427) | |
| **16.** | 818-721C | DECAL RC6015 | (540 RPM)(S/N 223427-) | |
| **16.** | 818-724C | DECAL RCM6015 | (1000 RPM) | |
| **17.** | 818-229C | DECAL AMBER REFLECTOR | | |
| **18.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **19.** | 818-680C | DECAL IMPORTANT - SLIP CLUTCH | (S/N 199434+) | |
| **20.** | 818-681C | DECAL NOTICE - 20 MPH MAX | | |
| **21.** | 818-830C | DECAL SAFETY COMBO SUNWEST | (S/N 216890+) | |
| **22.** | 818-564C | DECAL RC OSHA AG CHAIN GUARD | (S/N 216890+) | |
| **23.** | 818-903C | DECAL LANDPRIDE 19" - BROWN | (S/N 223428<->2925551) | |
| **24.** | 818-937C | DECAL RC5015-BROWN | (S/N 223428+) | |
| **24.** | 818-939C | DECAL RC6015-BROWN | (S/N 223428+) | |
| **24.** | 818-938C | DECAL RCM5015-BROWN | (S/N 223428+) | |
| **24.** | 818-940C | DECAL RCM6015-BROWN | (S/N 223428+) | |
| **25.** | 838-039C | DECAL RC5015-BEIGE | (S/N 223428+) | |
| **25.** | 838-047C | DECAL RC6015-BEIGE | (S/N 223428+) | |
| **25.** | 838-040C | DECAL RCM5015-BEIGE | (S/N 223428+) | |
| **25.** | 838-048C | DECAL RCM6015-BEIGE | (S/N 223428+) | |
| **26.** | 838-094C | DECAL WARNING HYD PRESS LONG | (S/N 223714+) | |
| **27.** | 818-840C | DECAL DANGER ROLLOVER HAZARD | | |
| **28.** | 838-243C | DECAL LANDPRIDE 30" BLACK | (S/N 292551+) Beige Unit | |
| **28.** | 838-642C | DECAL LANDPRIDE 34" LG | Green & Red Unit | |
| **29.** | 818-862C | DECAL 5 YEAR GEARBOX WARRANTY | | |

## *Label Placement (continued)*

**Applies to RC5015, RC6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **30.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **31.** | 818-680C | DECAL IMPORTANT - SLIP CLUTCH | | |
| **32.** | 838-588C | FOLDING CUTTER SPEED WARNING | | |

## *Label Placement (continued)*

**Applies to RC5015, RC6015**

***This Page Intentionally Left Blank***

# *Baffle Shreader Kit*

**Applies to RC5015, RC6015**




20659

# Baffle Shreader Kit

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg20659 | Drawing Image Number | | |
| | 318-311A | ASSY.BAFFLE/SHRD OMNI RC5015 | | |
| | 318-395A | ASSY.BAFFLE/SHRD COMER RC5015-6015 | | |
| | 318-436A | ASSY.BAFFLE/SHRD OMNI RC6015 | | |
| **1.** | 318-302H | WELDMENT BLADE CARRIER OMNI | (Shown)318-311A OMNI 5015 | |
| **1.** | 318-396H | WELDMENT BLADE CARRIER COMER | 318-395A COMER 5015 | |
| **1.** | 318-435H | WELDMENT BLADE CARRIER OMNI | 318-436A OMNI 6015 | |
| **2.** | 318-303H | WELDMENT CENTER BAFFLE LH. | | |
| **3.** | 318-346D | BAFFLE FRT. MOUNTING PLATE LH. | | |
| **4.** | 318-308D | BAFFLE REAR MOUNTING PLATE LH. | | |
| **5.** | 318-309D | BLADE BUSHING | | |
| **6.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **7.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **8.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **9.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **10.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | (Shown) Center Deck | |
| **10.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | Right Hand Deck | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | Left Hand Deck | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | (Shown) Center Deck | |
| **11.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | Right Hand & Left Deck | |

# *Shredder Kit Comer (S/N 235492+)*

**Applies to RC5015, RC6015**




23949

# *Shredder Kit Comer (S/N 235492+)*

**Applies to RC5015, RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23949 | Drawing Image Number | | |
| | 318-949A | ASSY 50/6015 SHREDDER COMER * | | |
| **1.** | 318-309D | BLADE BUSHING | | |
| **2.** | 318-396H | WELDMENT BLADE CARRIER COMER | | |
| **3.** | 318-946S | ASSY CCW BLADES 59.5 COMER | | |
| **4.** | 318-947S | ASSY CCW BLADES 71.5 COMER | | |
| **5.** | 318-948S | ASSY CW BLADES 59.5 COMER | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# *Shredder Kit Omni (S/N 235491-)*

**Applies to RC5015**




23950

# Shredder Kit Omni (S/N 235491-)

**Applies to RC5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23950 | Drawing Image Number | | |
| | 318-953A | ASSY 5015 SHREDDER OMNI | | |
| | | * | | |
| **1.** | 318-302H | WELDMENT BLADE CARRIER | | |
| **2.** | 318-309D | BLADE BUSHING | | |
| **3.** | 318-950S | ASSY CCW BLADES 59.5 OMNI 50 | | |
| **4.** | 318-951S | ASSY CCW BLADES 71.5 OMNI 50 | | |
| **5.** | 318-952S | ASSY CW BLADES 59.5 OMNI 50 | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# Shredder Kit Omni (S/N 235491-)

**Applies to RC6015**




23951

# Shredder Kit Omni (S/N 235491-)

**Applies to RC6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23951 | Drawing Image Number | | |
| | 318-957A | ASSY 6015 SHREDDER OMNI | | |
| | | * | | |
| **1.** | 318-309D | BLADE BUSHING | | |
| **2.** | 318-435H | WELDMENT BLADE CARRIER OMNI | | |
| **3.** | 318-954S | ASSY CCW BLADES 59.5 OMNI 60 | | |
| **4.** | 318-955S | ASSY CCW BLADES 71.5 OMNI 60 | | |
| **5.** | 318-956S | ASSY CW BLADES 59.5 OMNI 60 | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# Blade Carrier

**Applies to RCM5015, RCM6015**




16969

# Blade Carrier

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16969 | Drawing Image Number | | |
| **1.** | 802-277C | BLADE BOL 1 1/8-12X3 7/16 W/KY | | |
| **2.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | Standard Blade Quantity 2 per Center Section | |
| **2.** | 820-188C | CUTTER BLADE 1/2X4X29 LL CCW | Optional Blade Quantity 2 per Center Section | |
| **2.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | Standard Blade Quantity 2 per RH Wing | |
| **2.** | 820-189C | CUTTER BLADE 1/2X4X23 LL CCW | Optional Blade Quantity 2 per RH Wing | |
| **2.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | Standard Blade Quantity 2 per LH Wing | |
| **2.** | 820-190C | CUTTER BLADE 1/2X4X23 LL CW | Optional Blade Quantity 2 per LH Wing | |
| **3.** | 318-363H | WLDMT. DP. 50 SERIES/U125 HUB | RC5015 & RCM5015 (S/N 325492+) Comer | |
| **3.** | 318-012H | WLDMT. DISHPAN | RC5015 & RCM5015 (S/N 325491-) Omni | |
| **4.** | 803-170C | NUT HEX TOP LOCK 1 1/8-12 PLT. | | |
| **5.** | 804-147C | WASHER FLAT 1 HARD ASTMF436 PN | | |
| **6.** | 318-365S | ASSY. CCW | BLADE CARRIER CTR. (S/N 32592+) | |
| **6.** | 318-078S | ASSY. CCW | BLADE CARRIER CTR. (S/N 32591-) | |
| **6.** | 318-366S | ASSY. CCW BLADE CARRIER RH. | RC5015 & RCM5015 (S/N 325492+) | |
| **6.** | 318-079S | ASSY. CCW BLADE CARRIER RH. | RC5015 & RCM5015 (S/N 325491-) | |
| **6.** | 318-367S | ASSY. CW BLADE CARRIER LH. | RC5015 & RCM5015 (S/N 325492+) | |
| **6.** | 318-080S | ASSY. CW BLADE CARRIER LH. | RC5015 & RCM5015 (S/N 325491-) | |
| **7.** | 318-364H | WLDMT. DP. 60 SERIES/U125 HUB | RC6015 & RCM6015 (S/N 325492+) Comer | |
| **7.** | 318-164H | WLDMT. DISHPAN | RC6015 & RCM6015 (S/N 325491-) Omni | |
| **8.** | 802-065C | HHCS 3/4-10X2 1/4 GR5 | | |
| **9.** | 803-181C | NUT HEX FLANGE LOCK 3/4-10 PLT | | |
| **10.** | 318-190D | LARGE ROUND DISHPAN 3/16 | RC6015 & RCM6015 | Rev. 2 |
| **10.** | 318-111D | LARGE ROUND DISHPAN 3/16 | RC6015 & RCM6015 | Rev 1; Use up stock |
| **11.** | 318-368V | ASSY. BLADE CARRIER | RC6015 & RCM6015 (S/N 325492+) | |
| **11.** | 318-165V | ASSY. BLADE CARRIER | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-369S | ASSY. CCW BLADE CARRIER CTR. | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-159S | ASSY. CCW BLADE CARRIER CTR. | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-370S | ASSY. CCW BLADE CARRIER RH. | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-161S | ASSY. CCW BLADE CARRIER RH. | RC6015 & RCM6015 (S/N 325491-) | |
| **12.** | 318-371S | ASSY. CW BLADE CARRIER LH | RC6015 & RCM6015 (S/N 325492+) | |
| **12.** | 318-163S | ASSY. CW BLADE CARRIER LH. | RC6015 & RCM6015 (S/N 325491-) | |
| **13.** | 312-075D | BLADE SPACER 16 GA. .06 Thick | As Required | |
| **13.** | 312-082D | BLADE SPACER 18 GA .048 Thick | As Required | |
| **13.** | 312-089D | BLADE SPACER 20 GA. .036 Thick | As Required | |
| **13.** | 312-808D | BLADE SPACER 24GA .024 Thick | As Required | |
| **14.** | 318-586A | BLADE BOLT KIT | | |

# Deck Center Section (1000 RPM) (RCM50 Series Only S/N 217473-)

**Applies to RCM5015**




15338

# Deck Center Section (1000 RPM) (RCM50 Series Only S/N 217473-)

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15338 | Drawing Image Number | | |
| | 318-029L | ASSY. CENTER SECT. 1000 RPM | | |
| | 318-082S | ASSY. SUB CENTER SEC.1000 RPM | Includes items 26 part no. 826-177C, 27, 33 & 34 | |
| **1.** | 318-016H | RPBY 318-148K | | |
| **2.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **3.** | 802-629C | HHCS 1/2-13X1 1/2GR5 | | |
| **4.** | 804-023C | WASHER LOCK SPRING 3/4 PLT | | |
| **5.** | 802-184C | HHCS 3/4-10X1 1/2 GR5 | | |
| **6.** | 318-015H | RPBY 318-147K | | |
| **7.** | 826-180C | DIV OMNI/CO 1000RPM 1 3/4-20 | | |
| **8.** | 318-114D | SHIELD DIVIDER BOX | | |
| **9.** | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| **10.** | 802-032C | HHCS 1/2-13X3/4 GR5 | | |
| **11.** | 318-099H | WLDMT. GEARBOX SHIELD | | |
| **12.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **13.** | 803-231C | NUT WING 3/8-16 PLT | | |
| **14.** | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| **15.** | 318-098H | WLDMT. SHIELD BRACKET | | |
| **16.** | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| **17.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **18.** | 802-007C | HHCS 5/16-18X3/4 GR5 | | Rev. 2 |
| **18.** | 802-159C | HHCS 5/16-18X1 GR5 | | Rev 1; Use up stock |
| **19.** | 826-183C | PTO INT. CAT.4 540W/CLUTCH | | |
| **19.** | 826-184C | PTO INT. CAT.4 1000W/CLUTCH | | |
| **20.** | 807-023C | SPRING HOSE LOOP | | |
| **21.** | 826-177C | GBOX RC130S 1.75-20 1.21:1 | | |
| **22.** | 802-064C | HHCS 3/4-10X2 GR5 | | |
| **23.** | 318-019H | WLDMT. CYLINDER SPRING BASE | | |
| **24.** | 807-143C | SPRING COMP 1.88OD x .362W | | |
| **25.** | 802-235C | HHCS 1-8X5 GR5 | | |
| **26.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **27.** | 312-611D | BLADE BOLT ACCESS COVER | | |
| **28.** | 803-026C | NUT LOCK 3/4-10 PLT | | |
| **29.** | 318-001H | WLDMT. CENTER SECTION | | |
| **30.** | 318-078S | ASSY. CCW BLADE CARRIER CTR. | | |
| **31.** | 802-258C | HHCS 1/2-13X1 GR5 | | |
| **32.** | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| **33.** | 826-245C | PTO CV 2580 CAT5 1000 1 3/4-20 | | |
| **33.** | 826-244C | PTO CV 2580 CAT5 1000 1 3/8-21 | (S/N 214515 TO 217473) | Rev. 3 |
| **33.** | 826-118C | PTO CV WWE2480 X 43.70 NC | (S/N 214514-) | Rev. 2 |
| **33.** | 826-182C | RPBY 826-118C | | Rev. 1 |
| **34.** | 804-169C | WASHER HARDENED 1 1/8 USS | | |
| **35.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | | |
| **36.** | 805-105C | PIN COTTER 1/4 X 2 1/2 PLT | | |

# Deck Center Section (1000 RPM) (S/N 217474+)

**Applies to RCM5015, RCM6015**




16924

# Deck Center Section (1000 RPM) (S/N 217474+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16924 | Drawing Image Number | | |
| 1. | 318-146H | WLDMT. SKID SHOE LH. | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-456C | HFS 1/2-13X2 GR8 | | |
| 4. | 804-023C | WASHER LOCK SPRING 3/4 PLT | OMNI Gear Box | |
| 5. | 802-184C | HHCS 3/4-10X1 1/2 GR5 | OMNI Gear Box | |
| 6. | 318-145H | WLDMT. SKID SHOE RH. | | |
| 7. | 826-180C | DIVBX.RCD101HD 1 3/4-20 1.3:1 | | |
| 7. | 826-180C81 | DIVBX.RCD101HD 1 3/4-20 1.3:1 GREEN | | |
| 7. | 826-180C83 | DIVBX.RCD101HD 1 3/4-20 1.3:1 RED | | |
| 8. | 318-114D | SHIELD DIVIDER BOX | Metal (S/N 325491-) | |
| 8. | 817-416C | PLASTIC DIVIDER BOX SHIELD | Plastic (S/N 325492+) | |
| 9. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 10. | 802-032C | HHCS 1/2-13X3/4 GR5 | | |
| 11. | 318-099H | WLDMT. GEARBOX SHIELD | Metal (S/N 325491-) | |
| 12. | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| 13. | 803-231C | NUT WING 3/8-16 PLT | | |
| 14. | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| 15. | 318-098H | WLDMT. SHIELD BRACKET | (S/N 325491-) | |
| 15. | 318-401H | SHIELD BRACKET WELDMENT | (S/N 325492+) | |
| 16. | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| 17. | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| 18. | 802-007C | HHCS 5/16-18X3/4 GR5 | OMNI GEARBOX | |
| 18. | 802-314C | HHCS M8X1.25X20 GR8.8 | COMER GEARBOX | |
| 19. | 826-184C | PTO INT. CAT.4 1000W/CLUTCH | RCM5015 | |
| 19. | 826-478C | PTO E60 X 21.7 1280NM CLUTCH | RCM6015 (S/N 461935 to 461937, 468573+) | Rev. 2 |
| 19. | 826-261C | PTO INT. W2500/WSC CAT5 1000 | RCM6015 | Rev. 1 |
| 20. | 807-023C | SPRING HOSE LOOP | | |
| 21. | 826-318C | GBOX RCM50 1.75-20 1.21:1 CCW | RCM5015 (S/N 325492+) | |
| 21. | 826-318C81 | GBOX RCM50 1.75-20 1.21:1 CCW GREEN | | |
| 21. | 826-318C83 | GBOX RCM50 1.75-20 1.21:1 CCW RED | | |
| 21. | 826-323C | GBOX RCM60 1.75-20 1.21:1 CCW | RCM6015 (S/N 325492+) | |
| 21. | 826-323C81 | GBOX RCM60 1.75-20 1.21:1 CCW GREEN | | |
| 21. | 826-323C83 | GBOX RCM60 1.75-20 1.21:1 CCW RED | | |
| 21. | 826-177C | GBOX RC130S 1.75-20 1.21:1 CW | RCM5015 (S/N 325491-) | |
| 21. | 826-234C | GBOX RC130L 1.75-20 1.21:1 CW | RCM6015 (S/N 325491-) | |
| 22. | 802-064C | HHCS 3/4-10X2 GR5 | | |
| 23. | 318-169H | WLDMT. CYLINDER SPRING BASE | | |
| 24. | 807-143C | SPRING COMP 1.88OD x .362W | | |
| 25. | 802-235C | HHCS 1-8X5 GR5 | | |
| 26. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 27. | 312-812D | BLADE BOLT ACCESS COVER | | |
| 27. | 312-812D81 | BLADE BOLT ACCESS COVER GREEN | | |
| 27. | 312-812D83 | BLADE BOLT ACCESS COVER RED | | |
| 28. | 803-299C | NUT HEX FLG TOP LK 3/4-10 PLT | | |
| 29. | 318-170H | WLDMT. CENTER SECTION | RCM5015 (S/N 325491-) | |
| 29. | 318-374H | WLDMT. CENTER SECTION | RCM5015 (S/N 325492 to 419601-) | |
| 29. | 318-692H | WLDMT. CENTER SECTION | RCM5015 (S/N 419602+) | |
| 29. | 318-692H81 | WLDMT. CENTER SECTION GREEN | | |
| 29. | 318-692H83 | WLDMT. CENTER SECTION RED | | |
| 29. | 318-885H | WLD. CTR. SECTION W/DECK RINGS | RCM5015 | |
| 29. | 318-885H81 | WLD. CTR. SECTION W/DECK RINGS GREEN | | |
| 29. | 318-885H83 | WLD. CTR. SECTION W/DECK RINGS RED | | |
| 29. | 318-149H | WLDMT. CENTER SECTION | RCM6015 (S/N 325491-) | |
| 29. | 318-375H | WLDMT. CENTER SECTION | RCM6015 (S/N 325492 to 419601-) | |
| 29. | 318-568H | WLDMT. CENTER SECTION | RCM6015 (S/N 419602+) | |
| 29. | 318-568H81 | WLDMT. CENTER SECTION GREEN | | |

# Deck Center Section (1000 RPM) (S/N 217474+) (continued)

**Applies to RCM5015, RCM6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **29.** | 318-568H83 | WLDMT. CENTER SECTION RED | | |
| **29.** | 318-931H | WLDMT. CENTER SECTION W/DECK RINGS | RCM6015 | |
| **29.** | 318-931H81 | WLDMT. CENTER SECTION W/DECK RINGS GREEN | | |
| **29.** | 318-931H83 | WLDMT. CENTER SECTION W/DECK RINGS RED | | |
| **30.** | 802-258C | HHCS 1/2-13X1 GR5 | | |
| **31.** | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| **32.** | 826-499C | PTO CV80 X 77.71 NO CLUTCH | 1 3/4 - 20 (S/N 488897+) | Rev. 2 |
| **32.** | 826-245C | PTO CV 2580 CAT5 1000 1 3/4-20 | 1 3/4 - 20 | Rev. 1 |
| **32.** | 826-477C | PTO CV V80 X 56.8 NO CLUTCH | 1 3/8 - 21 (S/N 468226+) | Rev. 2 |
| **32.** | 826-244C | RPBY 826-477C | 1 3/8 - 21 (S/N 217474 to 468225) | Rev. 1 |
| **32.** | 826-247C | PTO 2500 CAT.5 1000 1 3/8-21 | | Rev. 2 |
| **32.** | 826-189C | RPBY 826-247C | | Rev. 1 |
| **33.** | 804-028C | WASHER FLAT 1 USS PLT | | |
| **34.** | 802-070C | HHCS 3/4-10X6 GR5 | | |
| **35.** | 318-167D | TOP PLATE SKID REINFORCEMENT | | |
| **36.** | 817-259C | KNOB 3/8-16 FEMALE THD 2 3/8OD | S/N 325492+ | |
| **37.** | 802-017C | HHCS 3/8-16X1 GR5 | S/N 325492+ | |
| **38.** | 318-322D | FORMED HINGE BRACKET | S/N 325492+ | |
| **39.** | 805-309C | PIN CLEVIS 3/8 X 5 1/2 PLT | S/N 325492+ | |
| **40.** | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | S/N 325492+ | |
| **41.** | 802-058C | HHCS 5/8-11X2 1/2 GR5 | COMER GEARBOX | |
| **42.** | 803-271C | NUT HEX TOP LOCK 5/8-11 PLT | COMER GEARBOX | |
| **43.** | 803-013C | NUT LOCK 3/8-16 PLT | | |
| **44.** | 816-481C | MANUAL STORAGE CONTAINER | RCM5015 495289+ RCM6015 488627+ | |
| **45.** | 802-005C | HHCS 1/4-20X1 GR5 | RCM5015 495289+ RCM6015 488627+ | |
| **46.** | 803-255C | NUT HEX NYLOCK 1/4-20 | RCM5015 495289+ RCM6015 488627+ | |
| **47.** | 804-007C | WASHER FLAT 1/4 SAE PLT | RCM5015 495289+ RCM6015 488627+ | |
| **48.** | 890-005C | BUSHING CYL 1 1/4 X 1 X 1 | S/N 509805+ | |

## *Deck Center Section (1000 RPM) (S/N 217474+) (continued)*

**Applies to RCM5015, RCM6015**

***This Page Intentionally Left Blank***

# Deck Wing Section (1000 RPM)

**Applies to RCM5015, RCM6015**




15340

# Deck Wing Section (1000 RPM)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15340 | Drawing Image Number | | |
| 1. | 318-087D | DEFLECTOR | LH Wing Shown | |
| 1. | 318-087D81 | DEFLECTOR GREEN | | |
| 1. | 318-087D83 | DEFLECTOR RED | | |
| 1. | 318-086D | DEFLECTOR | RH Wing | |
| 1. | 318-086D81 | DEFLECTOR GREEN | | |
| 1. | 318-086D83 | DEFLECTOR RED | | |
| 2. | 318-317H | WLDMT. WING SECTION RH. | (S/N 292792+) RCM5015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-317H81 | WLDMT. WING SECTION RH. GREEN | | |
| 2. | 318-317H82 | WLDMT. WING SECTION RH. RED | | |
| 2. | 318-886H | WLD. RH WING SECT. W/DECK RING | RCM5015 | |
| 2. | 318-886H81 | WLD. RH WING SECT. W/DECK RING GREEN | | |
| 2. | 318-886H83 | WLD. RH WING SECT. W/DECK RING RED | | |
| 2. | 318-002H | WLDMT. WING SECTION RH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-318H | WLDMT. WING SECTION LH. | (S/N 292792+) RCM5015 (Shown) | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-318H81 | WLDMT. WING SECTION LH. GREEN | | |
| 2. | 318-318H83 | WLDMT. WING SECTION LH. RED | | |
| 2. | 318-887H | WLD. LH WING SECT. W/DECK RING | RCM5015 | |
| 2. | 318-887H81 | WLD. LH WING SECT. W/DECK RING GREEN | | |
| 2. | 318-887H83 | WLD. LH WING SECT. W/DECK RING RED | | |
| 2. | 318-003H | WLDMT. WING SECTION LH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-339H | WLDMT. WING SECTION RH. | (S/N 292792+) RCM6015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-339H81 | WLDMT. WING SECTION RH. GREEN | | |
| 2. | 318-339H83 | WLDMT. WING SECTION RH. RED | | |
| 2. | 318-932H | WLDMT. WING SECTION RH. W/DECK RING | RCM6015 | |
| 2. | 318-932H81 | WLDMT. WING SECTION RH. W/DECK RING GREEN | | |
| 2. | 318-932H82 | WLDMT. WING SECTION RH. W/DECK RING RED | | |
| 2. | 318-150H | WLDMT. WING SECTION RH. | (S/N 292791-) | Rev. 1 |
| 2. | 318-340H | WLDMT. WING SECTION LH. | (S/N 292792+) RCM6015 | Rev. 2 not compat. w/Rev. 1. |
| 2. | 318-340H81 | WLDMT. WING SECTION LH. GREEN | | |
| 2. | 318-340H83 | WLDMT. WING SECTION LH. RED | | |
| 2. | 318-941H | WLDMT. WING SECTION LH. W/DECK RING | RCM6015 | |
| 2. | 318-941H81 | WLDMT. WING SECTION LH. W/DECK RING GREEN | | |
| 2. | 318-941H83 | WLDMT. WING SECTION LH. W/DECK RING RED | | |
| 2. | 318-151H | WLDMT. WING SECTION LH. | (S/N 292791-) | Rev. 1 |
| 3. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 4. | 318-086D | DEFLECTOR | RCM5015 (S/N 219145-) | |
| 5. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 6. | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| 7. | 803-026C | NUT LOCK 3/4-10 PLT | | |
| 8. | 826-317C | GBOX RCM50 1.75-20 1:1.21 CCW | RCM5015 LH (S/N 325492+) | |
| 8. | 826-317C81 | GBOX RCM50 1.75-20 1:1.21 CCW GREEN | | |
| 8. | 826-317C83 | GBOX RCM50 1.75-20 1:1.21 CCW RED | | |
| 8. | 826-176C | REPLACE BY 318-561S | RCM5015 LH (S/N 325491-) | |
| 8. | 826-319C | GBOX RCM50 1.75-20 1:1.21 CW | RCM5015 RH (S/N 325492+) | |
| 8. | 826-319C81 | GBOX RCM50 1.75-20 1:1.21 CW GREEN | | |
| 8. | 826-319C83 | GBOX RCM50 1.75-20 1:1.21 CW RED | | |
| 8. | 826-178C | REPLACE BY 318-563S | RCM5015 RH (S/N 325491-) | |
| 8. | 826-322C | GBOX RCM60 1.75-20 1:1.21 CCW | RCM6015 LH (S/N 325492+) | |
| 8. | 826-322C81 | GBOX RCM60 1.75-20 1:1.21 CCW GREEN | | |
| 8. | 826-322C83 | GBOX RCM60 1.75-20 1:1.21 CCW RED | | |
| 8. | 826-233C | GBOX RC130L 1.75-20 1:1.21 CW | RCM6015 LH (S/N 325491-) | |
| 8. | 826-324C | GBOX RCM60 1:1.21 CW | RCM6015 RH (S/N 325492+) | |
| 8. | 826-324C81 | GBOX RCM60 1:1.21 CW GREEN | | |

# Deck Wing Section (1000 RPM) (continued)

**Applies to RCM5015, RCM6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **8.** | 826-324C83 | GBOX RCM60 1:1.21 CW RED | | |
| **8.** | 826-235C | GBOX RC130L 1.75-20 1:1.21 CCW | RCM6015 RH (S/N 325491-) | |
| **9.** | 802-064C | HHCS 3/4-10X2 GR5 | | |
| **10.** | 318-400H | SHIELD WELDMENT | (S/N 325492+) | Rev. 2 not compat. w/Rev. 1. |
| **10.** | 312-399H | SHIELD WELDMENT | (S/N 325491-) | Rev. 1 |
| **11.** | 804-012C | WASHER FLAT 3/8 SAE PLT | | |
| **12.** | 817-259C | KNOB 3/8-16 FEMALE THD 2 3/8OD | | |
| **12.** | 803-231C | NUT WING 3/8-16 PLT | | |
| **13.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **14.** | 318-401H | SHIELD BRACKET WELDMENT | (S/N 325492+) | Rev. 2 not compat. w/Rev. 1. |
| **14.** | 312-400H | SHIELD MOUNT BRACKET WELDMENT | (S/N 325491-) | Rev. 1 |
| **15.** | 804-010C | WASHER FLAT 5/16 USS PLT | | |
| **16.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **17.** | 802-007C | HHCS 5/16-18X3/4 GR5 | | |
| **18.** | 312-812D | BLADE BOLT ACCESS COVER | | |
| **18.** | 312-812D81 | BLADE BOLT ACCESS COVER GREEN | | |
| **18.** | 312-812D83 | BLADE BOLT ACCESS COVER RED | | |
| **19.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **20.** | 802-466C | PLOW 3/8-16X1 1/4 GR5 | | |
| **21.** | 318-335D | SKID SHOE | (S/N 292792+) | Rev. 2 not compat. w/Rev. 1. |
| **21.** | 318-096D | SKID SHOE | (S/N 292791-) | Rev. 1 |
| **22.** | 0.288.7101.00 | COMER BLANK WASHER | RCM5015 & RCM6015 804-169 COMNI WASHER HARDENED 1 1/8 USS | |
| **23.** | 8.2.2.00560 | COMER CASTLE NUT M36X3 | RCM5015 & RCM6015 | |
| **23.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RCM5015 | |
| **23.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RCM6015 | |
| **24.** | 805-105C | PIN COTTER 1/4 X 2 1/2 PLT | | |
| **25.** | 318-171D | DEFLECTOR FLAT LH. | (S/N 219146+) Shown | |
| **25.** | 318-171D81 | DEFLECTOR FLAT LH. GREEN | | |
| **25.** | 318-171D83 | DEFLECTOR FLAT LH. RED | | |
| **25.** | 318-170D | DEFLECTOR FLAT RH. | (S/N 219146+) | |
| **25.** | 318-170D81 | DEFLECTOR FLAT RH. GREEN | | |
| **25.** | 318-170D83 | DEFLECTOR FLAT RH. RED | | |
| **26.** | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 | RCM5015 | |
| **26.** | 826-481C | PTO V80 X 59.3 1280NM CLUTCH | RCM6015 (S/N 461635 to 461937, 468573+) | Rev. 2 |
| **26.** | 826-262C | RPBY 826-481C | RCM6015 | Rev. 1 |

## *Deck Wing Section (1000 RPM) (continued)*

**Applies to RCM5015, RCM6015**

***This Page Intentionally Left Blank***

# Hitch

**Applies to RCM5015, RCM6015**




15351

# Hitch

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15351 | Drawing Image Number | | |
| | 318-054L | ASSY. TONGUE | Includes items 1 through 9 | |
| **1.** | 318-005H | WLDMT. TONGUE CLEVIS | | |
| **2.** | 890-182C | SAFETY CHAIN 10000 LB | | |
| **3.** | 802-096C | HHCS 1-8X2 1/2 GR5 | | |
| **4.** | 804-028C | WASHER FLAT 1 USS | | |
| **5.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **6.** | 318-570H | WLDMT. TONGUE | (S/N 419602+) | Rev. 2 not compat. w/Rev.1 |
| **6.** | 318-004H | WLDMT. TONGUE | (S/N 419601-) | Rev. 1 |
| **7.** | 802-074C | HHCS 1-8X6 1/2 GR5 | S/N 509805+ | |
| **7.** | 802-235C | HHCS 1-8X5 GR5 | S/N 509804- | |
| **8.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **9.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **10.** | 805-109C | PIN COTTER 1/8 X 1 1/4 LG | | |
| **11.** | 805-083C | PIN CLEVIS 3/4 X 1 1/2 | | |
| **12.** | 804-025C | WASHER FLAT 3/4 SAE PLT | | |
| **13.** | 318-006H | WLDMT. CLEVIS LEVEL ROD | | |
| **14.** | 318-008H | WLDMT. LEVEL ROD SHORT | | |
| **15.** | 803-265C | NUT HEX COUPLER 7/8-9 x 5 | | |
| **16.** | 803-075C | NUT HEX JAM 7/8-9 | | |
| **17.** | 318-007H | WLDMT. LEVEL ROD LONG | | |
| **18.** | 890-226C | SIDEWIND JACK 5000 LB | | |
| **19.** | 318-052L | ASSY. LEVEL ROD | Includes items 10, 11, 12 & 14-through 17 | |
| **20.** | 318-053L | ASSY. LEVEL ROD CLEVIS | Includes items 10 through 13 | |
| **21.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |

# Wing Turnbuckle and Transport Bar

**Applies to RCM5015, RCM6015**




15488

# Wing Turnbuckle and Transport Bar

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15488 | Drawing Image Number | | |
| **1.** | 318-017H | WLDMT. HINGE ROD | | |
| **2.** | 802-022C | HHCS 3/8-16X1 1/2 GR5 | | |
| **3.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **4.** | 802-205C | HHCS 1-8X5 1/2 GR5 | S/N 222150+ | |
| **4.** | 802-235C | HHCS 1-8X5 GR5 | S/N 222149- | |
| **5.** | 805-104C | PIN COTTER 3/16 X 1 1/2 PLT | | |
| **6.** | 804-029C | WASHER FLAT 1 SAE | | |
| **7.** | 318-018H | WLDMT. CYLINDER PIN | | |
| **8.** | 890-893C | OB RPBY 890-974C | S/N 419602+ | |
| **8.** | 890-506C | TURNBUCKLE 1BORE W/SWIVELS | S/N 419601- | |
| **9.** | 803-266C | NUT HEX JAM 1 1/8-7 PLTD. | | |
| **10.** | 800-130C | GREASE ZERK STRAIGHT 1/8-27NPT | | |
| **11.** | 803-008C | NUT HEX 5/16-18 PLT | | |
| **12.** | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| **13.** | 802-649C | HHCS 5/16-18X2 1/2 GR8 | | Rev. 2 |
| **13.** | 802-172C | HHCS 5/16-18X2 1/2 GR5 | | Rev 1; Use up stock |
| **14.** | 803-014C | NUT HEX 3/8-16 PLT | | |
| **15.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **16.** | 318-040D | TRANSPORT BAR | | |
| **17.** | 802-073C | HHCS 1-8X4 GR5 | | |
| **18.** | 805-088C | PIN, HAIR COTTER 3/16 WIRE DIA | | |
| **19.** | 318-055L | ASSY. HINGE ROD | | |
| **20.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |

# Axle Center Dual (S/N 489025-)

**Applies to RCM5015, RCM6015**




15376

# Axle Center Dual (S/N 489025-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15376 | Drawing Image Number | | |
| 1. | 318-085D | SPACER 1 1/2OD X .234W X 1 | (S/N 419601-) | |
| 2. | 802-205C | HHCS 1-8X5 1/2 GR5 | (S/N 222150+) | Rev. 2 not compat. w/Rev. 1. |
| 2. | 802-235C | HHCS 1-8X5 GR5 | (S/N 222149-) | Rev. 1 |
| 3. | 802-110C | HHCS 1-8X9 GR5 | | |
| 4. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 5. | 318-009H | WLDMT. CENTER DUAL AXLE | (S/N 223259-) | |
| 6. | 200-001D | HUB GREASE CAP | | |
| 7. | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| 8. | 804-055C | WASHER SPINDLE - 7/8 | | |
| 9. | 822-091C | BEARING CONE 15123 | | |
| 10. | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| 10. | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| 10. | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| 11. | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| 12. | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| 13. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| 14. | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #17, 18 & 19 S/N 414627- | |
| 15. | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #17, 18 & 19 S/N 414627- | |
| 16. | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #17, 18 & 19 S/N 336501 to 414627 | |
| 16. | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #20 S/N 336501 to 414627 | |
| 17. | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| 17. | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| 18. | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+) | Rev. 3; Not interchangeable |
| 18. | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 18. | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| 19. | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| 19. | 814-202C | AC TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 19. | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| 20. | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| 21. | 318-623H | WLDMT. STD. CENTER AXLE | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 21. | 318-188H | WLDMT. CENTER AXLE | (S/N 223260 to 419601) | Rev. 1 |
| 22. | 815-141C | SPINDLE - DUAL AXLE BOLT ON | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 22. | 815-109C | SPINDLE - DUAL AXLE BOLT ON | (S/N 223260 to 419601) | Rev. 1 |
| 23. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| 24. | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| 25. | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 25. | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 25. | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| 26. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 26. | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 26. | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| 27. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| 27. | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 27. | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| 28. | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #17, 18 & 19 S/N 414628+ | |
| 29. | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use #20 S/N 414628+ | |
| 29. | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| 30. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 31. | 822-092C | BEARING CUP 15245 | | |
| 32. | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |
| 33. | 827-001C | SPACER 1/2 | (S/N 419602+) | |

# *Axle Center Dual (S/N 489026+)*

**Applies to RCM5015, RCM6015**




23962

# Axle Center Dual (S/N 489026+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23962 | Drawing Image Number | | |
| **1.** | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| **2.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **3.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **4.** | 200-001D | HUB GREASE CAP | | |
| **5.** | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| **6.** | 804-216C | WASHER HARDENED .81ID | | |
| **7.** | 822-021C | BEARING CONE LM-67048 | | |
| **8.** | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| **9.** | 816-497C | SEAL 1.75ID CR17617 | | |
| **10.** | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| **11.** | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| **12.** | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| **13.** | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| **14.** | 814-284C | WHEEL 15 X 5 X 5 BOLT | | |
| **15.** | 318-623H | WLDMT. STD. CENTER AXLE | | |
| **16.** | 815-240C | SPINDLE-DUAL BOLT-ON | | |
| **17.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| **18.** | 803-019C | NUT LOCK 1/2-13 PLT | | |
| **19.** | 814-295C | TIRE 24X7.7-14 (814-285C) | | |
| **20.** | 814-297C | TUBE FOR 24X7.7-14 (814-285C) | | |
| **21.** | 814-296C | RIM 2PC 5BLT 10X6 | | |
| **22.** | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| **23.** | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| **24.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **25.** | 822-020C | BEARING CUP LM-67010 | | |
| **26.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| **27.** | 827-001C | SPACER 1/2 | | |
| **28.** | 822-033C | BEARING CUP LM-48510 | | |
| **29.** | 822-034C | BEARING CONE LM-48548 | | |
| **30.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | | |

# Axle Center Single (S/N 489025-)

**Applies to RCM5015, RCM6015**




15384

# Axle Center Single (S/N 489025-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15384 | Drawing Image Number | | |
| | 318-043A | 21LAMINATED TIRE SGL. PACKAGE | | |
| | 318-044A | 15WHEEL RIM SGL. PACKAGE | | |
| | 318-045A | AIRPLANE TIRE SGL. AXLE | | |
| **1.** | 318-085D | SPACER 1 1/2OD X .234W X 1 | (S/N 419601-) | |
| **2.** | 802-205C | HHCS 1-8X5 1/2 GR5 | (S/N 222150+) | Rev. 2 not compat. w/Rev. 1 |
| **2.** | 802-235C | HHCS 1-8X5 GR5 | (S/N 222149-) | Rev. 1 |
| **3.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **4.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **5.** | 318-081H | WLDMT. CENTER SGL. AXLE | (S/N 223259-) | |
| **6.** | 200-001D | HUB GREASE CAP | | |
| **7.** | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| **8.** | 804-055C | WASHER SPINDLE - 7/8 | | |
| **9.** | 822-091C | BEARING CONE 15123 | | |
| **10.** | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| **10.** | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| **10.** | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| **11.** | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| **12.** | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| **13.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **14.** | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #17, 18 & 19 S/N 414627- | |
| **15.** | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #17, 18 & 19 S/N 414627- | |
| **16.** | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #17, 18 & 19 S/N 336501 to 414627 | |
| **16.** | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #20 S/N 336501 to 414627 | |
| **17.** | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| **17.** | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| **18.** | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+) | Rev. 3; Not interchangeable |
| **18.** | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **18.** | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| **19.** | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| **19.** | 814-202C | TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **19.** | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| **20.** | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| **21.** | 318-623H | WLDMT. STD. CENTER AXLE | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1 |
| **21.** | 318-188H | WLDMT. CENTER AXLE | (S/N 223260 to 419601) | Rev. 1 |
| **22.** | 815-140C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1 |
| **22.** | 815-108C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 223260 to 419601) | Rev. 1 |
| **23.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| **24.** | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| **25.** | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| **25.** | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **25.** | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| **26.** | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (SW/N 419602+) | |
| **26.** | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 416601) | Rev. 2 not compat. w/Rev. 1 |
| **26.** | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| **27.** | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| **27.** | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1 |
| **27.** | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| **28.** | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #17, 18 & 19 S/N 414628+ | |
| **28.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use with #20 S/N 414628+ | |
| **29.** | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| **30.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| **31.** | 822-092C | BEARING CUP 15245 | | |
| **32.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | (S/N 419602+) | |
| **33.** | 827-001C | SPACER 1/2 | (S/N 419602+) | |

# Axle Tandem Center Deck (S/N 419602 to 489025)

**Applies to RCM5015, RCM6015**




22084

# Axle Tandem Center Deck (S/N 419602 to 489025)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22084 | Drawing Image Number | | |
| **1.** | 200-001D | HUB GREASE CAP | | |
| **2.** | 318-571H | WLDMT. CENTER AXLE | | |
| **3.** | 318-573H | WLDMT. TANDEM ARM | | |
| **4.** | 318-855H | WLDMT. PVT. PIN WALKING TANDEM | Optional | |
| **5.** | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| **6.** | 802-357C | HHCS 1-8X6 GR5 | | |
| **7.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| **8.** | 802-110C | HHCS 1-8X9 GR5 | | |
| **9.** | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | | |
| **10.** | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| **11.** | 803-019C | NUT LOCK 1/2-13 PLT | | |
| **12.** | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| **13.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **14.** | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | | |
| **15.** | 804-029C | WASHER FLAT 1 SAE | Optional | |
| **16.** | 804-055C | WASHER SPINDLE - 7/8 | | |
| **17.** | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| **18.** | 805-146C | PIN ROLL 1/4 X 2 LG PL | Optional | |
| **19.** | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | |
| **20.** | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | | |
| **21.** | 814-263C | AC TIRE 24 X 7.7 2PC | | |
| **22.** | 814-266C | TIRE 24X7.7-14 (814-263C) | | |
| **23.** | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | | |
| **24.** | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | | |
| **25.** | 815-199C | SPINDLE - SINGLE BOLT ON 14IN | | |
| **26.** | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | W/CUPS, ZERK & STUDS | |
| **27.** | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| **28.** | 822-091C | BEARING CONE 15123 | | |
| **29.** | 822-092C | BEARING CUP 15245 | | |
| **30.** | 827-001C | SPACER 1/2 | | |
| **31.** | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| **32.** | 890-817C | BUSHING 1.25ODX1.00IDX3.75 | | |

# *Axle Tandem Center Deck (S/N 489026+)*

**Applies to RCM5015, RCM6015**




23964

# Axle Tandem Center Deck (S/N 489026+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23964 | Drawing Image Number | | |
| 1. | 200-001D | HUB GREASE CAP | | |
| 2. | 318-571H | WLDMT. CENTER AXLE | Added Hardened Bushings | |
| 3. | 318-573H | WLDMT. TANDEM ARM | | |
| 4. | 318-966H | WLDMT. PVT. PIN WALKING TANDEM | Optional | |
| 5. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | Optional W/ #4 | |
| 6. | 802-075C | HHCS 1-8X7 GR5 | | |
| 7. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| 8. | 802-110C | HHCS 1-8X9 GR5 | | |
| 9. | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| 10. | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| 11. | 803-019C | NUT LOCK 1/2-13 PLT | | |
| 12. | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| 13. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 14. | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| 15. | 804-029C | WASHER FLAT 1 SAE | Optional | |
| 16. | 804-216C | WASHER HARDENED .81ID | | |
| 17. | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| 18. | 805-146C | PIN ROLL 1/4 X 2 LG PL | Optional | |
| 19. | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| 20. | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| 21. | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| 22. | 814-266C | TIRE 24X7.7-14 (814-263C) | | |
| 23. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | | |
| 24. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | | |
| 25. | 815-241C | SPINDLE-SINGLE BOLT-ON | | |
| 26. | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| 27. | 816-497C | SEAL 1.75ID CR17617 | | |
| 28. | 822-034C | BEARING CONE LM-48548 | | |
| 29. | 822-033C | BEARING CUP LM-48510 | | |
| 30. | 827-001C | SPACER 1/2 | | |
| 31. | 890-005C | BUSHING CYL 1 1/4 X 1 X 1 | | |
| 32. | 890-766C | BUSHING 1.25ODX1.00IDX3.00 | | |
| 33. | 890-817C | BUSHING 1.25ODX1.00IDX3.75 | | |
| 34. | 822-021C | BEARING CONE LM-67048 | | |
| 35. | 822-020C | BEARING CUP LM-67010 | | |

# Axle Wing (S/N 489025-)

**Applies to RCM5015, RCM6015**




15352

# Axle Wing (S/N 489025-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15352 | Drawing Image Number | | |
| 1. | 318-011H | WLDMT. WING AXLE LH. | (S/N 223259-) | |
| 2. | 318-010H | WLDMT. WING AXLE RH. | (S/N 223259-) | |
| 3. | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| 4. | 802-357C | HHCS 1-8X6 GR5 | | |
| 5. | 200-001D | HUB GREASE CAP | | |
| 6. | 803-029C | NUT HEX SLOTTED 7/8-14 PLT | | |
| 7. | 804-055C | WASHER SPINDLE - 7/8 | | |
| 8. | 822-091C | BEARING CONE 15123 | | |
| 9. | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | (S/N 414628+) W/CUPS, ZERK & STUDS | Rev. 3 |
| 9. | 815-093C | HUB 4 BOLT WHL W/CUPS & ZERK | (S/N 414627-) W/CUPS & ZERK | Rev. 2 |
| 9. | 312-151S | 4 BLT WHL HUB W/CUPS&ZERK ASSY | | Rev 1; Use up stock |
| 10. | 816-098C | SEAL 1 3/8 ID X 2.441 OD X.313 | | |
| 11. | 805-016C | PIN COTTER 3/16 X 1 1/4 PLT | | |
| 12. | 804-016C | WASHER FLAT 1/2 SAE PLT | Use with #16, 17 & 18 S/N 414627- | |
| 13. | 804-015C | WASHER LOCK SPRING 1/2 PLT | Use with #16, 17 & 18 S/N 414627- | |
| 14. | 802-326C | HHCS 1/2-20X1 1/4 GR5 | Use with #16, 17 & 18 S/N 336501 to 414627 | |
| 14. | 802-104C | BOLT WHEEL 1/2-20X1 90-DEG | Use with #19 S/N 336501 to 414627 | |
| 15. | 802-073C | HHCS 1-8X4 GR5 | | |
| 16. | 814-059C | TIRE & WHEEL LAM. 6X9X21(TALL) | | Rev. 2 |
| 16. | 814-151C | TIRE & WHEEL LAMINATED 6X12X19 | | Rev 1; Use up stock |
| 17. | 814-263C | AC TIRE 24 X 7.7 2PC | (S/N 419602+ | Rev. 3; Not interchangeable |
| 17. | 814-201C | AC TIRE 27x7.75x15 MOUNTED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 17. | 814-086C | TIRE 25.5 X 8.0-14 - MOUNTED | (S/N 328236-) | Rev. 1 |
| 18. | 814-262C | AC TIRE 24 x 7.7 2PC FOAM FILL | (S/N 419602+) | Rev. 3; Not interchangeable |
| 18. | 814-202C | AC TIRE 27X7.75X15 FOAM FILLED | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 18. | 814-189C | TIRE 25.5 X 8.0-14 - FOAM FILLED | (S/N 328236-) | Rev. 1 |
| 19. | 814-066C | WHEEL 15 X 5 X 4 BOLT | | |
| 20. | 318-583H | WLDMT. WING AXLE LH. HAND | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 20. | 318-190H | WLDMT. WING AXLE LEFT HAND | (S/N 223260 to 419601) | Rev. 1 |
| 21. | 318-576H | WLDMT. WING AXLE RH. HAND | (S/N 419602+) | Rev. 2 not compat. w/Rev. 1. |
| 21. | 318-189H | WLDMT. WING AXLE RT. HAND | (S/N 223260 to 419601) | Rev. 1 |
| 22. | 815-108C | SPINDLE - SINGLE AXLE BOLT ON | (S/N 223260+) | |
| 22. | 815-109C | SPINDLE - DUAL AXLE BOLT ON | (S/N 223260+) | |
| 23. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 223260+) | |
| 24. | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 223260+) | |
| 25. | 814-266C | TIRE 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 25. | 814-203C | TIRE 27X7.75-15 (814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 25. | 814-087C | TIRE 25.5 X 8.0-14 (814-086C) | (S/N 328236-) | Rev. 1 |
| 26. | 814-268C | TUBE FOR 24X7.7-14 (814-263C) | (S/N 419602+) | Rev. 3; Not interchangeable |
| 26. | 814-204C | TUBE FOR 27X7.75-15(814-201C) | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 26. | 814-088C | TUBE FOR 25.5X8.0-14(814-086C) | (S/N 328236-) | Rev. 1 |
| 27. | 814-267C | RIM 2PC. 4BLT 10X6 BLACK | (S/N 419602+) | Rev. 3; Not interchangeable |
| 27. | 814-205C | RIM 2PC.4BLT 15X6 BLACK | (S/N 328237 to 419601) | Rev. 2 not compat. w/Rev. 1. |
| 27. | 814-089C | RIM 2PC.4BLT 14X6BLACK814-086C | (S/N 328236-) | Rev. 1 |
| 28. | 803-308C | NUT HEX FLG/LK 1/2-20 PLT.GR.G | Use with #16, 17 & 18 S/N 414628+ | |
| 28. | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | Use with #19 S/N 414628+ | |
| 29. | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | (S/N 414628+) | |
| 30. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 31. | 822-092C | BEARING CUP 15245 | | |
| 32. | 890-819C | BUSHING 1.25ODX1.00IDX3.50 | (S/N 419602+) | |

# *Axle Wing (S/N 489026+)*

**Applies to RCM5015, RCM6015**




23963

# Axle Wing (S/N 489026+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23963 | Drawing Image Number | | |
| **1.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **2.** | 802-357C | HHCS 1-8X6 GR5 | | |
| **3.** | 200-001D | HUB GREASE CAP | | |
| **4.** | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| **5.** | 804-216C | WASHER HARDENED .81ID | | |
| **6.** | 822-021C | BEARING CONE LM-67048 | | |
| **7.** | 815-243C | HUB 5-BOLT W/CUPS/STUDS | | |
| **8.** | 816-497C | SEAL 1.75ID CR17617 | | |
| **9.** | 805-246C | PIN COTTER 5/32 X 1 3/4 LG | | |
| **10.** | 802-073C | HHCS 1-8X4 GR5 | | |
| **11.** | 814-265C | TIRE & WHL LAM. 6X9X21(5-BOLT) | | |
| **12.** | 814-285C | AC TIRE 24 X 7.7 2PC. 5-BOLT | | |
| **13.** | 814-288C | AC TIRE FF 24X7.7 2PC 5-BOLT | | |
| **14.** | 814-284C | WHEEL 15 X 5 X 5 BOLT | | |
| **15.** | 318-576H | WLDMT. WING AXLE RH. HAND | | |
| **15.** | 318-583H | WLDMT. WING AXLE LH. HAND | | |
| **16.** | 815-237C | SPINDLE-SINGLE BOLT-ON | | |
| **16.** | 815-238C | SPINDLE-DUAL BOLT-ON | | |
| **17.** | 802-099C | HHCS 1/2-13X3 1/4 GR5 | | |
| **18.** | 803-019C | NUT LOCK 1/2-13 PLT | | |
| **19.** | 814-295C | TIRE 24X7.7-14 (814-285C) | | |
| **20.** | 814-297C | TUBE FOR 24X7.7-14 (814-285C) | | |
| **21.** | 814-296C | RIM 2PC 5BLT 10X6 | | |
| **22.** | 803-310C | NUT HEX 1/2-20 X 5/8 HIGH | | |
| **23.** | 802-779C | HUB STUD 1/2-20X1.88 GR5 | | |
| **24.** | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| **25.** | 822-020C | BEARING CUP LM-67010 | | |
| **26.** | 890-819C | BUSHING 1.25ODX1.00IDX3.50 | | |
| **27.** | 822-033C | BEARING CUP LM-48510 | | |
| **28.** | 822-034C | BEARING CONE LM-48548 | | |
| **29.** | 803-017C | NUT LUG 1/2-20X90DEG PLT 13/16 | | |

# Guards Center Deck (S/N 292791-)

**Applies to RCM5015, RCM6015**



15410

# Guards Center Deck (S/N 292791-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15410 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-098D | CG. FRONT CTR. LH.OUTER | | |
| 5. | 318-113D | ROUND ROD 1/4 X 22 | | |
| 6. | 318-048K | ASSY. CG. FRT. CENTER LH.OUTER | Includes items 1 through 5 & 14 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-097D | CG. FRONT CENTER | | |
| 9. | 318-108D | ROUND ROD 1/4 X 36 | | |
| 10. | 318-057K | ASSY. CG. FRT. CENTER | Includes items 1, 2, 3, 7, 8 & 9 | |
| 11. | 318-125D | CG. FRONT CTR. RH.OUTER | | |
| 12. | 318-113D | ROUND ROD 1/4 X 22 | | |
| 13. | 318-058K | ASSY. CG. FRT. CENTER RH.OUTER | Includes items 1, 2, 3, 11 & 12 | |
| 14. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 15. | 318-089K | ASSY. FRT. CTR. OUTER RH. DEF. | Includes items 18 through 22 | |
| 16. | 318-088K | ASSY. FRT. CTR. DEFLECTOR | Includes items 21 through 25 | |
| 17. | 318-090K | ASSY. FRT. CTR. OUTER LH. DEF. | Includes items 19 through 22 & 26 | |
| 18. | 318-133D | FRT. DEF. BRKT. CTR. OUTER RH. | | |
| 19. | 816-248C | RUBBER GUARD FRT. CTR. OUTER | | |
| 20. | 318-139D | RUBBER GUARD FLAT BRKT. 20 | | |
| 21. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 22. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 23. | 318-132D | FRT. DEF. BRKT. CTR. | | |
| 24. | 816-247C | RUBBER GUARD FRT.CTR. | | |
| 25. | 318-138D | RUBBER GUARD FLAT BRKT. 35 1/2 | | |
| 26. | 318-134D | FRT. DEF. BRKT. CTR. OUTER LH. | | |
| 27. | 318-063K | ASSY. CG. REAR CENTER OUTER | Includes items 1, 2, 29, 30 & 31 | |
| 28. | 318-062K | ASSY. CG. REAR CENTER | Includes items 1, 2, 29, 32 & 33 | |
| 29. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 30. | 318-105D | ROUND ROD 1/4 X 10 | | |
| 31. | 318-103D | CG. CENTER REAR OUTER | | |
| 32. | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| 33. | 318-102D | CG. CENTER REAR | | |
| 34. | 318-094K | ASSY. REAR CTR. DEFLECTOR | Includes items 2, 21, 22, 29, 36, 37 & 38 | |
| 35. | 318-095K | ASSY. REAR CTR. OUT. DEFLECTOR | Includes items 2, 21, 22, 29, 39, 40 & 41 | |
| 36. | 318-126D | RUBBER GUARD CTR. REAR BRKT. | | |
| 37. | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| 38. | 816-244C | RUBBER GUARD REAR CENTER | | |
| 39. | 318-127D | RUBBER GUARD CTR.RR OUTER BRKT | | |
| 40. | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| 41. | 816-245C | RUBBER GUARD REAR CTR.OUTER | | |

# Guards Center Deck (S/N 292792 To 419601)

**Applies to RCM5015, RCM6015**



19019

# Guards Center Deck (S/N 292792 To 419601)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19019 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-331D | RC5015 CEN CHAINGUARD LH | | |
| 5. | 318-337D | ROUND ROD 1/4 X 25 | | |
| 6. | 318-321K | ASSY. SGL. CG. FRT. CTR. LH. | Includes items 1 through 5 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-329D | RC5015 CEN SECT CHAINGUARD | | |
| 9. | 318-143D | ROUND ROD 1/4 X 34 | | |
| 10. | 318-319K | ASSY. SGL. CG. FRT. CTR. | Includes items 1, 2, 3, 8 & 9 | |
| 11. | 318-330D | RC5015 CEN CHAINGUARD RH | | |
| 12. | 318-320K | ASSY. SGL. CG. FRT. CTR. RH. | Includes items 1, 2, 3, 5 & 11 | |
| 13. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 14. | 318-335K | ASSY. FRT. CTR. OUT. RH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 15. | 318-334K | ASSY. FRT. CTR. DEFLECTOR | Includes items 2, 3 & 20 through 24 | |
| 16. | 318-336K | ASSY. FRT. CTR. OUT. LH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 17. | 318-357D | FRT. DEF. CTR. OUT.BRKT. | | |
| 18. | 816-350C | FRONT DEFLECTOR CENTER OUT. | | |
| 19. | 318-358D | FRT. DEF. CTR. OUT. STRAP | | |
| 20. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 21. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 22. | 318-355D | FRT. DEF. CTR. BRKT. | | |
| 23. | 816-349C | FRONT DEFLECTOR CENTER. | | |
| 24. | 318-356D | FRT. DEF. CTR. STRAP | | |
| 25. | 318-063K | ASSY. CG. REAR CENTER OUTER | Includes items 1, 2, 29, 30 & 31 | |
| 26. | 318-062K | ASSY. CG. REAR CENTER | Includes items 1, 2, 29, 32 & 33 | |
| 27. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 28. | 318-105D | ROUND ROD 1/4 X 10 | | |
| 29. | 318-103D | CG. CENTER REAR OUTER | | |
| 30. | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| 31. | 318-102D | CG. CENTER REAR | | |
| 32. | 318-094K | ASSY. REAR CTR. DEFLECTOR | Includes items 2, 21, 22, 29, 36, 37 & 38 | |
| 33. | 318-095K | ASSY. REAR CTR. OUT. DEFLECTOR | Includes items 2, 21, 22, 29, 39, 40 & 41 | |
| 34. | 318-126D | RUBBER GUARD CTR. REAR BRKT. | | |
| 35. | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| 36. | 816-244C | RUBBER GUARD REAR CENTER | | |
| 37. | 318-127D | RUBBER GUARD CTR.RR OUTER BRKT | | |
| 38. | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| 39. | 816-245C | RUBBER GUARD REAR CTR.OUTER | | |

# Guards Center Deck (S/N 419602+)

**Applies to RCM5015, RCM6015**



22135

# Guards Center Deck (S/N 419602+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22135 | Drawing Image Number | | |
| 1. | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| 2. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 3. | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| 4. | 318-331D | RC5015 CEN CHAINGUARD LH | | |
| 5. | 318-337D | ROUND ROD 1/4 X 25 | | |
| 6. | 318-321K | ASSY. SGL. CG. FRT. CTR. LH. | Includes items 1 through 5 | |
| 7. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 8. | 318-329D | RC5015 CEN SECT CHAINGUARD | | |
| 9. | 318-143D | ROUND ROD 1/4 X 34 | | |
| 10. | 318-319K | ASSY. SGL. CG. FRT. CTR. | Includes items 1, 2, 3, 8 & 9 | |
| 11. | 318-330D | RC5015 CEN CHAINGUARD RH | | |
| 12. | 318-320K | ASSY. SGL. CG. FRT. CTR. RH. | Includes items 1, 2, 3, 5 & 11 | |
| 13. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 14. | 318-335K | ASSY. FRT. CTR. OUT. RH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 15. | 318-334K | ASSY. FRT. CTR. DEFLECTOR | Includes items 2, 3 & 20 through 24 | |
| 16. | 318-336K | ASSY. FRT. CTR. OUT. LH. DEF. | Includes items 2, 3 & 17 through 21 | |
| 17. | 318-357D | FRT. DEF. CTR. OUT.BRKT. | | |
| 18. | 816-350C | FRONT DEFLECTOR CENTER OUT. | | |
| 19. | 318-358D | FRT. DEF. CTR. OUT. STRAP | | |
| 20. | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| 21. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 22. | 318-355D | FRT. DEF. CTR. BRKT. | | |
| 23. | 816-349C | FRONT DEFLECTOR CENTER. | | |
| 24. | 318-356D | FRT. DEF. CTR. STRAP | | |
| 25. | 318-644D | REAR RUBBER GUARD BRACKET | | |
| 26. | 318-645D | FLAT SUPPORT BAND | | |
| 27. | 318-704K | ASSY. CENTER DEFLECTOR | | |
| 28. | 802-015C | RHSNB 3/8-16X1 GR5 | | |
| 29. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 30. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 31. | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| 32. | 816-448C | REAR CENTER RUBBER GUARD | | |
| 33. | 318-607D | CTR. REAR SGL. CG. BRKT. | | |
| 34. | 318-620D | ROUND ROD .25 X 66.5 | | |
| 35. | 318-632K | ASSY. SGL. REAR CG. CTR. | | |
| 36. | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| 37. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| 38. | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| 39. | 890-485C | CHAIN WELD 5/16 PROOF X 3 LINK | | |

# Guards Center Deck Double Chains (S/N 292791-)

**Applies to RCM5015, RCM6015**




15690

# Guards Center Deck Double Chains (S/N 292791-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15690 | Drawing Image Number | | |
| **1.** | 318-066K | ASSY. DBL.CG.FRT.CTR. RH.OUTER | | |
| **2.** | 318-065K | ASSY. DBL.CG.FRT.CENTER | | |
| **3.** | 318-097K | ASSY. DBL.CG.FRT.CTR. LH.OUTER | | |
| **4.** | 318-071K | ASSY. CG. REAR CENTER OUTER | | |
| **5.** | 318-070K | ASSY. CG. REAR CENTER | | |
| **6.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **7.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **8.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **9.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **10.** | 318-117D | CG. FRONT CENTER DUAL RH. | | |
| **11.** | 318-142D | ROUND ROD 1/4 X 21 | | |
| **12.** | 318-141D | ROUND ROD 1/4 X 19 | | |
| **13.** | 318-116D | CG. FRONT CENTER DUAL | | |
| **14.** | 318-108D | ROUND ROD 1/4 X 36 | | |
| **15.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **16.** | 318-124D | CG. FRONT CENTER DUAL LH. | | |
| **17.** | 318-122D | CG. CENTER REAR OUTER DUAL | | |
| **18.** | 318-105D | ROUND ROD 1/4 X 10 | | |
| **19.** | 318-121D | CG. CENTER REAR DUAL | | |
| **20.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **21.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |

# Guards Center Deck Double Chains (S/N 292792 To 419601)

**Applies to RCM5015, RCM6015**




19020

# Guards Center Deck Double Chains (S/N 292792 To 419601)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19020 | Drawing Image Number | | |
| **1.** | 318-325K | ASSY. DBL. CG. FRT. CTR. RH. | | |
| **2.** | 318-324K | ASSY. DBL. CG. FRT. CTR. | | |
| **3.** | 318-326K | ASSY. DBL. CG. FRT. CTR. LH. | | |
| **4.** | 318-071K | ASSY. CG. REAR CENTER OUTER | | |
| **5.** | 318-070K | ASSY. CG. REAR CENTER | | |
| **6.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **7.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **8.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **9.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **10.** | 318-340D | RC5015 CEN FRONT DBLCHAIN RH | | |
| **11.** | 318-337D | ROUND ROD 1/4 X 25 | | |
| **12.** | 318-339D | RC5015 CEN SECT FRNT DBL CHAIN | | |
| **13.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **14.** | 318-341D | RC5015 CEN FRONT DBLCHAIN LH | | |
| **15.** | 318-122D | CG. CENTER REAR OUTER DUAL | | |
| **16.** | 318-105D | ROUND ROD 1/4 X 10 | | |
| **17.** | 318-121D | CG. CENTER REAR DUAL | | |
| **18.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **19.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **20.** | 802-017C | HHCS 3/8-16X1 GR5 | | |

# Guards Center Deck Double Chains (S/N 419602+)

**Applies to RCM5015, RCM6015**




22136

# Guards Center Deck Double Chains (S/N 419602+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg22136 | Drawing Image Number | | |
| **1.** | 318-325K | ASSY. DBL. CG. FRT. CTR. RH. | | |
| **2.** | 318-324K | ASSY. DBL. CG. FRT. CTR. | | |
| **3.** | 318-326K | ASSY. DBL. CG. FRT. CTR. LH. | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **6.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **7.** | 318-340D | RC5015 CEN FRONT DBLCHAIN RH | | |
| **8.** | 318-337D | ROUND ROD 1/4 X 25 | | |
| **9.** | 318-339D | RC5015 CEN SECT FRNT DBL CHAIN | | |
| **10.** | 318-143D | ROUND ROD 1/4 X 34 | | |
| **11.** | 318-341D | RC5015 CEN FRONT DBLCHAIN LH | | |
| **12.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **13.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **14.** | 318-608D | CTR. REAR DBL. CG. BRKT | | |
| **15.** | 318-620D | ROUND ROD .25 X 66.5 | | |
| **16.** | 318-633K | ASSY. DBL. REAR CG. CTR. | | |
| **17.** | 802-585C | RHSNB 1/2-13X3 1/2 GR5 PLT | | |
| **18.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **19.** | 890-175C | CHAIN 5/16 PROOF X 6 LINKS PLT | | |
| **20.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **21.** | 890-400C | CHAIN WELD 5/16 PROOF X 4 LINK | | |
| **22.** | 890-485C | CHAIN WELD 5/16 PROOF X 3 LINK | | |

# Guards Wing Deck (S/N 292791-)

**Applies to RCM5015, RCM6015**




15436

# Guards Wing Deck (S/N 292791-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15436 | Drawing Image Number | | |
| **1.** | 318-106D | ROUND ROD 1/4 X 28 1/2 | | |
| **2.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **3.** | 318-100D | CG. WING FRONT OUTER LH. | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **6.** | 318-061K | ASSY. CG. FRT. WING OUTER LH. | Includes items 1 through 5 | |
| **7.** | 318-180D | CG. WING FRONT INNER R.H. | | |
| **8.** | 318-109D | ROUND ROD 1/4 X 49 | | |
| **9.** | 318-171K | ASSY. CG. FRT. WING INNER RH | Includes items 2, 4, 5, 8 & 47 | |
| **10.** | 318-060K | ASSY. CG. FRT. WING OUTER RH. | Includes items 1, 2, 4, 5 & 12 | |
| **11.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **12.** | 318-101D | CG. WING FRONT OUTER RH. | | |
| **13.** | 318-064K | ASSY. CG. REAR WING | Includes items 5, 11, 14, 15 & 33 | |
| **14.** | 318-104D | CG. WING REAR | | |
| **15.** | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| **16.** | 318-175K | ASSY. FRT. WG. INNER DEF. RH. | Includes items 19 through 23 | |
| **17.** | 318-093K | ASSY. FRT. WING OUT. LH. DEF. | Includes items 19, 20 & 24 through 27 | |
| **18.** | 318-092K | ASSY. FRT. WING OUT. RH. DEF. | Includes items 19, 20, 24, 25, 26 & 28 | |
| **19.** | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| **20.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **21.** | 318-130D | RUBBER GUARD FLAT BRKT. 47 1/4 | | |
| **22.** | 318-185D | FRT. DEF. BRKT. WING INNER RH. | | |
| **23.** | 816-249C | RUBBER GUARD FRT. WING INNER | | |
| **24.** | 318-140D | RUBBER GUARD FLAT BRKT. 12 1/2 | | |
| **25.** | 318-131D | RUBBER GUARD FLAT BRKT. 8 | | |
| **26.** | 816-250C | RUBBER GUARD FRT. WING OUTER | | |
| **27.** | 318-137D | FRT. DEF. BRKT. WING OUTER LH. | | |
| **28.** | 318-136D | FRT. DEF. BRKT. WING OUTER RH. | | |
| **29.** | 318-096K | ASSY. REAR WING DEFLECTOR | Includes items 19, 20 30, 31 & 32 | |
| **30.** | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| **31.** | 816-246C | RUBBER GUARD REAR WING | | |
| **32.** | 318-128D | RUBBER GUARD WING REAR BRKT. | | |
| **33.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **34.** | 318-068K | ASSY. DBL.CG.FRT.WING OUT.RH. | | |
| **35.** | 318-172K | ASSY. DBL.CG.FRT.WING INNER RH | Includes items 2, 4, 5, 41 & 42 | |
| **36.** | 318-069K | ASSY. DBL. CG. FRT. WING OUTER LH. | | |
| **37.** | 318-072K | ASSY. CG. REAR WING | | |
| **38.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **39.** | 318-123D | CG. WING REAR DUAL | | |
| **40.** | 318-119D | CG. FRONT WING OUTER RH. DUAL | | |
| **41.** | 318-109D | ROUND ROD 1/4 X 49 | | |
| **42.** | 318-183D | CG. FRONT WING INNER DUAL RH | | |
| **43.** | 318-120D | CG. FRONT WING OUTER LH. DUAL | | |
| **44.** | 318-106D | ROUND ROD 1/4 X 28 1/2 | | |
| **45.** | 318-173K | ASSY. CG. FRT. WG INNER LH | | |
| **46.** | 318-174K | ASSY. DBL CG. FRT. WG. INNR LH | | |
| **47.** | 318-181D | CG. WING FRONT INNER L.H. | | |
| **48.** | 318-184D | CG. FRONT WING INNER DUAL LH | | |
| **49.** | 318-176K | ASSY. FRT. WG. INNER DEF. LH. | | |
| **50.** | 318-186D | FRT. DEF. BRKT. WING INNER LH. | | |

# Guards Wing Deck (S/N 292792+)

**Applies to RCM5015, RCM6015**




19018

# Guards Wing Deck (S/N 292792+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19018 | Drawing Image Number | | |
| **1.** | 318-336D | ROUND ROD 1/4 X 73 | | |
| **2.** | 890-393C | CHAIN WELD 5/16 PROOF X 7-LINK | | |
| **3.** | 318-327D | RC5015 WING CHAINGUARD LH | | |
| **4.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **5.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **6.** | 318-323K | ASSY. SGL. CG. FRT. WING LH. | Includes items 1 through 5 | |
| **7.** | 318-322K | ASSY. SGL. CG. FRT. WING RH. | Includes items 1, 2, 4, 5 & 9 | |
| **8.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **9.** | 318-328D | RC5015 WING CHAINGUARD RH | | |
| **10.** | 318-064K | ASSY. CG. REAR WING | Includes items 4, 8, 11, 12 & 22 | |
| **11.** | 318-104D | CG. WING REAR | | |
| **12.** | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | | |
| **13.** | 318-337K | ASSY. FRT. WING RH. DEF. | Includes items 14 through 16 | |
| **14.** | 802-155C | RHSNB 3/8-16X1 1/4 GR5 | | |
| **15.** | 803-198C | NUT HEX WHIZ 3/8-16 PLT | | |
| **16.** | 318-359D | FRT. DEF. WING BRKT. | | |
| **17.** | 816-351C | FRONT DEFLECTOR WING | | |
| **18.** | 318-096K | ASSY. REAR WING DEFLECTOR | Includes items 14, 15, 19, 20 & 21 | |
| **19.** | 318-129D | RUBBER GUARD FLAT BRKT. 28 1/2 | | |
| **20.** | 816-246C | RUBBER GUARD REAR WING | | |
| **21.** | 318-128D | RUBBER GUARD WING REAR BRKT. | | |
| **22.** | 890-341C | CHAIN WELD 5/16 PROOF X 5 LINK | | |
| **23.** | 318-327K | ASSY. DBL. CG. FRT. WING RH. | Includes items 1, 2, 4, 5, & 27 | |
| **24.** | 318-072K | ASSY. CG. REAR WING | Includes items 4, 12, 22, 25 & 26 | |
| **25.** | 318-107D | ROUND ROD 1/4 X 31 1/2 | | |
| **26.** | 318-123D | CG. WING REAR DUAL | | |
| **27.** | 318-342D | RC5015 WING FRONT DBLCHAIN RH | | |
| **28.** | 318-328K | ASSY. DBL. CG. FRT. WING LH. | Includes items 1, 2, 4, 5 & 29 | |
| **29.** | 318-343D | RC5015 WING FRONT DBLCHAIN LH | | |
| **30.** | 318-338K | ASSY. FRT. WING LH. DEF. | Includes items 14 through 17 | |

# *Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+)*

**Applies to RCM5015, RCM6015**




23952

# *Driveline Center (826-478C) Comer (S/N 461935 to 461937, 468573+)*

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23952 | Drawing Image Number | | |
| | 826-478C | PTO E60 X 21.7 1280NM CLUTCH | | |
| **1.** | 141.026.357.1 | COMER YOKE COMPLETE | | |
| **2.** | 180.016.130 | COMER CROSS ASSEMBLY | | |
| **3.** | 170.016.630.1 | COMER YOKE, OUTER | | |
| **4.** | 155.150.726 | COMER SHAFT, SPLINED | | |
| **5.** | 190.000.016 | COMER ROLL PIN, INNER TUBE | | |
| **6.** | 151.016.031.1 | COMER INNER YOKE | | |
| **7.** | 146.264.024.1 | COMER CLUTCH, COMPLETE ASSY | | |
| **8.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# Driveline Center 1000 RPM (826-184C) Eurocardan

**Applies to RCM5015**




15497

# Driveline Center 1000 RPM (826-184C) Eurocardan

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15497 | Drawing Image Number | | |
| | 826-184C | PTO INT. CAT.4 1000W/CLUTCH * | | |
| | 6761280 | EC BOLT ASSY KIT | Includes items 7, 8 & 9 | |
| **1.** | 1106525 | EC YOKE ASSEMBLY (TRACT. END) | | |
| **2.** | 1006020 | EC CROSS ASSEMBLY | | |
| **3.** | 1706027 | EC OUTER TUBE YOKE | | |
| **4.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **5.** | 1528305 | EC TUBE JACK SHAFT | | |
| **6.** | 1406016 | EC CLUTCH FD2/6 1 3/4 20 SPL | | |
| **7.** | 6141280 | EC.BOLT | | |
| **8.** | 6412112 | EC SPRING WASHER | | |
| **9.** | 6410112 | EC NUT | | |
| **10.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |

# Driveline Center 1000 RPM (826-261C) Walterscheid

**Applies to RCM6015**




26867

# Driveline Center 1000 RPM (826-261C) Walterscheid

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26867 | Drawing Image Number | | |
| | 826-261C | RPBY 826-478C | | |
| | | * | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **3.** | 97140 | WS INBOARD YOKE 2500 | | |
| **4.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **5.** | 193839 | OUTER PROFILE S5 | | |
| **6.** | 391359 | WS FRICTION CLUTCH | | |
| **7.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **8.** | 304011 | WS LOCK NUT M16 | | |

# *Driveline Conv. 1000 RPM (826-189C) EC New Shields*

**Applies to RCM5015**




16736

# Driveline Conv. 1000 RPM (826-189C) EC New Shields

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16736 | Drawing Image Number | | |
| | 826-189C | RPBY 826-247C | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885703 | EC STANDARD CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877075 | EC INNER TUBE SHIELD 750MM | | |
| **7.** | 1876075 | EC OUTER TUBE SHIELD 750MM | | |
| **8.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **9.** | 1528085 | EC OUTER TUBE (1528084) 840MM | | |
| **10.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **11.** | 1706027 | EC OUTER TUBE YOKE | | |
| **12.** | 1006020 | EC CROSS ASSEMBLY | | |
| **13.** | 1016015 | EC YOKE ASSEMBLY (TRACT. END) | | |
| **14.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **15.** | 1706029 | EC INNER TUBE YOKE | | |
| **16.** | 1526085 | EC INNER TUBE (1526084) 840MM | | |
| **17.** | 6331070 | EC 10X70 ROLL PIN | | |
| **18.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **19.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **20.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **21.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **22.** | 1006220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **23.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |

# Driveline Conv. 1000 RPM (826-189C) EC Old Shields

**Applies to RCM5015**


TRACTOR END
DANGER
GUARD MISSING DO NOT OPERATE
ROTATING DRIVELINE CONTACT MAY CAUSE DEATH KEEP AWAY
Refer to deck or drive section for S/N break if applicable.
PROFILE OUTLINE
DIVIDER BOX END

26862

# Driveline Conv. 1000 RPM (826-189C) EC Old Shields

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26862 | Drawing Image Number | | |
| | 826-189C | RPBY 826-247C | | |
| **1.** | 1006020 | EC CROSS ASSEMBLY | | |
| **2.** | 1786009 | EC TUBE BEARING (OLD STYLE) | | |
| **3.** | 1706029 | EC INNER TUBE YOKE | | |
| **4.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **5.** | 1526085 | EC INNER TUBE (1526084) 840MM | | |
| **6.** | 1528085 | EC OUTER TUBE (1528084) 840MM | | |
| **7.** | 1706027 | EC OUTER TUBE YOKE | | |
| **8.** | 1886010 | EC OUTER RIGID CONE(OLD STYLE) | | |
| **9.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **10.** | 1016015 | EC YOKE ASSEMBLY (TRACT. END) | | |
| **11.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **12.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **13.** | 1874077 | EC INNER TUBE (1874113) 770MM | | |
| **14.** | 1886013 | EC SOFT CONE (OLD STYLE) | | |
| **15.** | 1875077 | EC OUTER TUBE (1875113) 770MM | | |
| **16.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **17.** | 1886011 | EC INNER RIGID CONE(OLD STYLE) | | |
| **18.** | 1786008 | EC TUBE BEARING (OLD STYLE) | | |
| **19.** | 1006220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **20.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **21.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **22.** | 1215735 | EC STOP RING | | |

# Driveline Conv. 1000 RPM (826-247C) Walterscheid (S/N 214515+)

**Applies to RCM5015, RCM6015**




18549

# Driveline Conv. 1000 RPM (826-247C) Walterscheid (S/N 214515+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg18549 | Drawing Image Number | | |
| | 826-247C | PTO 2500 CAT.5 1000 1 3/8-21 | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 362430 | WS YOKE 1 3/8-21 SPL. AS | | |
| **3.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **4.** | 097140 | WS INBOARD YOKE 2500 | | |
| **5.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **6.** | 333645 | WS INNER PROFILE S4 | | Rev. 2 |
| **6.** | 321256 | WS IN PROF 2400 (333645) 860MM | | Rev 1; Use up stock |
| **7.** | 387768 | WS PROFILE & SLEEVE W.A. | | Rev. 2 |
| **7.** | 390257 | WS PROF&SLV W.A.(387768) 845MM | | Rev 1; Use up stock |
| **8.** | 097133 | WS INBOARD YOKE 2400 | | |
| **9.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **10.** | 365305 | WALTERSCHEID SCREW | | |
| **11.** | 087276 | WS BEARING RING - SC25 | | |
| **12.** | 044321 | WALTERSCHEID SAFETY CHAIN | | |
| **13.** | 391409 | WS OUTER SHIELD TUBE OVAL | | Rev. 2 |
| **13.** | 389850 | WS OUT SHLD RND (391409) 770MM | | Rev 1; Use up stock |
| **14.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **15.** | 391410 | WS INNER SHIELD TUBE RND. | | Rev. 2 |
| **15.** | 388957 | WS IN SHIELD RND (391410)770MM | | Rev 1; Use up stock |
| **16.** | 364915 | WS ASSY COLLAR KIT | | |
| **17.** | 377437 | WS SHIELD CONE 7 RIB | | |
| **18.** | 380371 | WS ZERK | | |
| **19.** | 355155 | WS SUPPORT BEARING | | |
| **20.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **21.** | 304011 | WS LOCK NUT M16 | | |

# Driveline CV 1000 RPM (826-118C) Walterscheid (S/N 214514-)

**Applies to RCM5015, RCM6015**




12382

# Driveline CV 1000 RPM (826-118C) Walterscheid (S/N 214514-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12382 | Drawing Image Number | | |
| | 826-118C | RPBY 826-244C | | |
| **1.** | 331053 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 380883 | WS YOKE 1 3/8-21 SPL | | |
| **3.** | 020672 | WS GREASE ZERK | | |
| **4.** | 365722 | WS DOUBLE YOKE | | |
| **5.** | 342221 | WS CROSS & BEARING KIT | | |
| **6.** | 019519 | WS INBOARD YOKE | | |
| **7.** | 020617 | WS SPRING PIN 10 X 20 | | |
| **8.** | 095758 | WS INNER PROFILE 16 GA | | |
| **9.** | 382647 | WS PROFILE & SLEEVE | | |
| **10.** | 341586 | WS INBOARD YOKE | | |
| **11.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **12.** | 377341 | WS SHIELD CONE 11 RIB | | |
| **13.** | 365305 | WALTERSCHEID SCREW | | |
| **14.** | 087276 | WS BEARING RING - SC25 | | |
| **15.** | 044321 | WALTERSCHEID SAFETY CHAIN | | |
| **16.** | 382437 | WS INNER SHIELD TUBE ROUND | | |
| **17.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **18.** | 389851 | WS OUTER SHIELD TUBE OVL. | | |
| **19.** | 172758 | WS SHIELD CONE 3 RIB | | |
| **20.** | 312410 | WS CROSS BEARING KIT | | |
| **21.** | 355155 | WS SUPPORT BEARING | | |
| **22.** | 386083 | WS CV CONE & BEARING ASSY | | |
| **23.** | 380371 | WS ZERK | | |
| **24.** | 381908 | WS QUICK DISCONNECT KIT | | |
| **25.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **26.** | 304011 | WS LOCK NUT M16 | | |

# Driveline CV 1000 RPM (826-182C) EC New Shields

**Applies to RCM5015**




26866

# Driveline CV 1000 RPM (826-182C) EC New Shields

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26866 | Drawing Image Number | | |
| | 826-182C | RPBY 826-244C | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885703 | EC STANDARD CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877068 | EC INNER TUBE SHIELD 680MM | | |
| **7.** | 1876068 | EC OUTER TUBE SHIELD 680MM | | |
| **8.** | 1885702 | EC SHORT CONE | | |
| **9.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **10.** | 1786527 | EC BEARING SOFT CONE | | |
| **11.** | 1886528 | EC SOFT CONE | | |
| **12.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **13.** | 1006020 | EC CROSS ASSEMBLY | | |
| **14.** | 1706029 | EC INNER TUBE YOKE | | |
| **15.** | 1546078 | EC INNER TUBE (1526084) 780MM | | |
| **16.** | 6331070 | EC 10X70 ROLL PIN | | |
| **17.** | 1548078 | EC OUTER TUBE (1528084) 780MM | | |
| **18.** | 7106632 | EC CV JOINT 1 3/8-21 SPLINE | Service Only | Rev. 2 |
| **18.** | 7600621 | RPBY 7106632 | | Rev. 1 |
| **19.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **20.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **21.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **22.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **23.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **24.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **25.** | 6280313 | EC SELF THREADING SCREW | | |

# Driveline CV 1000 RPM (826-182C) EC Old Shields

**Applies to RCM5015**




26861

# Driveline CV 1000 RPM (826-182C) EC Old Shields

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26861 | Drawing Image Number | | |
| | 826-182C | RPBY 826-244C | | |
| **1.** | 7106632 | EC CV JOINT 1 3/8-21 SPLINE | Service Only | Rev. 2 |
| **1.** | 7600621 | RPBY 7106632 | | Rev. 1 |
| **2.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **3.** | 1886528 | EC SOFT CONE | | |
| **4.** | 1786009 | EC TUBE BEARING (OLD STYLE) | | |
| **5.** | 1548078 | EC OUTER TUBE (1528084) 780MM | | |
| **6.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **7.** | 1786527 | EC BEARING SOFT CONE | | |
| **8.** | 1886322 | EC OUTER TUBE RIGID CONE | | |
| **9.** | 3360313 | EC SELF THREADING SCREW | | |
| **10.** | 1886012 | EC SOFT CONE | | |
| **11.** | 1875070 | EC OUTER TUBE (1875113) 700MM | | |
| **12.** | 1874070 | EC INNER TUBE (1874113) 700MM | | |
| **13.** | 1886013 | EC SOFT CONE (OLD STYLE) | | |
| **14.** | 1886011 | EC INNER RIGID CONE(OLD STYLE) | | |
| **15.** | 1786008 | EC TUBE BEARING (OLD STYLE) | | |
| **16.** | 1546078 | EC INNER TUBE (1526084) 780MM | | |
| **17.** | 1706029 | EC INNER TUBE YOKE | | |
| **18.** | 1006020 | EC CROSS ASSEMBLY | | |
| **19.** | 1036025 | EC YOKE ASSEMBLY (IMP END) | | |
| **20.** | 1006065 | EC ANTIROTATION CHAIN | | |
| **21.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **22.** | 6821483 | EC CONICAL DOG KIT REPLACEMENT | | |
| **23.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |

# Driveline CV 1000 RPM (826-244C) 1 3/8-21 Walterscheid (S/N 214515 to 468225)

**Applies to RCM5015, RCM6015**




14067

# *Driveline CV 1000 RPM (826-244C) 1 3/8-21 Walterscheid (S/N 214515 to 468225)*

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg14067 | Drawing Image Number | | |
| | 826-244C | PTO CV 2580 CAT5 1000 1 3/8-21 | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 363696 | WS YOKE 1 3/8-21 SPL. AS | | |
| **3.** | 020672 | WS GREASE ZERK | | |
| **4.** | 365725 | WS DOUBLE YOKE 2500 | | |
| **5.** | 384316 | WS CROSS & BEARING KIT 2500 | | |
| **6.** | 097140 | WS INBOARD YOKE 2500 | | |
| **7.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **8.** | 381367 | WS IN PROF S4GA (330162) 840MM | | |
| **9.** | 388204 | WS PROF&SLV W.A. 830MM | | |
| **10.** | 331573 | WS INBOARD YOKE S4 | | |
| **11.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **12.** | 377442 | WS SHIELD CONE - 12 RIB | | |
| **13.** | 365305 | WALTERSCHEID SCREW | | |
| **14.** | 087276 | WS BEARING RING - SC25 | | |
| **15.** | 044321 | WALTERSCHEID SAFETY CHAIN | | |
| **16.** | 387097 | WS IN SHIELD RND (391410)750MM | | |
| **17.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **18.** | 391406 | WS OUT SHLD OVL (391409) 755MM | | |
| **19.** | 104810 | WS SHIELD CONE 4 RIB | | |
| **20.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **21.** | 355155 | WS SUPPORT BEARING | | |
| **22.** | 386048 | WS CV CONE & BEARING ASSY | | |
| **23.** | 380371 | WS ZERK | | |
| **24.** | 364915 | WS ASSY COLLAR KIT | | |
| **25.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **26.** | 304011 | WS LOCK NUT M16 | | |

# Driveline CV 1000 RPM (826-245C) 1 3/4-20 Walterscheid (S/N 488896-)

**Applies to RCM5015, RCM6015**




26858

# Driveline CV 1000 RPM (826-245C) 1 3/4-20 Walterscheid (S/N 488896-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26858 | Drawing Image Number | | |
| | 826-245C | PTO CV 2580 CAT5 1000 1 3/4-20 | | |
| **1.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **2.** | 363729 | WS CV YOKE 1 3/4-20 SPL | | |
| **3.** | 020672 | WS GREASE ZERK | | |
| **4.** | 365725 | WS DOUBLE YOKE 2500 | | |
| **5.** | 384316 | WS CROSS & BEARING KIT 2500 | | |
| **6.** | 097140 | WS INBOARD YOKE 2500 | | |
| **7.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **8.** | 330162 | WS INNER PROFILE | | |
| **9.** | 387723 | WS PROFILE & SLEEVE W.A. | | |
| **10.** | 331573 | WS INBOARD YOKE S4 | | |
| **11.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **12.** | 377442 | WS SHIELD CONE - 12 RIB | | |
| **13.** | 365305 | WS SCREW | | |
| **14.** | 087276 | WS BEARING RING - SC25 | | |
| **15.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **16.** | 386560 | WS INNER SHIELD TUBE RND. | | |
| **17.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **18.** | 391639 | WS OUTER SHIELD TUBE OVL. | | |
| **19.** | 104810 | WS SHIELD CONE 4 RIB | | |
| **20.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **21.** | 355155 | WS SUPPORT BEARING | | |
| **22.** | 386048 | WS CV CONE & BEARING ASSY | | |
| **23.** | 380371 | WS ZERK | | |
| **24.** | 364915 | WS ASSY COLLAR KIT | | |
| **25.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **26.** | 304011 | WS LOCK NUT M16 | | |

# *Driveline CV 1000 RPM (826-477C) 1 3/8-21 Comer (S/N 468226 to 547835)*

**Applies to RCM5015, RCM6015**




23948

# *Driveline CV 1000 RPM (826-477C) 1 3/8-21 Comer (S/N 468226 to 547835)*

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23948 | Drawing Image Number | | |
| | 826-477C | PTO CV V80X56.8 NO/CL 1 3/8-21 * | | |
| **1.** | 141.028.359.1 | COMER CV-JOINT YOKE COLLER | | |
| **2.** | 180.018.158 | COMER CV -JOINT CROSS ASSEMBLY | | |
| **3.** | 141.028.472.1 | COMER WIDE ANGLE DOUBLE YOKE | | |
| **4.** | 141.028.248.1 | COMER OUTER YOKE | | |
| **5.** | 190.000.243 | COMER OUTER TUBE ROLL PIN | | |
| **6.** | 180.018.437 | COMER WIPER | | |
| **7.** | 1522805260710 | COMER OUTER TUBE COMPLETE | | |
| **8.** | 180.018.004 | COMER CROSS ASSEMBLY | | |
| **9.** | 141.028.195.1 | COMER YOKE COMPLETE | | |
| **10.** | 180.018.567 | COMER CV JOINT GUARD CONE | | |
| **11.** | 165.000.694 | COMER SCREW KIT FOR CV GUARD | | |
| **12.** | 158.018.470 | COMER BEARING RING | | |
| **13.** | 180.018.251 | COMER RETAINING COLLER INNER | | |
| **14.** | 180.014.240 | COMER BOLT | | |
| **15.** | 180.018.252 | COMER RETAINING COLLER INNER | | |
| **16.** | 180.016.025 | COMER SAFTEY CHAINS | | |
| **17.** | 165.000.785 | COMER CONE GUARD ASSEMBLY | | |
| **18.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |
| **19.** | 122.981.002.1 | COMER TUBE W/YOKE/LUBE/FEMALE | | |
| **20.** | 122.580.501.1 | COMER TUBE W/YOKE/LUBE/MALE | | |
| **21.** | 1422831442821 | COMER HALF FEMALE GRD W/LABEL | | |
| **22.** | 1422871642821 | COMER HALF MALE GUARDING | | |
| **23.** | 180.018.393 | COMER CAP OUTER TUBE, PLASTIC | | |
| **24.** | 165.000.628 | COMER COLLER KIT 3/8 YOKE | | |

# *Driveline CV 1000 RPM (826-499C) 1 3/4-20 Comer (S/N 488897+)*

**Applies to RCM5015, RCM6015**




23960

# Driveline CV 1000 RPM (826-499C) 1 3/4-20 Comer (S/N 488897+)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23960 | Drawing Image Number | | |
| | 826-499C | PTO CV80 X 77.71 NO CLUTCH | | |
| **1.** | 141.028.360.1 | COMER COLLER YOKE ASSEMBLY | | |
| **2.** | 180.018.158 | COMER CV -JOINT CROSS ASSEMBLY | | |
| **3.** | 141.028.472.1 | COMER WIDE ANGLE DOUBLE YOKE | | |
| **4.** | 141.028.248.1 | COMER OUTER YOKE | | |
| **5.** | 190.000.243 | COMER OUTER TUBE ROLL PIN | | |
| **6.** | 180.018.437 | COMER WIPER | | |
| **7.** | 1522805260710 | COMER OUTER TUBE COMPLETE | | |
| **8.** | 180.018.004 | COMER CROSS ASSEMBLY | | |
| **9.** | 141.028.195.1 | COMER YOKE COMPLETE | | |
| **10.** | 180.018.567 | COMER CV JOINT GUARD CONE | | |
| **11.** | 165.000.694 | COMER SCREW KIT FOR CV GUARD | | |
| **12.** | 158.018.470 | COMER BEARING RING | | |
| **13.** | 180.018.251 | COMER RETAINING COLLER INNER | | |
| **14.** | 180.014.240 | COMER BOLT | | |
| **15.** | 180.018.252 | COMER RETAINING COLLER INNER | | |
| **16.** | 180.016.025 | COMER SAFTEY CHAINS | | |
| **17.** | 165.000.785 | COMER CONE GUARD ASSEMBLY | | |
| **18.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |
| **19.** | 122.981.002.1 | COMER TUBE W/YOKE/LUBE/FEMALE | | |
| **20.** | 122.580.501.1 | COMER TUBE W/YOKE/LUBE/MALE | | |
| **21.** | 1422831442821 | COMER HALF FEMALE GRD W/LABEL | | |
| **22.** | 1422871642821 | COMER HALF MALE GUARDING | | |
| **23.** | 180.018.393 | COMER CAP OUTER TUBE, PLASTIC | | |
| **24.** | 165.000.629 | COMER YOKE KIT COLLAR | | |

# *Driveline CV Joint (1000 RPM) (7106632) Eurocardan*

**Applies to RCM5015**




23995

# Driveline CV Joint (1000 RPM) (7106632) Eurocardan

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23995 | Drawing Image Number | | |
| | 7106632 | EC CV JOINT 1 3/8-21 SPLINE | Service Only | |
| **1.** | 1006876 | EC YOKE W/QD | | |
| **2.** | 1006830 | EC GO6 CROSS ASSEMBLY | | |
| **3.** | 1006831 | EC HOMOKINETIC JOINT | | |
| **4.** | 1006827 | EC OUTER TUBE HOMOKINETIC YOKE | | |
| **5.** | 1004227 | EC PULL COLLAR KIT EVOLUTION | | Rev. 2 |
| **5.** | 1004225 | RPBY 1004227 | | Rev. 1 |

# *Driveline CV Joint (1000 RPM) (7600621) Eurocardan*

**Applies to RCM5015**




15513

# Driveline CV Joint (1000 RPM) (7600621) Eurocardan

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15513 | Drawing Image Number | | |
| | 7600621 | EC CV JOINT 1 3/8-21 SPLINE | | |
| **1.** | 1000619 | EC YOKE ASSY. 1 3/8-21 SPLINE | | |
| **1.** | 1000621 | EC YOKE ASSY 1 3/4-20 SPLINE | Optional Yoke | |
| **2.** | 1000630 | EC EC SPIDER ASSEMBLY | | |
| **3.** | 1700600 | EC SEMI MALE SUPPORT | | |
| **4.** | 1700603 | EC BEARING RING | | |
| **5.** | 1720602 | EC GUIDE DISK | | |
| **6.** | 1700601 | EC SEMI FEMALE SUPPORT | | |
| **7.** | 6402608 | EC CONICAL KNURLED WASHER | | |
| **8.** | 6040820 | EC SCREW | | |
| **9.** | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| **10.** | 1000608 | EC OUTER TUBE YOKE | | |
| **11.** | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| **12.** | 1000604 | EC SPIDER PIN | | |

# Driveline Slip Clutch (146.264.024.1) Comer

**Applies to RCM5015, RCM6015**




23957

# Driveline Slip Clutch (146.264.024.1) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23957 | Drawing Image Number | | |
| | 146.264.024.1 | COMER CLUTCH, COMPLETE ASSY * | | |
| **1.** | 180.014.022 | COMER SPRING | | |
| **2.** | 151.016.037.1 | COMER YOKE, FLANGED | | |
| **3.** | 180.019.019 | COMER BUSH | | |
| **4.** | 180.019.018 | COMER LINING RING | | |
| **5.** | 151.018.228.1 | COMER CLUTCH SUPPORT | | |
| **6.** | 180.019.014 | COMER INNER PLATE | | |
| **7.** | 180.019.115 | COMER INTERMEDIATE PLATE | | |
| **8.** | 180.019.116.1 | COMER PRESSURE PLATE | | |
| **9.** | 165.000.548 | COMER BOLT WITH NUT M10X100 | | |
| **10.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# *Driveline Slip Clutch (146.284.020.1) Comer*

**Applies to RCM5015, RCM6015**




23958

# Driveline Slip Clutch (146.284.020.1) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23958 | Drawing Image Number | | |
| | 146.284.020.1 | COMER CLUTCH, DISC COMPLETE * | | |
| **1.** | 180.014.022 | COMER SPRING | | |
| **2.** | 151.018.016.1 | COMER YOKE, FLANGED | | |
| **3.** | 180.019.019 | COMER BUSH | | |
| **4.** | 180.019.018 | COMER LINING RING | | |
| **5.** | 151.018.228.1 | COMER CLUTCH SUPPORT | | |
| **6.** | 180.019.014 | COMER INNER PLATE | | |
| **7.** | 180.019.115 | COMER INTERMEDIATE PLATE | | |
| **8.** | 180.019.116.1 | COMER PRESSURE PLATE | | |
| **9.** | 165.000.548 | COMER BOLT WITH NUT M10X100 | | |
| **10.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |

# Driveline Slip Clutch (383805) Walterscheid

**Applies to RCM6015**




17005

# Driveline Slip Clutch (383805) Walterscheid

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17005 | Drawing Image Number | | |
| | 383805 | WS FRICTION CLUTCH | | |
| **1.** | 324822 | WS CLUTCH HOUSING | | |
| **2.** | 168556 | WS FRICTION DISK | | |
| **3.** | 351793 | WS HUB 1 3/4"-20 SPL | | |
| **4.** | 042454 | WS DRIVE PLATE | | |
| **5.** | 042459 | WS DRIVE PLATE | | |
| **6.** | 381495 | WS THRUST PLATE | | |
| **7.** | 043489 | WS BELLEVILLE SPRING | | |
| **8.** | 381957 | WS HEX NUT M8 | | |
| **9.** | 186397 | WS BRIDGE | | |
| **10.** | 304011 | WS LOCK NUT M16 | | |
| **11.** | 304065 | WS BOLT M16X110 DIN 931-8.8 | | |

# Driveline Slip Clutch 1000 RPM (1406016) Eurocardan

**Applies to RCM5015**




15523

# Driveline Slip Clutch 1000 RPM (1406016) Eurocardan

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15523 | Drawing Image Number | | |
| | 1406016 | EC CLUTCH FD2/6 1 3/4 20 SPL | | |
| **1.** | 1215012 | EC CLUTCH SPRING | | |
| **2.** | 1706033 | EC CLUTCH YOKE W/FLANGE | | |
| **3.** | 1705009 | EC CLUTCH BUSHING | | |
| **4.** | 1808010 | EC CLUTCH LINING RING | | |
| **5.** | 1708017 | EC HUB WITH FLANGE | | |
| **6.** | 6821484 | CONICAL DOG KIT | (S/N) | Rev. 2 |
| **6.** | 6821483 | REP BY 6821484 | (S/N) | Rev 1; Use up stock |
| **7.** | 1138008 | EC INNER DISK | | |
| **8.** | 1138007 | EC PRESSURE DISK | | |
| **9.** | 6691080 | EC COMPLETE BOLT | | |

# Driveline Slip Clutch 1000 RPM (391359) Walterscheid

**Applies to RCM6015**




16966

# Driveline Slip Clutch 1000 RPM (391359) Walterscheid

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg16966 | Drawing Image Number | | |
| | 391359 | WS FRICTION CLUTCH | | |
| **1.** | 324822 | WS CLUTCH HOUSING | | |
| **2.** | 168556 | WS FRICTION DISK | | |
| **3.** | 391358 | WS HUB 1-3/4"-20 SPL | | |
| **4.** | 042454 | WS DRIVE PLATE | | |
| **5.** | 042459 | WS DRIVE PLATE | | |
| **6.** | 381495 | WS THRUST PLATE | | |
| **7.** | 043489 | WS BELLEVILLE SPRING | | |
| **8.** | 045560 | WS BELLEVILLE SPRING | | |
| **9.** | 381957 | WS HEX NUT M8 | | |

# *Driveline Slip Clutch 540/1000 RPM (1446016) EC*

**Applies to RCM5015**




15521

# Driveline Slip Clutch 540/1000 RPM (1446016) EC

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15521 | Drawing Image Number | | |
| | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL * | | |
| **1.** | 1215012 | RPBY 330-297A | | |
| **2.** | 1706033 | EC CLUTCH YOKE W/FLANGE | | |
| **3.** | 1705009 | EC CLUTCH BUSHING | | |
| **4.** | 1808010 | EC CLUTCH LINING RING | | |
| **5.** | 1708034 | EC CLUTCH MIDDLE DISK | | |
| **6.** | 1138008 | EC INNER DISK | | |
| **7.** | 1708016 | EC HUB WITH FLANGE | | |
| **8.** | 6821484 | EC CONICAL DOG KIT REPLACEMENT | Includes nut and washer | |
| **9.** | 1138007 | EC PRESSURE DISK | | |
| **10.** | 6691010 | EC BOLT & SCREW NUT KIT REPL. | | |
| **11.** | 330-297A | SV KIT, EC SLIP CLUTCH SPRING | Contains 8 Springs | |

# *Driveline Wing (826-185C) EC New Shielding*

**Applies to RCM5015**




23996

# Driveline Wing (826-185C) EC New Shielding

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23996 | Drawing Image Number | | |
| | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 * | | |
| **1.** | 1786711 | EC TUBE BEARING (INNER TUBE) | | |
| **2.** | 1215733 | EC STIFFENING RING | | |
| **3.** | 1885702 | EC SHORT CONE | | |
| **4.** | 1215735 | EC STOP RING | | |
| **5.** | 1885709 | EC SAFETY SLEEVE | | |
| **6.** | 1877901 | EC INNER TUBE SHEILD | | |
| **6.** | 1877111 | RPBY 1877901 | | |
| **7.** | 1876901 | EC OUTER TUBE SHEILD | | |
| **7.** | 1876111 | RPBY 1876901 | | |
| **8.** | 1885703 | EC STANDARD CONE | | |
| **9.** | 1786710 | EC TUBE BEARING (OUTER TUBE) | | |
| **10.** | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL | | |
| **11.** | 1006020 | EC CROSS ASSEMBLY | | |
| **12.** | 1706029 | EC INNER TUBE YOKE | | |
| **13.** | 1526121 | EC 1380MM INNER TUBE | | |
| **14.** | 6331070 | EC 10X70 ROLL PIN | | |
| **15.** | 1528901 | EC OUTER TUBE | | |
| **15.** | 1528121 | RPBY 1528901 | | |
| **16.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **17.** | 1706027 | EC OUTER TUBE YOKE | | |
| **18.** | 1016025 | EC YOKE ASSY 1 3/4-20(TRAC.END | | |
| **19.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **20.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **21.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **22.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **23.** | 1006220 | EC TWIST COLLAR KIT(TRACT END) | | |
| **24.** | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| **25.** | 1106025 | EC YOKE | | |
| **26.** | 6761480 | EC BOLT | Includes 27,28 | |
| **27.** | 6410114 | EC SCREW NUT (M14) | | |
| **28.** | 6412114 | EC WASHER (d14) | | |

# Driveline Wing (826-185C) EC Old Shielding

**Applies to RCM5015**




15567

# Driveline Wing (826-185C) EC Old Shielding

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15567 | Drawing Image Number | | |
| | 826-185C | PTO CAT.4 W/CLUTCH 1 3/4-20 | | |
| **1.** | 1006020 | EC CROSS ASSEMBLY | | |
| **2.** | 1786009 | EC TUBE BEARING | | |
| **3.** | 1706029 | EC INNER TUBE YOKE | | |
| **4.** | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | | |
| **5.** | 1526121 | EC 1380MM INNER TUBE | | |
| **6.** | 1528121 | EC 1380MM OUTER TUBE | | |
| **7.** | 1706027 | EC OUTER TUBE YOKE | | |
| **8.** | 1886010 | EC OUTER TUBE RIGID CONE | | |
| **9.** | 1006065 | EC ANTIROTATION CHAIN | | |
| **10.** | 1016025 | EC YOKE ASSY 1 3/4-20(TRAC.END | | |
| **11.** | 1446016 | EC CLUTCH FD4/6 1 3/4 20 SPL | Refer to "Axle Center Single" | |
| **12.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **13.** | 1874113 | EC 1130MM INNER TUBE | | |
| **14.** | 1886013 | EC SOFT CONE | | |
| **15.** | 1875113 | EC 1130MM OUTER TUBE | | |
| **16.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **17.** | 1886011 | EC INNER TUBE RIGID CONE | | |
| **18.** | 1886012 | EC SOFT CONE | | |
| **19.** | 1786008 | EC TUBE BEARING | | |
| **20.** | 1006220 | EC TWIST COLLAR KIT(TRACT END) | | |
| **21.** | 6560508 | EC GREASE ZERK 8X1 45 DEG. | | |
| **22.** | 1106025 | EC YOKE | | |
| **23.** | 6761480 | EC BOLT | | |
| **24.** | 6410114 | EC SCREW NUT (M14) | | |
| **25.** | 6412114 | EC WASHER (d14) | | |

# *Driveline Wing (826-262C) Walterscheid (S/N 461934-)*

**Applies to RCM5015, RCM6015**




17004

# Driveline Wing (826-262C) Walterscheid (S/N 461934-)

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17004 | Drawing Image Number | | |
| | 826-262C | PTO W2500/WSC CAT5 540/1000 | | |
| **1.** | 304011 | WS LOCK NUT M16 | | |
| **2.** | 702352 | WS HEX BOLT M16 X 90 GR 8.8 | | |
| **3.** | 325027 | WS YOKE 1 3/4-20 SPL.I.C. 2500 | | |
| **4.** | 312209 | WS CROSS & BEARING KIT 2500 | | |
| **5.** | 304046 | WS SPRING PIN 10 X 90 | | |
| **6.** | 097140 | WS INBOARD YOKE 2500 | | |
| **7.** | 382223 | WS PROFILE & SLEEVE W.A. | | |
| **8.** | 380371 | WS ZERK | | |
| **9.** | 365305 | WS SCREW | | |
| **10.** | 377437 | WS SHIELD CONE 7 RIB | | |
| **11.** | 087276 | WS BEARING RING - SC25 | | |
| **12.** | 387767 | WS INNER SHEILD TUBE RND | | |
| **13.** | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| **14.** | 391707 | WS OUTER SHEILD TUBE OVAL | | |
| **15.** | 323524 | WS INNER PROFILE S4L | | |
| **16.** | 097133 | WS INBOARD YOKE 2400 | | |
| **17.** | 355155 | WS SUPPORT BEARING | | |
| **18.** | 383805 | WS FRICTION CLUTCH | | |
| **19.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **20.** | 818-540C | DECAL DANGER GUARD MISS | | |

# *Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+)*

**Applies to RCM5015, RCM6015**




23953

# *Driveline Wing (826-481C) Comer (S/N 461935 to 461937, 468573+)*

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23953 | Drawing Image Number | | |
| | 826-481C | PTO V80 X 59.3 1280NM CLUTCH | | |
| **1.** | 141.028.195.1 | COMER YOKE COMPLETE | | |
| **2.** | 180.018.004 | COMER CROSS ASSEMBLY | | |
| **3.** | 151.018.241.1 | COMER YOKE OUTER | | |
| **4.** | 190.000.243 | COMER OUTER TUBE ROLL PIN | | |
| **5.** | 180.018.437 | COMER WIPER | | |
| **6.** | 1522805450710 | COMER TUBE OUTER | | |
| **7.** | 146.284.020.1 | COMER CLUTCH, DISC COMPLETE | | |
| **8.** | 180.018.251 | COMER RETAINING COLLER INNER | | |
| **9.** | 180.014.240 | COMER BOLT | | |
| **10.** | 180.018.252 | COMER RETAINING COLLER INNER | | |
| **11.** | 180.016.025 | COMER SAFTEY CHAINS | | |
| **12.** | 165.000.589 | COMER TAPERED PIN SET 1 3/4 | | |
| **13.** | 122.580.023.1 | COMER TUBE W/YOKE/LUBE/FEMALE | | |
| **14.** | 122.580.511.1 | COMER TUBE W/YOKE/LUBE/MALE | | |
| **15.** | 1422831949821 | COMER HALF FEMALE GRD W/LABEL | | |
| **16.** | 1422871029821 | COMER HALF MALE GUARDING | | |
| **17.** | 180.018.393 | COMER CAP OUTER TUBE, PLASTIC | | |

# Gearbox 1000 RPM RCM5015 (826-176C) RCM6015 (826-233C) OMNI

**Applies to RCM5015, RCM6015**




15601

# Gearbox 1000 RPM RCM5015 (826-176C) RCM6015 (826-233C) OMNI

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15601 | Drawing Image Number | | |
| | 826-176C | GBOX RC130S 1.75-20 1:1.21 CW | RCM5015 | |
| | 826-233C | GBOX RC130L 1.75-20 1:1.21 CW | RCM6015 | |
| **1.** | 010156 | OMNI HOUSING RC130S CW | RCM5015 (826-176C) | |
| **1.** | 010167 | OMNI HOUSING RC-130LS | RCM6015 (826-233C) | |
| **2.** | 020211 | OMNI INPUT CAP | | |
| **3.** | 030415 | OMNI OUTPUT PINION, 14T | | |
| **4.** | 030416 | OMNI INPUT GEAR, 17T | | |
| **5.** | 040300 | OMNI INPUT SHAFT, 1.75-20 SPL | | |
| **6.** | 040312 | OMNI OUTPUT SHAFT | RCM5015 (826-176C) | |
| **6.** | 040314 | OMNI OUTPUT SHAFT TAP. SPL 18T | RCM6015 (826-233C) | |
| **7.** | 050200 | OMNI BEARING CUP, 30210 | | |
| **8.** | 050202 | OMNI BEARING CUP,32012 | | |
| **9.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **10.** | 060115 | OMNI OUTPUT SEAL | | |
| **11.** | 070240 | OMNI INPUT GASKET, 0.20MM | | |
| **12.** | 070241 | OMNI INPUT GASKET, 0.30MM | | |
| **13.** | 070242 | OMNI GASKET, 0.50MM | | |
| **14.** | 090145 | OMNI SHIM INPUT 0.10MM | | |
| **15.** | 090146 | OMNI SHIM INPUT 0.20MM | | |
| **16.** | 090147 | OMNI SHIM INPUT 0.30MM | | |
| **17.** | 090148 | OMNI SHIM OUTPUT 0.10MM | | |
| **18.** | 090149 | OMNI SHIM OUTPUT 0.20MM | | |
| **19.** | 090150 | OMNI SHUM OUTPUT 0.30MM | | |
| **20.** | 100114 | OMNI COTTER PIN 6.3X60 | | |
| **21.** | 100118 | OMNI COTTER PIN 5X65 | | |
| **22.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 120094 | OMNI NUT HEX SLOTTED, 1 3/8-18 | | |
| **25.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RCM5015 (826-176C) | |
| **25.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RCM6015 (826-233C) | |
| **26.** | 130002 | OMNI LOCKWASHER | | |
| **27.** | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| **28.** | 140044 | OMNI PLUG 1/2 RELIEF W/LEVEL | | |
| **29.** | 050201 | OMNI BEARING CONE, 30210 | | |
| **30.** | 200127 | OMNI RETAINING RING | | |
| **31.** | 240274 | OMNI INSPECTION COVER | | |
| **32.** | 050203 | OMNI BEARING CONE, 32012 | | |

# Gearbox 1000 RPM RCM5015 (826-177C) RCM6015 (826-234C) OMNI

**Applies to RCM5015, RCM6015**




15510

# Gearbox 1000 RPM RCM5015 (826-177C) RCM6015 (826-234C) OMNI

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15510 | Drawing Image Number | | |
| | 826-177C | GBOX RC130S 1.75-20 1.21:1 CW | RCM5015 | |
| | 826-234C | GBOX RC130L 1.75-20 1.21:1 CW | RCM6015 | |
| **1.** | 010156 | OMNI HOUSING RC130S CW | RCM5015 (826-177C) | |
| **1.** | 010167 | OMNI HOUSING RC-130LS | RCM6015 (826-234C) | |
| **2.** | 020211 | OMNI INPUT CAP | | |
| **3.** | 030416 | OMNI INPUT GEAR, 17T | | |
| **4.** | 030415 | OMNI OUTPUT PINION, 14T | | |
| **5.** | 040300 | OMNI INPUT SHAFT, 1.75-20 SPL | | |
| **6.** | 040312 | OMNI OUTPUT SHAFT | RCM5015 (826-177C) | |
| **6.** | 040314 | OMNI OUTPUT SHAFT TAP. SPL 18T | RCM6015 (826-234C) | |
| **7.** | 050200 | OMNI BEARING CUP, 30210 | | |
| **8.** | 050202 | OMNI BEARING CUP,32012 | | |
| **9.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **10.** | 060115 | OMNI OUTPUT SEAL | | |
| **11.** | 070240 | OMNI INPUT GASKET, 0.20MM | | |
| **12.** | 070241 | OMNI INPUT GASKET, 0.30MM | | |
| **13.** | 070242 | OMNI GASKET, 0.50MM | | |
| **14.** | 090145 | OMNI SHIM INPUT 0.10MM | | |
| **15.** | 090146 | OMNI SHIM INPUT 0.20MM | | |
| **16.** | 090147 | OMNI SHIM INPUT 0.30MM | | |
| **17.** | 090148 | OMNI SHIM OUTPUT 0.10MM | | |
| **18.** | 090149 | OMNI SHIM OUTPUT 0.20MM | | |
| **19.** | 090150 | OMNI SHUM OUTPUT 0.30MM | | |
| **20.** | 100114 | OMNI COTTER PIN 6.3X60 | | |
| **21.** | 100118 | OMNI COTTER PIN 5X65 | | |
| **22.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 120094 | OMNI NUT HEX SLOTTED, 1 3/8-18 | | |
| **25.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RCM5015 (826-177C) | |
| **25.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RCM6015 (826-234C) | |
| **26.** | 130002 | OMNI LOCKWASHER | | |
| **27.** | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| **28.** | 140044 | OMNI PLUG 1/2 RELIEF W/LEVEL | | |
| **29.** | 050201 | OMNI BEARING CONE, 30210 | | |
| **30.** | 200127 | OMNI RETAINING RING | | |
| **31.** | 240274 | OMNI INSPECTION COVER | | |
| **32.** | 050203 | OMNI BEARING CONE, 32012 | | |

# *Gearbox 1000 RPM RCM5015 (826-178C) & (826-175C) RCM6015 (826-235C) OMNI*

**Applies to RCM5015, RCM6015**




15511

# Gearbox 1000 RPM RCM5015 (826-178C) & (826-175C) RCM6015 (826-235C) OMNI

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15511 | Drawing Image Number | | |
| | 826-178C | GBOX RC130S 1.75-20 1:1.21 CCW | RCM5015 | |
| | 826-235C | GBOX RC130L 1.75-20 1:1.21 CCW | RCM6015 | |
| **1.** | 010157 | OMNI HOUSING RC130C CCW | RCM5015 (826-178C) | |
| **1.** | 010168 | OMNI HOUS. RC-130LS REV. ROT. | RCM6015 (826-235C) | |
| **2.** | 020212 | OMNI BLANK CAP | | |
| **3.** | 030415 | OMNI OUTPUT PINION, 14T | | |
| **4.** | 030416 | OMNI INPUT GEAR, 17T | | |
| **5.** | 040300 | OMNI INPUT SHAFT, 1.75-20 SPL | | |
| **6.** | 040312 | OMNI OUTPUT SHAFT | RCM5015 (826-178C) | |
| **6.** | 040314 | OMNI OUTPUT SHAFT TAP. SPL 18T | RCM6015 (826-235C) | |
| **7.** | 050200 | OMNI BEARING CUP, 30210 | | |
| **8.** | 050202 | OMNI BEARING CUP,32012 | | |
| **9.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **10.** | 060115 | OMNI OUTPUT SEAL | | |
| **11.** | 070240 | OMNI INPUT GASKET, 0.20MM | | |
| **12.** | 070241 | OMNI INPUT GASKET, 0.30MM | | |
| **13.** | 070242 | OMNI GASKET, 0.50MM | | |
| **14.** | 090145 | OMNI SHIM INPUT 0.10MM | | |
| **15.** | 090146 | OMNI SHIM INPUT 0.20MM | | |
| **16.** | 090147 | OMNI SHIM INPUT 0.30MM | | |
| **17.** | 090148 | OMNI SHIM OUTPUT 0.10MM | | |
| **18.** | 090149 | OMNI SHIM OUTPUT 0.20MM | | |
| **19.** | 090150 | OMNI SHIM OUTPUT 0.30MM | | |
| **20.** | 100114 | OMNI COTTER PIN 6.3X60 | | |
| **21.** | 100118 | OMNI COTTER PIN 5X65 | | |
| **22.** | 802-017C | HHCS 3/8-16X1 GR5 | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 120094 | OMNI NUT HEX SLOTTED, 1 3/8-18 | | |
| **25.** | 120092 | OMNI NUT HEX SLOTTED, 1 1/4 | RCM5015 (826-178C) | |
| **25.** | 120095 | OMNI NUT-HEX SLOTTED, 1 1/4-18 | RCM6015 (826-235C) | |
| **26.** | 130002 | OMNI LOCKWASHER | | |
| **27.** | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| **28.** | 140044 | OMNI PLUG 1/2 RELIEF W/LEVEL | | |
| **29.** | 050201 | OMNI BEARING CONE, 30210 | | |
| **30.** | 200127 | OMNI RETAINING RING | | |
| **31.** | 240274 | OMNI INSPECTION COVER | | |
| **32.** | 050203 | OMNI BEARING CONE, 32012 | | |

# *Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Comer*

**Applies to RCM5015, RCM6015**




21167

# Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21167 | Drawing Image Number | | |
| | 826-317C | GBOX RCM50 1.75-20 1:1.21 CCW | RCM5015 | |
| | 826-322C | GBOX RCM60 1.75-20 1:1.21 CCW | RCM6015 | |
| **1.** | U0.125.0531.00 | CO HOUSING | RCM5015 (826-317C) | |
| **1.** | U0.125.0532.00 | CO HOUSING | RCM6015 (826-322C) | |
| **2.** | U0.125.5003.00 | CO CROWN GEAR Z22 M7.8 | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **5.** | U0.125.2050.00 | CO INPUT SHAFT 1 3/4"-20 | | |
| **6.** | 8.5.2.00332 | CO SNAP RING UNI 7437 | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | | |
| **9.** | U0.125.7100.00 | CO CASTLE NUT | | |
| **10.** | 0.712.7500.00 | CO SHIM 50.3X70.3 | | |
| **11.** | 8.0.9.01090 | CO BEARING 32210 | | |
| **12.** | 1.181.7101.00 | CO SEAL PROTECTOR | | |
| **13.** | 8.7.1.02349 | CO OIL SEAL 60X110X12 | | |
| **14.** | 8.0.9.00079 | CO BEARING 30212 | | |
| **15.** | U0.125.3002.00 | CO OUTPUT SHAFT | RCM5015 (826-317C) | |
| **15.** | U0.125.3003.00 | CO OUTPUT SHAFT | RCM5015 (826-317C) | |
| **16.** | 8.4.7.02265 | CO COTTER PIN B 5X60 | | |
| **17.** | 0.121.7101.00 | CO CAP | | |
| **18.** | 0.288.7101.00 | CO BLANK WASHER | | |
| **19.** | 0.252.7525.00 | CO SHIM 45.3X2.5 | | |
| **20.** | 0.285.7510.00 | CO SHIM 40.3 X 61.7 X 1 | | |
| **21.** | U0.125.1301.00 | CO COVER | | |
| **22.** | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| **23.** | U0.125.7003.00 | CO OIL LEVEL PLUG SOLD-SPRTLY | | |
| **24.** | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| **25.** | 8.4.7.01045 | CO COTTER PIN B6X70 SLD-SPRTLY | | |
| **26.** | 8.2.2.00560 | CO CASTLE NUT M36X3 | | |
| **27.** | U0.125.6003.00 | CO CROWN GEAR Z18 M7.8 | | |

# *Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Eurocardan*

**Applies to RCM5015, RCM6015**




21266

# Gearbox 1000 RPM RCM5015 (826-317C) RCM6015 (826-322C) Eurocardan

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21266 | Drawing Image Number | | |
| | 826-317C | GBOX RCM50 1.75-20 1:1.21 CCW | RCM5015 | |
| | 826-322C | GBOX RCM60 1.75-20 1:1.21 CCW | RCM6015 | |
| **1.** | 16571-01 | HOUSING | RCM5015 (826-317C) | |
| **1.** | 16572-01 | HOUSING | RCM6015 (826-322C) | |
| **2.** | 17271-01 | BEVEL GEAR Z22 M7.80 | | |
| **3.** | 17271-02 | BEVEL PINION Z18 M7.8 | | |
| **4.** | 12171-03 | INPUT SHAFT 1 3/4" Z20 | | |
| **5.** | 12171-02 | OUTPUT SHAFT | RCM 5015 (826-317C) | |
| **5.** | 12172-01 | OUTPUT SHAFT | RCM 6015 (826-322C) | |
| **6.** | 2032209 | TIMKEN CONICAL BEARING | | |
| **7.** | 2732210 | TIMKEN CONICAL BEARING | | |
| **8.** | 2030212 | TIMKEN CONICAL BEARING | | |
| **9.** | 6204585 | SEAL (DOUBLE RIMS) | | |
| **10.** | 6206011 | SEAL (DOUBLE RIMS) | | |
| **11.** | 6100085 | SIDE RUBBER COVER | | |
| **12.** | 6310085 | INTERNAL CIRCLIP DIAM. 85 | | |
| **13.** | 6320050 | EXTERNAL CIRCLIP DIAM. 50 | | |
| **14.** | 16571-03 | UPPER COVER | | |
| **15.** | 12071-01 | WASHER ID 37; OD 75 H=8 | | |
| **16.** | 65316-10 | PRES. RELIEF/OIL LEV PLUG L150 | | |
| **17.** | 6481600 | FR OIL DRAIN PLUG | | |
| **18.** | 6037012 | OIL LEVEL PLUG GASKET | | |
| **19.** | 30210025 | SCREW M10X25 | | |
| **20.** | 34021010 | WASHER | | |
| **21.** | 34007036 | NOTCH NUT | | |
| **22.** | 6340680 | COTTER PIN DIAM. 6X80 | | |
| **23.** | 17871-01 | UPPER COVER PAPER GASKET | | |

# Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Comer

**Applies to RCM5015, RCM6015**




21167

# Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21167 | Drawing Image Number | | |
| | 826-318C | GBOX RCM50 1.75-20 1.21:1 CCW | RCM5015 | |
| | 826-323C | GBOX RCM60 1.75-20 1.21:1 CCW | RCM6015 | |
| **1.** | U0.125.0531.00 | CO HOUSING | RCM5015 (826-318C) | |
| **1.** | U0.125.0532.00 | CO HOUSING | RCM6015 (826-323C) | |
| **2.** | U0.125.6003.00 | CO CROWN GEAR Z18 M7.8 | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **5.** | U0.125.2050.00 | CO INPUT SHAFT 1 3/4"-20 | | |
| **6.** | 8.5.2.00332 | CO SNAP RING UNI 7437 | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | | |
| **9.** | U0.125.7100.00 | CO CASTLE NUT | | |
| **10.** | 0.712.7500.00 | CO SHIM 50.3X70.3 | | |
| **11.** | 8.0.9.01090 | CO BEARING 32210 | | |
| **12.** | 1.181.7101.00 | CO SEAL PROTECTOR | | |
| **13.** | 8.7.1.02349 | CO OIL SEAL 60X110X12 | | |
| **14.** | 8.0.9.00079 | CO BEARING 30212 | | |
| **15.** | U0.125.3002.00 | CO OUTPUT SHAFT | RCM5015 (826-318C) | |
| **15.** | U0.125.3003.00 | CO OUTPUT SHAFT | RCM6015 (826-323C) | |
| **16.** | 8.4.7.02265 | CO COTTER PIN B 5X60 | | |
| **17.** | 0.121.7101.00 | CO CAP | | |
| **18.** | 0.288.7101.00 | CO BLANK WASHER | | |
| **19.** | 0.252.7525.00 | CO SHIM 45.3X2.5 | | |
| **20.** | 0.285.7510.00 | CO SHIM 40.3 X 61.7 X 1 | | |
| **21.** | U0.125.1301.00 | CO COVER | | |
| **22.** | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| **23.** | U0.125.7003.00 | CO OIL LEVEL PLUG SOLD-SPRTLY | | |
| **24.** | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| **25.** | 8.4.7.01045 | CO COTTER PIN B6X70 SLD-SPRTLY | | |
| **26.** | 8.2.2.00560 | CO CASTLE NUT M36X3 | | |
| **27.** | U0.125.5003.00 | CO CROWN GEAR Z22 M7.8 | | |

# Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Eurocardan

**Applies to RCM5015, RCM6015**




21266

# Gearbox 1000 RPM RCM5015 (826-318C) RCM6015 (826-323C) Eurocardan

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21266 | Drawing Image Number | | |
| | 826-318C | GBOX RCM50 1.75-20 1.21:1 CCW | RCM5015 | |
| | 826-323C | GBOX RCM60 1.75-20 1.21:1 CCW | RCM6015 | |
| **1.** | 16571-01 | HOUSING | RCM5015 (826-318C) | |
| **1.** | 16572-01 | HOUSING | RCM6015 (826-323C) | |
| **2.** | 17271-02 | BEVEL PINION Z18 M7.8 | | |
| **3.** | 17271-01 | BEVEL GEAR Z22 M7.80 | | |
| **4.** | 12171-03 | INPUT SHAFT 1 3/4" Z20 | | |
| **5.** | 12171-02 | OUTPUT SHAFT | RCM 5015 (826-318C) | |
| **5.** | 12172-01 | OUTPUT SHAFT | RCM 6015 (826-323C) | |
| **6.** | 2032209 | TIMKEN CONICAL BEARING | | |
| **7.** | 2732210 | TIMKEN CONICAL BEARING | | |
| **8.** | 2030212 | TIMKEN CONICAL BEARING | | |
| **9.** | 6204585 | SEAL (DOUBLE RIMS) | | |
| **10.** | 6206011 | SEAL (DOUBLE RIMS) | | |
| **11.** | 6100085 | SIDE RUBBER COVER | | |
| **12.** | 6310085 | INTERNAL CIRCLIP DIAM. 85 | | |
| **13.** | 6320050 | EXTERNAL CIRCLIP DIAM. 50 | | |
| **14.** | 16571-03 | UPPER COVER | | |
| **15.** | 12071-01 | WASHER ID 37; OD 75 H=8 | | |
| **16.** | 65316-10 | PRES. RELIEF/OIL LEV PLUG L150 | | |
| **17.** | 6481600 | FR OIL DRAIN PLUG | | |
| **18.** | 6037012 | OIL LEVEL PLUG GASKET | | |
| **19.** | 30210025 | SCREW M10X25 | | |
| **20.** | 34021010 | WASHER | | |
| **21.** | 34007036 | NOTCH NUT | | |
| **22.** | 6340680 | COTTER PIN DIAM. 6X80 | | |
| **23.** | 17871-01 | UPPER COVER PAPER GASKET | | |

# Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Comer

**Applies to RCM5015, RCM6015**




21171

# Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21171 | Drawing Image Number | | |
| | 826-319C | GBOX RCM50 1.75-20 1:1.21 CW | RCM5015 | |
| | 826-324C | GBOX RCM60 1.75-20 1:1.21 CW | RCM6015 | |
| **1.** | U0.125.0531.00 | CO HOUSING | RCM5015 (826-319C) | |
| **1.** | U0.125.0532.00 | CO HOUSING | RCM6015 (826-324C) | |
| **2.** | U0.125.5003.00 | CO CROWN GEAR Z22 M7.8 | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **5.** | U0.125.2050.00 | CO INPUT SHAFT 1 3/4"-20 | | |
| **6.** | 8.5.2.00332 | CO SNAP RING UNI 7437 | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | | |
| **9.** | U0.125.7100.00 | CO CASTLE NUT | | |
| **10.** | 0.712.7500.00 | CO SHIM 50.3X70.3 | | |
| **11.** | 8.0.9.01090 | CO BEARING 32210 | | |
| **12.** | 1.181.7101.00 | CO SEAL PROTECTOR | | |
| **13.** | 8.7.1.02349 | CO OIL SEAL 60X110X12 | | |
| **14.** | 8.0.9.00079 | CO BEARING 30212 | | |
| **15.** | U0.125.3002.00 | CO OUTPUT SHAFT | RCM5015 (826-319C) | |
| **15.** | U0.125.3003.00 | CO OUTPUT SHAFT | RCM6015 (826-319C) | |
| **16.** | 8.4.7.02265 | CO COTTER PIN B 5X60 | | |
| **17.** | 0.121.7101.00 | CO CAP | | |
| **18.** | 0.288.7101.00 | CO BLANK WASHER | | |
| **19.** | 0.252.7525.00 | CO SHIM 45.3X2.5 | | |
| **20.** | 0.285.7510.00 | CO SHIM 40.3 X 61.7 X 1 | | |
| **21.** | U0.125.1301.00 | CO COVER | | |
| **22.** | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| **23.** | U0.125.7003.00 | CO OIL LEVEL PLUG SOLD-SPRTLY | | |
| **24.** | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| **25.** | 8.4.7.01045 | CO COTTER PIN B6X70 SLD-SPRTLY | | |
| **26.** | 8.2.2.00560 | CO CASTLE NUT M36X3 | | |
| **27.** | U0.125.6003.00 | CO CROWN GEAR Z18 M7.8 | | |

# *Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Eurocardan*

**Applies to RCM5015, RCM6015**




21267

# Gearbox 1000 RPM RCM5015 (826-319C) RCM6015 (826-324C) Eurocardan

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg21267 | Drawing Image Number | | |
| | 826-319C | GBOX RCM50 1.75-20 1:1.21 CW | RCM5015 | |
| | 826-324C | GBOX RCM60 1.75-20 1:1.21 CW | RCM6015 | |
| **1.** | 16571-01 | HOUSING | RCM5015 (826-319C) | |
| **1.** | 16572-01 | HOUSING | RCM6015 (826-324C) | |
| **2.** | 17271-01 | BEVEL GEAR Z22 M7.80 | | |
| **3.** | 17271-02 | BEVEL PINION Z18 M7.8 | | |
| **4.** | 12171-03 | INPUT SHAFT 1 3/4" Z20 | | |
| **5.** | 12171-02 | OUTPUT SHAFT | RCM 5015 (826-319C) | |
| **5.** | 12172-01 | OUTPUT SHAFT | RCM 6015 (826-324C) | |
| **6.** | 2032209 | TIMKEN CONICAL BEARING | | |
| **7.** | 2732210 | TIMKEN CONICAL BEARING | | |
| **8.** | 2030212 | TIMKEN CONICAL BEARING | | |
| **9.** | 6204585 | SEAL (DOUBLE RIMS) | | |
| **10.** | 6206011 | SEAL (DOUBLE RIMS) | | |
| **11.** | 6100085 | SIDE RUBBER COVER | | |
| **12.** | 6310085 | INTERNAL CIRCLIP DIAM. 85 | | |
| **13.** | 6320050 | EXTERNAL CIRCLIP DIAM. 50 | | |
| **14.** | 16571-03 | UPPER COVER | | |
| **15.** | 12071-01 | WASHER ID 37; OD 75 H=8 | | |
| **16.** | 65316-10 | PRES. RELIEF/OIL LEV PLUG L150 | | |
| **17.** | 6481600 | FR OIL DRAIN PLUG | | |
| **18.** | 6037012 | OIL LEVEL PLUG GASKET | | |
| **19.** | 30210025 | SCREW M10X25 | | |
| **20.** | 34021010 | WASHER | | |
| **21.** | 34007036 | NOTCH NUT | | |
| **22.** | 6340680 | COTTER PIN DIAM. 6X80 | | |
| **23.** | 17871-01 | UPPER COVER PAPER GASKET | | |

# Gearbox Divider 1000 RPM (826-180C) Comer

**Applies to RCM5015, RCM6015**




26958

# Gearbox Divider 1000 RPM (826-180C) Comer

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg26958 | Drawing Image Number | | |
| | 826-180C | DIV OMNI/CO 1000RPM 1 3/4-20 * | | |
| **1.** | 8.1.1.00109 | CO BOLT M10 X 35 8.8 | | |
| **2.** | 0.305.1300.00 | TOP COVER PLATE | | |
| **3.** | 8.0.9.00143 | CO BEARING 30209 RTA25 | | |
| **4.** | 8.5.2.01772 | CO SNAP RING | | |
| **5.** | 8.7.3.00331 | CO OIL SEAL 45 X 85 X 10 | | |
| **6.** | 0.305.0300.01 | CO CASING | | |
| **7.** | 0.709.7500.00 | CO SHIM 84.7 | | |
| **8.** | 0.305.5001.00 | CO GEAR M6.5 Z24 | | |
| **9.** | 0.305.3000.00 | CO SHAFT 1" 3/4 Z20 | | |
| **10.** | 0.305.2000.00 | CO SHAFT 1" 3/4 Z20 | | |
| **11.** | 0.305.6000.00 | CO GEAR M6.5 Z20 | | |
| **12.** | 8.6.6.00201 | CO PLUG 3/8 GAS | | |
| **13.** | 8.6.7.00269 | CO 1/2" GAS BREATHER PLUG | | |

# Gearbox Divider 1000 RPM (826-180C) OMNI

**Applies to RCM5015, RCM6015**




15504

# Gearbox Divider 1000 RPM (826-180C) OMNI

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15504 | Drawing Image Number | | |
| | 826-180C | DIV OMNI/CO 1000RPM 1 3/4-20 * | | |
| **1.** | 010063 | OMNI HOUSING RCD101HD | | |
| **2.** | 020162 | OMNI INPUT CAP | | |
| **3.** | 020061 | OMIN CANTILEVERED OUTPUT CAP | | |
| **4.** | 020110 | OMNI OUTPUT CAP | | |
| **5.** | 030194 | OMNI GEAR, 26T | | |
| **6.** | 030193 | OMNI PINION, 20T | | |
| **7.** | 040121 | OMNI OUTPUT SHAFT,1.75-20SHORT | | |
| **8.** | 040124 | OMNI INPUT SHAFT, 1.75-20 LONG | | |
| **9.** | 050008 | OMNI BEARING CONE - 368 | | |
| **10.** | 050012 | OMNI BEARING CONE -LM603049 | | |
| **11.** | 050013 | OMNI BEARING CUP - LM 603014 | | |
| **12.** | 050014 | BEARING CUP - 362A, OMNI | | |
| **13.** | 050015 | BEARING CUP - 362, OMNI | | |
| **14.** | 060020 | OMNI OUTPUT SEAL | | |
| **15.** | 060051 | OMNI THRU SHAFT SEAL | | |
| **16.** | 070057 | OMNI GASKET, 0.30MM | | |
| **17.** | 070058 | OMNI GASKET, 0.15MM | | |
| **18.** | 070151 | OMNI INPUT GASKET, 0.10MM | | |
| **19.** | 070140 | OMNI GASKET 0.30MM | | |
| **20.** | 070141 | OMNI GASKET 0.15MM | | |
| **21.** | 070142 | OMNI GASKET 0.10MM | | |
| **22.** | 090003 | SPACER, OMNI | | |
| **23.** | 802-079C | HHCS 3/8-16X1 1/4 GR5 | | |
| **24.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **25.** | 120025 | OMNI LOCKNUT, TN-06 | | |
| **26.** | 130030 | OMNI LOCKWASHER, TW-06 | | |
| **27.** | 130021 | OMNI FLAT WASHER | | |
| **28.** | 140046 | OMNI PLUG 1/2-14NPT,PRW/OIL LV. | | |
| **29.** | 200003 | OMNI RETAINING RING | | |

# Hydraulic Center Lift

**Applies to RCM5015, RCM6015**




15427

# Hydraulic Center Lift

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15427 | Drawing Image Number | | |
| **1.** | 810-195C | CYL 3X8X1.25 ROD (TIE) NO PINS | RC5015 & RCM5015 | |
| **1.** | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | RC6015 & RCM6015 | |
| **2.** | 811-394C | CP 3/4FORB MALE QD | | |
| **3.** | 811-619C | HH3/8R1 168 3/4MORB 3/4FJIC | | |
| **4.** | 811-063C | EL 3/4MJIC 3/4MORB | | |
| **5.** | 800-306C | FILL PLUG VENTED 3/4-16 PLT | (S/N 222462+) | Rev. 2 not compat. w/Rev. 1. |
| **5.** | 800-094C | FILL PLUG VENTED 3/4-16 PLT | (S/N 222461-) | Rev. 1 |
| **6.** | 810-317C | STROKE CONTROL SPACERS 1 1/4 | | |

# *Hydraulic Cylinder (810-150C) Red Lion*

**Applies to RCM5015**




25899

# Hydraulic Cylinder (810-150C) Red Lion

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25899 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) * | | |
| **1.** | 803-014C | NUT HEX 3/8-16 PLT | | |
| **2.** | 130556 | MON PISTON NUT | | |
| **3.** | 134953 | LION PIN | | |
| **4.** | 135995 | MON CLEVIS PIN COTTER | | |
| **5.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **6.** | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| **7.** | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| **8.** | N/A | MON PISTON SEAL | Only Found in Kit #20 | |
| **9.** | N/A | MON END CAP BACKUP WASHERS | Only Found in Kit #20 | |
| **10.** | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| **11.** | N/A | SEAL WIPER ROD | Only Found in Kit #20 | |
| **12.** | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| **13.** | 491672 | LION CYL TUBE 2.5 X 12 | | |
| **14.** | 492222 | LION TIE ROD 3/8, 12 CYL | | |
| **15.** | 492647 | LION ROD 1.25 X 12 | | |
| **16.** | 492650 | LION ROD CLEVIS 1 1/8-12UNF | | |
| **17.** | 492688 | LION CLEVIS CAP 2.5, 9/16 ORB | | |
| **18.** | 492724 | LION ROD CAP 2.5X1.25 9/16 ORB | | |
| **19.** | 494768 | MON PISTON | | |
| **20.** | 645004 | MON SEALS REPAIR KIT | | |

# *Hydraulic Cylinder (810-162C) Red Lion*

**Applies to RCM6015**




25900

# Hydraulic Cylinder (810-162C) Red Lion

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25900 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) * | | |
| **1.** | 803-022C | NUT HEX 5/8-18 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 134953 | LION PIN | | |
| **4.** | 135995 | MON CLEVIS PIN COTTER | | |
| **5.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **6.** | 186562 | LION PLUG 3/4-16UNF SOCKET HD | | |
| **7.** | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| **8.** | N/A | MON PISTON SEAL (PSP) | Only Found in Kit #20 | |
| **9.** | N/A | LION B.U. WASHER 073-236 | Only Found in Kit #20 | |
| **10.** | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| **11.** | N/A | SEAL WIPER ROD | Only Found in Kit #20 | |
| **12.** | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| **13.** | 491798 | LION CYL. TUBE 3.5 X 8 | | |
| **14.** | 492338 | LION TIE ROD 5/8 X 8 | | |
| **15.** | 492652 | LION ROD CLEVIS 1 1/4 (1PIN) | | |
| **16.** | 492676 | LION CLEVIS CAP 3.5 ORB | | |
| **17.** | 492677 | LION ROD CAP 3.5 X 1 1/4 ORB | | |
| **18.** | 492700 | LION ROD 1.25 DIA. ASAE 8 | | |
| **19.** | 494754 | MON PISTON | | |
| **20.** | 648411 | MON SEALS REPAIR KIT | | |

# *Hydraulic Cylinder (810-312C) Red Lion)*

**Applies to RCM6015**




25902

# Hydraulic Cylinder (810-312C) Red Lion)

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12345 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD)<br>* | | |
| **1.** | 803-020C | NUT HEX 1/2-13 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **4.** | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| **5.** | N/A | MON ROD SEAL | Only Found in Kit #18 | |
| **6.** | N/A | MON PISTON SEAL (PSP) | Only Found in Kit #18 | |
| **7.** | N/A | MON END CAP B/U WASHER | Only Found in Kit #18 | |
| **8.** | N/A | MON END CAP O-RING | Only Found in Kit #18 | |
| **9.** | N/A | SEAL WIPER ROD | Only Found in Kit #18 | |
| **10.** | N/A | MON PISTON WEAR RING | Only Found in Kit #18 | |
| **11.** | 294753 | MON PISTON | | |
| **12.** | 491742 | MON CYL TUBE | | |
| **13.** | 492282 | MON TIE ROD | | |
| **14.** | 492652 | LION ROD CLEVIS 1 1/4 (1PIN) | | |
| **15.** | 492721 | LION CLEVIS CAP 3.0-9/16 ORB | | |
| **16.** | 492722 | LION ROD CAP 3.0X1.25-9/16 ORB | | |
| **17.** | 492870 | MON CYL ROD | | |
| **18.** | 645599 | MON SEALS REPAIR KIT | | |

# Hydraulic Cylinder (810-624C) Midway

**Applies to RCM5015**




12499

# Hydraulic Cylinder (810-624C) Midway

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12499 | Drawing Image Number | | |
| | 810-624C | CYL 3X8X1.25 ROD (TIE) NO PINS * | | |
| **1.** | 6M4166 | MW BASE 3 X 3/4 SAE ORB PORT | | |
| **2.** | 2A0014 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only found in sealkit 17 | |
| **4.** | 7M4316 | MW TIE ROD 3 X 8 CYLINDER | | |
| **5.** | 5M4116 | MW TUBE 3 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **8.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **9.** | 2M4416 | MW ROD 1-1/4 DIA X 8 STROKE | | |
| **10.** | | WIPER | Only found in sealkit 17 | |
| **11.** | | BACK-UP | Only found in sealkit 17 | |
| **12.** | | O-RING | Only found in sealkit 17 | |
| **13.** | 3M4412 | MW HEAD CAP 3X1-1/4 ROD 3/4SAE | | |
| **14.** | | BACK-UP | Only found in sealkit 17 | |
| **15.** | 4M4104 | MW PISTON 3 DIA. | | |
| **16.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **17.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | |

# *Hydraulic Cylinder (810-624C) Red Lion*

**Applies to RCM5015**




25896

# Hydraulic Cylinder (810-624C) Red Lion

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25896 | Drawing Image Number | | |
| | 810-624C | CYL 3X8X1.25 ROD (TIE) NO PINS * | | |
| **1.** | 803-020C | NUT HEX 1/2-13 PLT | | |
| **2.** | 130560 | MON PISTON NUT | | |
| **3.** | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| **4.** | 186562 | LION PLUG 3/4-16UNF SOCKET HD | | |
| **5.** | N/A | MON ROD SEAL | Only found in seal kit #19 | |
| **6.** | N/A | MON PISTON SEAL (PSP) | Only found in seal kit #19 | |
| **7.** | N/A | MON END CAP B/U WASHER | Only found in seal kit #19 | |
| **8.** | N/A | MON END CAP O-RING | Only found in seal kit #19 | |
| **9.** | N/A | SEAL WIPER ROD | Only found in seal kit #19 | |
| **10.** | N/A | MON PISTON WEAR RING | Only found in seal kit #19 | |
| **11.** | 292003 | MON TIE ROD EXTND THD | | |
| **12.** | 294753 | MON PISTON | | |
| **13.** | 491738 | MON CYL TUBE | | |
| **14.** | 492278 | MON TIE ROD | | |
| **15.** | 492670 | MON ROD CAP | | |
| **16.** | 492675 | MON CLEVIS CAP | | |
| **17.** | 493211 | MON CYL ROD | | |
| **18.** | 493830 | LION HARDENED ROD CLEVIS 1 1/4 | | |
| **19.** | 645599 | MON SEALS REPAIR KIT | | |

# Hydraulic Cylinder Center (810-195C) Midway

**Applies to RCM5015**




12499

# Hydraulic Cylinder Center (810-195C) Midway

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg12499 | Drawing Image Number | | |
| | 810-195C | CYL 3X8X1.25 ROD (TIE) NO PINS | | |
| **1.** | 6M4166 | MW BASE 3 X 3/4 SAE ORB PORT | | |
| **2.** | 2A0014 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only found in sealkit 17 | |
| **4.** | 7M4316 | MW TIE ROD 3 X 8 CYLINDER | | |
| **5.** | 5M4116 | MW TUBE 3 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **8.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **9.** | 2M4416 | MW ROD 1-1/4 DIA X 8 STROKE | | |
| **10.** | | WIPER | Only found in sealkit 17 | |
| **11.** | | BACK-UP | Only found in sealkit 17 | |
| **12.** | | O-RING | Only found in sealkit 17 | |
| **13.** | 3M4412 | MW HEAD CAP 3X1-1/4 ROD 3/4SAE | | |
| **14.** | | BACK-UP | Only found in sealkit 17 | |
| **15.** | 4M4104 | MW PISTON 3 DIA. | | |
| **16.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **17.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | Rev. 2 |

# Hydraulic Cylinder Center Lift (810-162C) Cross

**Applies to RCM6015**




11421

# Hydraulic Cylinder Center Lift (810-162C) Cross

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11421 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | | |
| **1.** | 1D1509-4 | BASE CROSS | | |
| **2.** | 2A0236-9 | TIE ROD NUT CROSS | | |
| **3.** | | O-RING | Only available in Seal Kit (#19) | |
| **4.** | 2A0581-1325 | TIE ROD CROSS | | |
| **5.** | 1D0009-1050 | TIE ROD CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW, CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN, CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **11.** | 1D0205-1262 | ROD CROSS | | |
| **12.** | | WIPER | Only available in Seal Kit (#19) | |
| **13.** | | BACK-UP ROD | Only available in Seal Kit (#19) | |
| **14.** | | O-RING | Only available in Seal Kit (#19) | |
| **15.** | 1D1159-4 | HEAD CROSS | | |
| **16.** | | BACK-UP PISTON | Only available in Seal Kit (#19) | |
| **17.** | 1D1401-350 | PISTON CROSS | | |
| **18.** | 1A1141 | PISTON NUT CROSS | | |
| **19.** | 810-146C | SEAL KIT CROSS 3.5 CYL 1C4429 | | |

# Hydraulic Cylinder Center Lift (810-162C) Midway

**Applies to RCM6015**




11421

# Hydraulic Cylinder Center Lift (810-162C) Midway

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19893 | Drawing Image Number | | |
| | 810-162C | CYL 3.5X8X1.25 ROD (TIE ROD) | | |
| **1.** | 6M5142 | MW BASE (STD 1 PIN) | | |
| **2.** | 2A0016 | MW TIE ROD NUT | | |
| **3.** | | O-RING | Only available in Seal Kit (#19) | |
| **4.** | 7M5316 | MW ROD | | |
| **5.** | 5M5116 | MW TUBE 3 1/2 X 8 CYLINDER | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 2A0208 | MW CLEVIS PIN | | |
| **8.** | 2A0132 | MW PIN CLIP | | |
| **9.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **10.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **11.** | 2M5416 | MW ROD | | |
| **12.** | | WIPER | Only available in Seal Kit (#19) | |
| **13.** | | BACK-UP ROD | Only available in Seal Kit (#19) | |
| **14.** | | O-RING | Only available in Seal Kit (#19) | |
| **15.** | 3M5408 | MW HEAD | | |
| **16.** | | BACK-UP PISTON | Only available in Seal Kit (#19) | |
| **17.** | 4M5102 | MW PISTON 3 1/2 DIA. | | |
| **18.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **19.** | 810-149C | SEAL KIT 810-104C MW 3A5102 | | |

# Hydraulic Cylinder Wing (810-150C) Cross

**Applies to RCM5015**




15572

# Hydraulic Cylinder Wing (810-150C) Cross

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15572 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| **1.** | 1D1505-3 | BASE CROSS | | |
| **2.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **3.** | | MW O-RING | Only found in seal kit 19 | |
| **4.** | 2A0578-1675 | TIE ROD CROSS | | |
| **5.** | 1D0005-1450 | TUBE CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW, CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN, CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| **11.** | 1D0206-1675 | ROD CROSS | | |
| **12.** | | MW WIPER | Only found in seal kit 19 | |
| **13.** | | BACK-UP | Only found in seal kit 19 | |
| **14.** | | O-RING | Only found in seal kit 19 | |
| **15.** | 1D1155-17 | HEAD CROSS | | |
| **16.** | | MW BACKUP | Only found in seal kit 19 | |
| **17.** | 1D1401-250 | CROSS PISTON | | |
| **18.** | 2A0246-12 | CROSS NUT, PISTON | | |
| **19.** | 810-178C | SEAL KIT CROSS 2.5 CYL 1C4982 | | |

# Hydraulic Cylinder Wing (810-150C) Midway

**Applies to RCM5015**




15572

# Hydraulic Cylinder Wing (810-150C) Midway

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15572 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| **1.** | 6M3118 | MW BASE | | |
| **2.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **3.** | | MW O-RING | Only found in seal kit 19 | |
| **4.** | 7M3320 | MW TIE | ROD | |
| **5.** | 5M3120 | MW TUBE | | |
| **6.** | 2A0006 | MW CAPSCREW | | |
| **7.** | 2A0208 | MW CLEVIS PIN | | |
| **8.** | 2A0132 | MW PIN CLIP | | |
| **9.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **10.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **11.** | 2M3418 | MW ROD | | |
| **12.** | | MW WIPER | Only found in seal kit 19 | |
| **13.** | | BACK-UP | Only found in seal kit 19 | |
| **14.** | | O-RING | Only found in seal kit 19 | |
| **15.** | 3M3406 | MW HEAD | | |
| **16.** | | MW BACKUP | Only found in seal kit 19 | |
| **17.** | 4M3102 | MW PISTON 2 1/2 CYL | | |
| **18.** | 2A0022 | MW NUT, PISTON | | |
| **19.** | 810-177C | SEAL KIT MW 2.5X1.25ROD 3A3104 | | |

# Hydraulic Cylinder Wing (810-312C) Cross

**Applies to RCM6015**




15572

# Hydraulic Cylinder Wing (810-312C) Cross

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15426 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD | | |
| **1.** | 1D1505-3 | BASE CROSS | | |
| **2.** | 2A0235-6 | CROSS NUT,CLEVIS AND TIE ROD | | |
| **3.** | | O-RING | Only found in seal kit 20. | |
| **4.** | 2A0578-1675 | TIE ROD CROSS | | |
| **5.** | 1D0005-1450 | TUBE CROSS | | |
| **6.** | 2A0079-616 | CROSS SCREW CAP | | |
| **7.** | 1D1551-16275 | CROSS CLEVIS PIN | | |
| **8.** | 2A0308-1 | CROSS PIN,CLIP | | |
| **9.** | 1D1003-5 | CROSS ROD CLEVIS | | |
| **10.** | 2A0235-6 | CROSS NUT, CLEVIS AND TIE ROD | | |
| **11.** | 1D0206-1675 | ROD CROSS | | |
| **12.** | | WIPER | Only found in seal kit 20. | |
| **13.** | | BACK-UP | Only found in seal kit 20. | |
| **14.** | | O-RING | Only found in seal kit 20. | |
| **15.** | 1D1155-17 | HEAD CROSS | | |
| **16.** | | BACK UP | Only found in seal kit 20. | |
| **17.** | 1D1401-250 | PISTON CROSS | | |
| **18.** | 2A0246-12 | CROSS NUT,PISTON | | |
| **19.** | 810-177C | SEAL KIT MW 2.5X1.25ROD 3A3104 | | |
| **19.** | 810-178C | SEAL KIT CROSS 2.5 CYL 1C498 | | |

# Hydraulic Cylinder Wing (810-312C) Midway

**Applies to RCM6015**




15242

# Hydraulic Cylinder Wing (810-312C) Midway

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11196 | Drawing Image Number | | |
| | 810-312C | CYL 3X12X1.25 ROD (TIE ROD | | |
| **1.** | 1M6010 | MW CLEVIS STD. DUTY | | |
| **2.** | 2M4418 | MW ROD 1-1/4 DIA. X 10 STROKE | | |
| **3.** | 3M4410 | MW HEAD CAP 3X1-1/4 RD 9/16SAE | | |
| **4.** | 4M4104 | MW PISTON 3 DIA. | | |
| **5.** | 5M4120 | MW TUBE 3 X 15 CYLINDER | | |
| **6.** | 6M4152 | MW BASE 3 X 9/16 SAE | | |
| **7.** | 7M4320 | MW TIE ROD 3 X 10 CYLINDER | | |
| **8.** | 2A0208 | MW CLEVIS PIN | | |
| **9.** | | MW WIPER | Only found in seal kit 19 | |
| **10.** | | MW O-RING | Only found in seal kit 19 | |
| **11.** | | MW BACK-UP | Only found in seal kit 19 | |
| **12.** | | MW O-RING | Only found in seal kit 19 | |
| **13.** | | MW BACK UP | Only found in seal kit 19 | |
| **14.** | 2A0024 | MW PISTON NUT 1-14 | | |
| **15.** | 2A0014 | MW TIE ROD NUT | | |
| **16.** | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| **17.** | 2A0006 | MW CAPSCREW | | |
| **18.** | 2A0132 | MW PIN CLIP | | |
| **19.** | 810-015C | CYL SEAL KIT 3 X 7 MW 3A4104 | | |

# Hydraulic Independent Wing Control Accessory

**Applies to RCM5015, RCM6015**




25519

# Hydraulic Independent Wing Control Accessory

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25519 | Drawing Image Number | | |
| | 318-316A | HYDRAULIC WING CONTROL ASSY. * | | |
| **1.** | 811-315C | AD 9/16MJIC | | |
| **2.** | 811-394C | CP 3/4FORB MALE QD POPPET TYPE | | |
| **3.** | 811-633C | HH3/8R1 162 3/4MORB 9/16 FJIC | | |

# Hydraulic Valve Selector Assessory

**Applies to RCM5015, RCM6015**




19893

# Hydraulic Valve Selector Assessory

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg19893 | Drawing Image Number | | |
| | 312-316A | 2-WAY SELECTOR VLV KIT | | |
| **1.** | 811-358C | HH1/4R1 265 1/2MNPT 9/16FJIC | | |
| **2.** | 811-021C | AD 1/2FNPTS 3/4MORB | | |
| **3.** | 810-152C | SELECTOR VALVE 3-WAY 2 POS | | |
| **4.** | 811-088C | AD 3/4MORB 3/4MJIC | | |
| **5.** | 811-360C | HH3/8R2 60 1/2MNPT 3/4FJIC | | |

# Hydraulic Valve Spool Control Accessory

**Applies to RCM5015, RCM6015**




11196

# Hydraulic Valve Spool Control Accessory

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg11196 | Drawing Image Number | | |
| | 312-315A | 3-SPOOL VALVE KIT | | |
| **1.** | 810-167C | 3-SPOOL DIRECTION CONTROL VALV | | |
| **2.** | 811-358C | HH1/4R1 265 1/2MNPT 9/16FJIC | | |
| **3.** | 811-290C | AD 3/4MJIC 1/2FNPT | | |
| **4.** | 811-359C | EL 3/4MJIC X 3/4MNPT | | |
| **5.** | 811-008C | EL 1/2MNPT 1/2FNPTS | | |
| **6.** | 811-360C | HH3/8R2 60 1/2MNPT 3/4FJIC | | |
| **7.** | 810-402C | CROSS SEAL KIT 2V0010 | | |

# Hydraulic Wing Lift

**Applies to RCM5015, RCM6015**




15426

# Hydraulic Wing Lift

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg15426 | Drawing Image Number | | |
| **1.** | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | RC5015 & RCM5015 | |
| **1.** | 810-312C | CYL 3X12X1.25 ROD (TIE ROD) | RC6015 & RCM6015 | |
| **2.** | 811-337C | OREL 1/16 9/16MJIC 9/16MORB | | |
| **3.** | 800-117C | VENT PLUG - 9/16-18 PLATED | | |
| **4.** | 811-309C | HH1/4R1 066 9/16FJIC | | |
| **5.** | 811-356C | TE 9/16MJIC BH 9/16MJIC 9/16MJ | | |
| **6.** | 811-633C | HH3/8R1 162 3/4MORB 9/16 FJIC | | |
| **7.** | 811-394C | CP 3/4FORB MALE QD POPPET TYPE | | |

# *Maunal Winch Wing Deck Accessory*

**Applies to RCM5015, RCM6015**




25515

# Maunal Winch Wing Deck Accessory

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg25515 | Drawing Image Number | | |
| | 318-271A | MECHANICAL WINCH | | |
| | | * | | |
| **1.** | 318-256H | WLDMT. WINCH | | |
| **2.** | 802-023C | HHCS 3/8-16X1 3/4 GR5 | | |
| **3.** | 802-053C | HHCS 5/8-11X1 3/4 GR5 | | |
| **4.** | 803-013C | NUT LOCK 3/8-16 PLT | | |
| **5.** | 803-271C | NUT HEX TOP LOCK 5/8-11 PLT | | |
| **6.** | 804-011C | WASHER FLAT 3/8 USS PLT | | |
| **7.** | 804-013C | WASHER LOCK SPRING 3/8 PLT | | |
| **8.** | 804-019C | WASHER FLAT 5/8 USS PLT | | |
| **9.** | 890-671C | BRAKE WINCH DLB2000 | | |
| **10.** | 890-679C | WINCH HANDLE 12" DBL2000 | | |
| **11.** | 890-680C | WINCH CABLE AND HOOK | | |

# Label Placement

**Applies to RCM5015, RCM6015**




17564

# Label Placement

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg17564 | Drawing Image Number | | |
| | 318-101A | RC5015 DECAL PACKAGE | | |
| | 318-102A | RCM5015 DECAL PACKAGE | | |
| | 318-183A | RC6015 DECAL PACKAGE | | |
| | 318-184A | RCM6015 DECAL PACKAGE | | |
| **1.** | 818-045C | DECAL WARNING PINCH PT/CRUSH | | |
| **2.** | 818-276C | DECAL WARNING OPERATING ANGLE | | |
| **3.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **4.** | 818-543C | DECAL DANGER PD GUARD MISS SML | | |
| **5.** | 838-586C | DECAL COMMANDER | RC5015, RC(M)5015 Beige & Red Colored Units S/N 418250 | Rev. 3 not compat. w/Rev. 1. |
| **5.** | 838-637C | DECAL COMMANDER GREEN | On Green Colored Units S/N 418250 | |
| **5.** | 838-585C | DECAL DOMINATOR | RC6015, RC(M)6015 Beige & Red Colored Units S/N 418250 | Rev. 3 not compat. w/Rev. 1. |
| **5.** | 838-636C | DECAL DOMINATOR GREEN | On Green Colored Units S/N 418250 | |
| **5.** | 818-902C | DECAL LANDPRIDE 16" - BIEGE | (S/N 223428+) | Rev. 2 not compat. w/Rev. 1. |
| **5.** | 818-163C | LP LOGO LARGE BUCKSKIN | (S/N 223427-) | Rev. 1 |
| **6.** | 818-190C | DECAL FLAG | | |
| **7.** | 818-130C | DECAL CAUTION 540 RPM | | |
| **7.** | 818-240C | DECAL CAUTION 1000 RPM | | |
| **8.** | 818-554C | DECAL WARNING GEN SAFE CUTTER | | |
| **9.** | 818-560C | DECAL NOTICE TO OWNER-NO WARRA | Replace all items 8 to 13 with #12 & #21. | |
| **10.** | 818-556C | DECAL DANGER THROWN OBJ CUTTER | Replace all items 8 to 13 with #12 & #21. | |
| **11.** | 818-557C | DECAL DANGER CANNOT READ ENG | Replace all items 8 to 13 with #12 & #21. | |
| **12.** | 818-561C | DECAL DANGER RAISED WING HAZAR | Replace all items 8 to 13 with #12 & #21. | |
| **13.** | 818-555C | DECAL DANGER ROTATE BLADE | Replace all items 8 to 13 with #12 & #21. | |
| **14.** | 818-230C | DECAL RED REFLECTOR | Replace all items 8 to 13 with #12 & #21. | |
| **15.** | 818-162C | LP LOGO LARGE GREEN | (S/N 223427-) | |
| **16.** | 818-675C | DECAL RC5015 | (540 RPM) (S/N 156953<->223427) | |
| **16.** | 818-676C | DECAL RCM5015 | (1000 RPM) (S/N 156953<->223427) | |
| **16.** | 818-721C | DECAL RC6015 | (540 RPM)(S/N 223427-) | |
| **16.** | 818-724C | DECAL RCM6015 | (1000 RPM) | |
| **17.** | 818-229C | DECAL AMBER REFLECTOR | | |
| **18.** | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| **19.** | 818-680C | DECAL IMPORTANT - SLIP CLUTCH | (S/N 199434+) | |
| **20.** | 818-681C | DECAL NOTICE - 20 MPH MAX | | |
| **21.** | 818-830C | DECAL SAFETY COMBO SUNWEST | (S/N 216890+) | |
| **22.** | 818-564C | DECAL RC OSHA AG CHAIN GUARD | (S/N 216890+) | |
| **23.** | 818-903C | DECAL LANDPRIDE 19" - BROWN | (S/N 223428<->2925551) | |
| **24.** | 818-937C | DECAL RC5015-BROWN | (S/N 223428+) | |
| **24.** | 818-939C | DECAL RC6015-BROWN | (S/N 223428+) | |
| **24.** | 818-938C | DECAL RCM5015-BROWN | (S/N 223428+) | |
| **24.** | 818-940C | DECAL RCM6015-BROWN | (S/N 223428+) | |
| **25.** | 838-039C | DECAL RC5015-BEIGE | (S/N 223428+) | |
| **25.** | 838-047C | DECAL RC6015-BEIGE | (S/N 223428+) | |
| **25.** | 838-040C | DECAL RCM5015-BEIGE | (S/N 223428+) | |
| **25.** | 838-048C | DECAL RCM6015-BEIGE | (S/N 223428+) | |
| **26.** | 838-094C | DECAL WARNING HYD PRESS LONG | (S/N 223714+) | |
| **27.** | 818-840C | DECAL DANGER ROLLOVER HAZARD | | |
| **28.** | 838-243C | DECAL LANDPRIDE 30" BLACK | (S/N 292551+) Beige Unit | |
| **28.** | 838-642C | DECAL LANDPRIDE 34" LG | Green & Red Unit | |
| **29.** | 818-862C | DECAL 5 YEAR GEARBOX WARRANTY | | |

## *Label Placement (continued)*

**Applies to RCM5015, RCM6015**

| Ref | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| **30.** | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| **31.** | 818-680C | DECAL IMPORTANT - SLIP CLUTCH | | |
| **32.** | 838-588C | FOLDING CUTTER SPEED WARNING | | |

## *Label Placement (continued)*

**Applies to RCM5015, RCM6015**

***This Page Intentionally Left Blank***

# Baffle Shreader Kit

**Applies to RCM5015, RCM6015**




20659

# Baffle Shreader Kit

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg20659 | Drawing Image Number | | |
| | 318-311A | ASSY.BAFFLE/SHRD OMNI RC5015 | | |
| | 318-395A | ASSY.BAFFLE/SHRD COMER RC5015-6015 | | |
| | 318-436A | ASSY.BAFFLE/SHRD OMNI RC6015 | | |
| **1.** | 318-302H | WELDMENT BLADE CARRIER OMNI | (Shown)318-311A OMNI 5015 | |
| **1.** | 318-396H | WELDMENT BLADE CARRIER COMER | 318-395A COMER 5015 | |
| **1.** | 318-435H | WELDMENT BLADE CARRIER OMNI | 318-436A OMNI 6015 | |
| **2.** | 318-303H | WELDMENT CENTER BAFFLE LH. | | |
| **3.** | 318-346D | BAFFLE FRT. MOUNTING PLATE LH. | | |
| **4.** | 318-308D | BAFFLE REAR MOUNTING PLATE LH. | | |
| **5.** | 318-309D | BLADE BUSHING | | |
| **6.** | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | | |
| **7.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **8.** | 803-037C | NUT HEX WHIZ 1/2-13 PLT | | |
| **9.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **10.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | (Shown) Center Deck | |
| **10.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | Right Hand Deck | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | Left Hand Deck | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | (Shown) Center Deck | |
| **11.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | Right Hand & Left Deck | |

# *Shredder Kit Comer (S/N 235492+)*

**Applies to RCM5015, RCM6015**




23949

# *Shredder Kit Comer (S/N 235492+)*

**Applies to RCM5015, RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23949 | Drawing Image Number | | |
| | 318-949A | ASSY 50/6015 SHREDDER COMER * | | |
| **1.** | 318-309D | BLADE BUSHING | | |
| **2.** | 318-396H | WELDMENT BLADE CARRIER COMER | | |
| **3.** | 318-946S | ASSY CCW BLADES 59.5 COMER | | |
| **4.** | 318-947S | ASSY CCW BLADES 71.5 COMER | | |
| **5.** | 318-948S | ASSY CW BLADES 59.5 COMER | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# *Shredder Kit Omni (S/N 235491-)*

**Applies to RCM5015**




23950

# Shredder Kit Omni (S/N 235491-)

**Applies to RCM5015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23950 | Drawing Image Number | | |
| | 318-953A | ASSY 5015 SHREDDER OMNI<br>* | | |
| **1.** | 318-302H | WELDMENT BLADE CARRIER | | |
| **2.** | 318-309D | BLADE BUSHING | | |
| **3.** | 318-950S | ASSY CCW BLADES 59.5 OMNI 50 | | |
| **4.** | 318-951S | ASSY CCW BLADES 71.5 OMNI 50 | | |
| **5.** | 318-952S | ASSY CW BLADES 59.5 OMNI 50 | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# Shredder Kit Omni (S/N 235491-)

**Applies to RCM6015**




23951

# *Shredder Kit Omni (S/N 235491-)*

**Applies to RCM6015**

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|---|---|---|
| | dwg23951 | Drawing Image Number | | |
| | 318-957A | ASSY 6015 SHREDDER OMNI | | |
| | | * | | |
| **1.** | 318-309D | BLADE BUSHING | | |
| **2.** | 318-435H | WELDMENT BLADE CARRIER OMNI | | |
| **3.** | 318-954S | ASSY CCW BLADES 59.5 OMNI 60 | | |
| **4.** | 318-955S | ASSY CCW BLADES 71.5 OMNI 60 | | |
| **5.** | 318-956S | ASSY CW BLADES 59.5 OMNI 60 | | |
| **6.** | 802-680C | HHCS 1-8 X 4 1/2 PLT GR8 | | |
| **7.** | 803-168C | NUT HEX TOP LOCK 1-8 PLT | | |
| **8.** | 820-168C | CUTTER BLADE 1/2X4X29 CCW | | |
| **9.** | 820-169C | CUTTER BLADE 1/2X4X23 CCW | | |
| **10.** | 820-170C | CUTTER BLADE 1/2X4X23 CW | | |
| **11.** | 820-216C | CUTTER BLADE 1/2X4X28.5 FLAT | | |
| **12.** | 820-217C | CUTTER BLADE 1/2X4X22.5 FLAT | | |

# Part Number Index

The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.


| Part Number | Page |
|---|---|
| 0.121.7101.00 | 105, 109, 267, 271, 275 |
| 0.252.7525.00 | 105, 109, 267, 271, 275 |
| 0.285.7510.00 | 105, 109, 267, 271, 275 |
| 0.288.7101.00 | 20, 105, 109, 174, 267, 271, 275 |
| 0.305.0300.01 | 113, 279 |
| 0.305.1300.00 | 113, 279 |
| 0.305.2000.00 | 113, 279 |
| 0.305.3000.00 | 113, 279 |
| 0.305.5001.00 | 113, 279 |
| 0.305.6000.00 | 113, 279 |
| 0.709.7500.00 | 105, 109, 113, 267, 271, 275, 279 |
| 0.712.7500.00 | 105, 109, 267, 271, 275 |
| 010063 | 115, 281 |
| 010156 | 101, 261, 263 |
| 010157 | 103, 265 |
| 010167 | 101, 261, 263 |
| 010168 | 103, 265 |
| 010490 | 75 |
| 019519 | 223 |
| 020061 | 115, 281 |
| 020110 | 115, 281 |
| 020162 | 115, 281 |
| 020211 | 101, 261, 263 |
| 020212 | 103, 265 |
| 020466 | 75 |
| 020617 | 223 |
| 020672 | 69, 75, 223, 229, 231 |
| 030193 | 281 |
| 030194 | 281 |
| 030412 | 115 |
| 030413 | 115 |
| 030415 | 261, 263, 265 |
| 030416 | 261, 263, 265 |
| 030417 | 101, 103 |
| 030418 | 101, 103 |
| 040121 | 115, 281 |
| 040124 | 115, 281 |
| 040300 | 101, 103, 261, 263, 265 |
| 040301 | 101, 103 |
| 040312 | 101, 103, 261, 263, 265 |
| 040313 | 101, 103 |
| 040314 | 101, 103, 261, 263, 265 |
| 042454 | 87, 89, 245, 249 |
| 042459 | 87, 89, 245, 249 |
| 043489 | 87, 89, 245, 249 |
| 044321 | 63, 65, 67, 69, 71, 73, 93, 97, 217, 219, 221, 223, 225, 229, 231, 253, 257 |
| 045560 | 249 |
| 050008 | 115, 281 |
| 050012 | 115, 281 |
| 050013 | 115, 281 |
| 050014 | 115, 281 |
| 050015 | 115, 281 |
| 050200 | 101, 103, 261, 263, 265 |
| 050201 | 101, 103, 261, 263, 265 |
| 050202 | 101, 103, 261, 263, 265 |
| 050203 | 101, 103, 261, 263, 265 |
| 060020 | 115, 281 |
| 060051 | 101, 103, 115, 261, 263, 265, 281 |
| 060115 | 101, 103, 261, 263, 265 |
| 070057 | 115, 281 |
| 070058 | 115, 281 |
| 070140 | 115, 281 |
| 070141 | 115, 281 |
| 070142 | 115, 281 |
| 070151 | 115, 281 |
| 070240 | 101, 103, 261, 263, 265 |
| 070241 | 101, 103, 261, 263, 265 |
| 070242 | 101, 103, 261, 263, 265 |
| 084099 | 59, 65 |
| 087276 | 63, 69, 75, 97, 221, 223, 229, 231, 257 |
| 090003 | 115, 281 |
| 090144 | 101, 103 |
| 090145 | 101, 103, 261, 263, 265 |
| 090146 | 101, 103, 261, 263, 265 |
| 090147 | 101, 103, 261, 263, 265 |
| 090148 | 101, 103, 261, 263, 265 |
| 090149 | 101, 103, 261, 263, 265 |
| 090150 | 101, 103, 261, 263, 265 |
| 095758 | 223 |
| 097133 | 63, 97, 221, 257 |
| 097136 | 63 |
| 097140 | 61, 63, 69, 75, 97, 221, 229, 231, 257 |
| 099601 | 75 |
| 1.181.7101.00 | 105, 109, 267, 271, 275 |
| 1000604 | 81, 239 |
| 1000608 | 81, 239 |
| 1000618 | 81 |
| 1000619 | 239 |
| 1000621 | 239 |
| 1000630 | 81, 239 |
| 100114 | 101, 103, 261, 263, 265 |
| 100118 | 101, 103, 261, 263, 265 |
| 1004220 | 65, 67, 81, 239 |
| 1004225 | 79, 237 |
| 1004227 | 79, 237 |
| 1006020 | 59, 65, 67, 71, 73, 93, 95, 213, 217, 219, 225, 227, 253, 255 |
| 1006065 | 95, 227, 255 |
| 1006220 | 93, 95, 217, 219, 253, 255 |
| 1006827 | 79, 237 |
| 1006830 | 79, 237 |
| 1006831 | 79, 237 |
| 1006875 | 79 |
| 1006876 | 237 |
| 1016010 | 65, 67 |
| 1016015 | 217, 219 |
| 1016025 | 93, 95, 253, 255 |
| 1036025 | 65, 67, 71, 73, 217, 219, 225, 227 |
| 104810 | 69, 75, 229, 231 |
| 1106025 | 93, 95, 253, 255 |
| 1106525 | 59, 213 |
| 1138007 | 91, 247, 251 |
| 1138008 | 91, 247, 251 |
| 120025 | 115, 281 |
| 120092 | 13, 20, 101, 103, 167, 174, 261, 263, 265 |
| 120094 | 101, 103, 261, 263, 265 |
| 120095 | 20, 101, 103, 174, 261, 263, 265 |
| 12071-01 | 107, 111, 269, 273, 277 |
| 1215012 | 91, 247, 251 |
| 1215733 | 65, 71, 93, 217, 225, 253 |
| 1215735 | 65, 71, 93, 217, 219, 225, 253 |
| 1216233 | 67 |
| 12171-02 | 107, 111, 269, 273, 277 |
| 12171-03 | 107, 111, 269, 273, 277 |
| 12172-01 | 107, 111, 269, 273, 277 |
| 122.580.023.1 | 99, 259 |
| 122.580.501.1 | 233, 235 |
| 122.580.510.1 | 77 |
| 122.580.511.1 | 99, 259 |
| 122.981.002.1 | 233, 235 |
| 122.981.027.1 | 77 |
| 130002 | 101, 261, 263, 265 |
| 130021 | 115, 281 |
| 130030 | 115, 281 |
| 130556 | 119, 285 |
| 130560 | 121, 123, 127, 287, 289, 293 |
| 134953 | 119, 121, 285, 287 |
| 135995 | 119, 121, 285, 287 |
| 140017 | 101, 103, 261, 263, 265 |
| 140044 | 101, 103, 261, 263, 265 |
| 140046 | 115, 281 |
| 1406016 | 213, 247 |
| 141.026.357.1 | 57, 211 |
| 141.028.195.1 | 77, 99, 233, 235, 259 |
| 141.028.248.1 | 77, 233, 235 |
| 141.028.358.1 | 77 |
| 141.028.359.1 | 233 |
| 141.028.360.1 | 235 |
| 141.028.472.1 | 77, 233, 235 |
| 1422831412821 | 77 |
| 1422831442821 | 233, 235 |
| 1422831949821 | 99, 259 |
| 1422871029821 | 99, 259 |
| 1422871632821 | 77 |
| 1422871642821 | 233, 235 |
| 1446016 | 59, 91, 93, 95, 251, 253, 255 |
| 146.264.024.1 | 57, 83, 211, 241 |
| 146.284.020.1 | 85, 99, 243, 259 |
| 151.016.031.1 | 57, 211 |
| 151.016.037.1 | 83, 241 |
| 151.018.016.1 | 85, 243 |
| 151.018.228.1 | 83, 85, 241, 243 |
| 151.018.241.1 | 99, 259 |
| 1522805260710 | 233, 235 |
| 1522805320710 | 77 |
| 1522805450710 | 99, 259 |
| 1526085 | 65, 67, 217, 219 |
| 1526121 | 93, 95, 253, 255 |
| 1528014D | 59 |
| 1528085 | 65, 67, 217, 219 |
| 1528121 | 93, 95, 253, 255 |
| 1528304 | 59 |
| 1528305 | 213 |
| 1528901 | 93, 253 |
| 1546078 | 71, 73, 225, 227 |
| 1548078 | 71, 73, 225, 227 |
| 155.150.726 | 57, 211 |
| 158.018.470 | 77, 233, 235 |
| 165.000.548 | 83, 85, 241, 243 |
| 165.000.589 | 57, 77, 83, 85, 99, 211, 233, 235, 241, 243, 259 |
| 165.000.628 | 77, 233 |
| 165.000.629 | 235 |
| 165.000.694 | 77, 233, 235 |
| 165.000.785 | 77, 233, 235 |
| 16571-01 | 107, 111, 269, 273, 277 |
| 16571-03 | 107, 111, 269, 273, 277 |
| 16572-01 | 107, 269, 273, 277 |
| 168556 | 87, 89, 245, 249 |
| 170.016.630.1 | 57, 211 |
| 1700600 | 81, 239 |
| 1700601 | 81, 239 |
| 1700603 | 81, 239 |
| 1705009 | 91, 247, 251 |
| 1706027 | 59, 65, 67, 93, 95, 213, 217, 219, 253, 255 |
| 1706029 | 65, 67, 71, 73, 93, 95, 217, 219, 225, 227, 253, 255 |
| 1706033 | 91, 247, 251 |
| 1708016 | 91, 251 |
| 1708017 | 247 |
| 1708034 | 91, 251 |
| 1720602 | 81, 239 |
| 17271-01 | 269, 273, 277 |
| 17271-02 | 269, 273, 277 |
| 17271-03 | 107, 111 |
| 17271-04 | 107, 111 |
| 172758 | 223 |

# Part Number Index (continued)


| Part Number | Page |
|---|---|
| 1786008 | 67, 73, 95, 219, 227, 255 |
| 1786009 | 67, 73, 95, 219, 227, 255 |
| 1786527 | 71, 73, 225, 227 |
| 1786710 | 65, 71, 93, 217, 225, 253 |
| 1786711 | 65, 71, 93, 217, 225, 253 |
| 17871-01 | 107, 111, 269, 273, 277 |
| 180.014.022 | 83, 85, 241, 243 |
| 180.014.240 | 77, 99, 233, 235, 259 |
| 180.016.025 | 77, 99, 233, 235, 259 |
| 180.016.130 | 57, 211 |
| 180.018.004 | 77, 99, 233, 235, 259 |
| 180.018.158 | 77, 233, 235 |
| 180.018.251 | 77, 99, 233, 235, 259 |
| 180.018.252 | 77, 99, 233, 235, 259 |
| 180.018.393 | 77, 99, 233, 235, 259 |
| 180.018.437 | 77, 99, 233, 235, 259 |
| 180.018.567 | 77, 233, 235 |
| 180.019.014 | 83, 85, 241, 243 |
| 180.019.018 | 83, 85, 241, 243 |
| 180.019.019 | 83, 85, 241, 243 |
| 180.019.115 | 83, 85, 241, 243 |
| 180.019.116.1 | 83, 85, 241, 243 |
| 1808010 | 91, 247, 251 |
| 186397 | 87, 245 |
| 186561 | 119, 123, 285, 289 |
| 186562 | 121, 127, 287, 293 |
| 1874070 | 73, 227 |
| 1874077 | 67, 219 |
| 1874113 | 95, 255 |
| 1875070 | 73, 227 |
| 1875077 | 67, 219 |
| 1875113 | 95, 255 |
| 1876068 | 71, 225 |
| 1876075 | 65, 217 |
| 1876111 | 93, 253 |
| 1876901 | 93, 253 |
| 1877068 | 71, 225 |
| 1877075 | 65, 217 |
| 1877111 | 93, 253 |
| 1877901 | 93, 253 |
| 1885702 | 71, 93, 225, 253 |
| 1885703 | 65, 71, 93, 217, 225, 253 |
| 1885709 | 65, 71, 93, 217, 225, 253 |
| 1886010 | 67, 95, 219, 255 |
| 1886011 | 67, 73, 95, 219, 227, 255 |
| 1886012 | 73, 95, 227, 255 |
| 1886013 | 67, 73, 95, 219, 227, 255 |
| 1886322 | 73, 227 |
| 1886528 | 71, 73, 225, 227 |
| 190.000.016 | 57, 211 |
| 190.000.243 | 77, 99, 233, 235, 259 |
| 193839 | 215 |
| 1A1141 | 131, 297 |
| 1D0005-1450 | 135, 139, 301, 305 |
| 1D0009-1050 | 131, 297 |
| 1D0205-1262 | 131, 297 |
| 1D0206-1675 | 135, 139, 301, 305 |
| 1D1003-5 | 131, 135, 139, 297, 301, 305 |
| 1D1155-17 | 135, 139, 301, 305 |
| 1D1159-4 | 131, 297 |
| 1D1401-250 | 135, 139, 301, 305 |
| 1D1401-350 | 131, 297 |
| 1D1505-3 | 135, 139, 301, 305 |
| 1D1509-4 | 131, 297 |
| 1D1551-16275 | 131, 135, 139, 297, 301, 305 |
| 1M6010 | 125, 129, 133, 137, 141, 291, 295, 299, 303, 307 |
| 200-001D | 27, 29, 31, 33, 35, 37, 39, 181, 183, 185, 187, 189, 191, 193 |
| 200003 | 115, 281 |
| 200127 | 101, 103, 261, 263, 265 |
| 2030212 | 107, 111, 269, 273, 277 |
| 2032209 | 107, 111, 269, 273, 277 |
| 240274 | 101, 103, 261, 263, 265 |
| 2732210 | 107, 111, 269, 273, 277 |
| 292003 | 127, 293 |
| 294753 | 123, 127, 289, 293 |
| 2A0006 | 125, 129, 133, 137, 141, 291, 295, 299, 303, 307 |
| 2A0012 | 125, 129, 133, 137, 141, 291, 295, 299, 303, 307 |
| 2A0014 | 125, 129, 141, 291, 295, 307 |
| 2A0016 | 133, 299 |
| 2A0022 | 137, 303 |
| 2A0024 | 125, 129, 133, 141, 291, 295, 299, 307 |
| 2A0079-616 | 131, 135, 139, 297, 301, 305 |
| 2A0132 | 133, 137, 141, 299, 303, 307 |
| 2A0208 | 133, 137, 141, 299, 303, 307 |
| 2A0235-6 | 131, 135, 139, 297, 301, 305 |
| 2A0236-9 | 131, 297 |
| 2A0246-12 | 135, 139, 301, 305 |
| 2A0308-1 | 131, 135, 139, 297, 301, 305 |
| 2A0578-1675 | 135, 139, 301, 305 |
| 2A0581-1325 | 131, 297 |
| 2M3418 | 137, 303 |
| 2M4416 | 125, 129, 291, 295 |
| 2M4418 | 141, 307 |
| 2M5416 | 133, 299 |
| 30210025 | 107, 111, 269, 273, 277 |
| 304011 | 61, 63, 69, 75, 87, 97, 215, 221, 223, 229, 231, 245, 257 |
| 304046 | 61, 63, 69, 75, 97, 215, 221, 229, 231, 257 |
| 304065 | 87, 245 |
| 304123 | 75 |
| 312-075D | 11, 165 |
| 312-082D | 11, 165 |
| 312-089D | 11, 165 |
| 312-151S | 27, 31, 37, 181, 185, 191 |
| 312-315A | 147, 313 |
| 312-316A | 145, 311 |
| 312-399H | 20, 174 |
| 312-400H | 20, 174 |
| 312-611D | 13, 167 |
| 312-808D | 11, 165 |
| 312-812D | 15, 20, 169, 174 |
| 312-812D81 | 15, 20, 169, 174 |
| 312-812D83 | 15, 20, 169, 174 |
| 312209 | 61, 63, 69, 75, 97, 215, 221, 229, 231, 257 |
| 312410 | 223 |
| 318-001H | 13, 167 |
| 318-002H | 19, 173 |
| 318-003H | 19, 173 |
| 318-004H | 23, 177 |
| 318-005H | 23, 177 |
| 318-006H | 23, 177 |
| 318-007H | 23, 177 |
| 318-008H | 23, 177 |
| 318-009H | 27, 181 |
| 318-010H | 37, 191 |
| 318-011H | 37, 191 |
| 318-012H | 11, 165 |
| 318-015H | 13, 167 |
| 318-016H | 13, 167 |
| 318-017H | 25, 179 |
| 318-018H | 25, 179 |
| 318-019H | 13, 167 |
| 318-026L | 13 |
| 318-029L | 167 |
| 318-040D | 25, 179 |
| 318-043A | 31, 185 |
| 318-044A | 31, 185 |
| 318-045A | 31, 185 |
| 318-048K | 41, 195 |
| 318-052L | 23, 177 |
| 318-053L | 23, 177 |
| 318-054L | 23, 177 |
| 318-055L | 25, 179 |
| 318-057K | 41, 195 |
| 318-058K | 41, 195 |
| 318-060K | 53, 207 |
| 318-061K | 53, 207 |
| 318-062K | 41, 43, 195, 197 |
| 318-063K | 41, 43, 195, 197 |
| 318-064K | 53, 55, 207, 209 |
| 318-065K | 47, 201 |
| 318-066K | 47, 201 |
| 318-068K | 53, 207 |
| 318-069K | 53, 207 |
| 318-070K | 47, 49, 201, 203 |
| 318-071K | 47, 49, 201, 203 |
| 318-072K | 53, 55, 207, 209 |
| 318-073S | 13 |
| 318-078S | 11, 13, 165, 167 |
| 318-079S | 11, 165 |
| 318-080S | 11, 165 |
| 318-081H | 31, 185 |
| 318-082S | 167 |
| 318-085D | 27, 31, 181, 185 |
| 318-086D | 19, 173 |
| 318-086D81 | 19, 173 |
| 318-086D83 | 19, 173 |
| 318-087D | 19, 173 |
| 318-087D81 | 19, 173 |
| 318-087D82 | 19 |
| 318-087D83 | 173 |
| 318-088K | 41, 195 |
| 318-089K | 41, 195 |
| 318-090K | 41, 195 |
| 318-092K | 53, 207 |
| 318-093K | 53, 207 |
| 318-094K | 41, 43, 195, 197 |
| 318-095K | 41, 43, 195, 197 |
| 318-096D | 20, 174 |
| 318-096K | 53, 55, 207, 209 |
| 318-097D | 41, 195 |
| 318-097K | 47, 201 |
| 318-098D | 41, 195 |
| 318-098H | 13, 15, 167, 169 |
| 318-099H | 13, 15, 167, 169 |
| 318-100D | 53, 207 |
| 318-101A | 153, 319 |
| 318-101D | 53, 207 |
| 318-102A | 153, 319 |
| 318-102D | 41, 43, 195, 197 |
| 318-103D | 41, 43, 195, 197 |
| 318-104D | 53, 55, 207, 209 |
| 318-105D | 41, 43, 47, 49, 195, 197, 201, 203 |
| 318-106D | 53, 207 |
| 318-107D | 41, 43, 47, 49, 53, 55, 195, 197, 201, 203, 207, 209 |
| 318-108D | 41, 47, 195, 201 |
| 318-109D | 53, 207 |
| 318-111D | 11, 165 |
| 318-113D | 41, 195 |
| 318-114D | 13, 15, 167, 169 |
| 318-116D | 47, 201 |
| 318-117D | 47, 201 |
| 318-119D | 53, 207 |
| 318-120D | 53, 207 |
| 318-121D | 47, 49, 201, 203 |
| 318-122D | 47, 49, 201, 203 |
| 318-123D | 53, 55, 207, 209 |
| 318-124D | 47, 201 |
| 318-125D | 41, 195 |
| 318-126D | 41, 43, 195, 197 |
| 318-127D | 41, 43, 195, 197 |
| 318-128D | 53, 55, 207, 209 |
| 318-129D | 41, 43, 53, 55, 195, 197, 207, 209 |

# Part Number Index (continued)


| Part Number | Page |
|---|---|
| 318-130D | 53, 207 |
| 318-131D | 41, 43, 53, 195, 197, 207 |
| 318-132D | 41, 195 |
| 318-133D | 41, 195 |
| 318-134D | 41, 195 |
| 318-136D | 53, 207 |
| 318-137D | 53, 207 |
| 318-138D | 41, 195 |
| 318-139D | 41, 195 |
| 318-140D | 53, 207 |
| 318-141D | 47, 201 |
| 318-142D | 47, 201 |
| 318-143D | 43, 45, 47, 49, 51, 197, 199, 201, 203, 205 |
| 318-145H | 15, 169 |
| 318-146H | 15, 169 |
| 318-149H | 15, 169 |
| 318-150H | 19, 173 |
| 318-151H | 19, 173 |
| 318-159S | 11, 165 |
| 318-161S | 11, 165 |
| 318-163S | 11, 165 |
| 318-164H | 11, 165 |
| 318-165V | 11, 165 |
| 318-167D | 16, 170 |
| 318-169H | 15, 169 |
| 318-170D | 20, 174 |
| 318-170D81 | 20, 174 |
| 318-170D83 | 20, 174 |
| 318-170H | 15, 169 |
| 318-171D | 20, 174 |
| 318-171D81 | 20, 174 |
| 318-171D83 | 20, 174 |
| 318-171K | 53, 207 |
| 318-172K | 53, 207 |
| 318-173K | 53, 207 |
| 318-174K | 53, 207 |
| 318-175K | 53, 207 |
| 318-176K | 53, 207 |
| 318-180D | 53, 207 |
| 318-181D | 53, 207 |
| 318-183A | 153, 319 |
| 318-183D | 53, 207 |
| 318-184A | 153, 319 |
| 318-184D | 53, 207 |
| 318-185D | 53, 207 |
| 318-186D | 53, 207 |
| 318-188H | 27, 31, 181, 185 |
| 318-189H | 37, 191 |
| 318-190D | 11, 165 |
| 318-190H | 37, 191 |
| 318-256H | 151, 317 |
| 318-271A | 151, 317 |
| 318-302H | 157, 161, 323, 327 |
| 318-303H | 157, 323 |
| 318-308D | 157, 323 |
| 318-309D | 157, 159, 161, 163, 323, 325, 327, 329 |
| 318-311A | 157, 323 |
| 318-316A | 143, 309 |
| 318-317H | 19, 173 |
| 318-317H81 | 19, 173 |
| 318-317H82 | 173 |
| 318-317H83 | 19 |
| 318-318H | 19, 173 |
| 318-318H81 | 19, 173 |
| 318-318H83 | 19, 173 |
| 318-319K | 43, 45, 197, 199 |
| 318-320K | 43, 45, 197, 199 |
| 318-321K | 43, 45, 197, 199 |
| 318-322D | 16, 170 |
| 318-322K | 55, 209 |
| 318-323K | 55, 209 |
| 318-324K | 49, 51, 203, 205 |
| 318-325K | 49, 51, 203, 205 |
| 318-326K | 49, 51, 203, 205 |
| 318-327D | 55, 209 |
| 318-327K | 55, 209 |
| 318-328D | 55, 209 |
| 318-328K | 55, 209 |
| 318-329D | 43, 45, 197, 199 |
| 318-330D | 43, 45, 197, 199 |
| 318-331D | 43, 45, 197, 199 |
| 318-334K | 43, 45, 197, 199 |
| 318-335D | 20, 174 |
| 318-335D81 | 20 |
| 318-335D83 | 20 |
| 318-335K | 43, 45, 197, 199 |
| 318-336D | 55, 209 |
| 318-336K | 43, 45, 197, 199 |
| 318-337D | 43, 45, 49, 51, 197, 199, 203, 205 |
| 318-337K | 55, 209 |
| 318-338K | 55, 209 |
| 318-339D | 49, 51, 203, 205 |
| 318-339H | 19, 173 |
| 318-339H81 | 19, 173 |
| 318-339H83 | 19, 173 |
| 318-340D | 49, 51, 203, 205 |
| 318-340H | 19, 173 |
| 318-340H81 | 19, 173 |
| 318-340H83 | 19, 173 |
| 318-341D | 49, 51, 203, 205 |
| 318-342D | 55, 209 |
| 318-343D | 55, 209 |
| 318-346D | 157, 323 |
| 318-355D | 43, 45, 197, 199 |
| 318-356D | 43, 45, 197, 199 |
| 318-357D | 43, 45, 197, 199 |
| 318-358D | 43, 45, 197, 199 |
| 318-359D | 55, 209 |
| 318-363H | 11, 165 |
| 318-364H | 11, 165 |
| 318-365S | 11, 165 |
| 318-366S | 11, 165 |
| 318-367S | 11, 165 |
| 318-368V | 11, 165 |
| 318-369S | 11, 165 |
| 318-370S | 11, 165 |
| 318-371S | 11, 165 |
| 318-374H | 15, 169 |
| 318-375H | 15, 169 |
| 318-395A | 157, 323 |
| 318-396H | 157, 159, 323, 325 |
| 318-400H | 20, 174 |
| 318-401H | 15, 20, 169, 174 |
| 318-435H | 157, 163, 323, 329 |
| 318-436A | 157, 323 |
| 318-568H | 15, 169 |
| 318-568H81 | 15, 169 |
| 318-568H83 | 16, 170 |
| 318-570H | 23, 177 |
| 318-571H | 33, 35, 187, 189 |
| 318-573H | 33, 35, 187, 189 |
| 318-576H | 37, 39, 191, 193 |
| 318-583H | 37, 39, 191, 193 |
| 318-586A | 11, 165 |
| 318-607D | 45, 199 |
| 318-608D | 51, 205 |
| 318-620D | 45, 51, 199, 205 |
| 318-623H | 27, 29, 31, 181, 183, 185 |
| 318-632K | 45, 199 |
| 318-633K | 51, 205 |
| 318-644D | 45, 199 |
| 318-645D | 45, 199 |
| 318-692H | 15, 169 |
| 318-692H81 | 15, 169 |
| 318-692H83 | 15, 169 |
| 318-704K | 45, 199 |
| 318-855H | 33, 187 |
| 318-885H | 15, 169 |
| 318-885H81 | 15, 169 |
| 318-885H83 | 15, 169 |
| 318-886H | 19, 173 |
| 318-886H81 | 19, 173 |
| 318-886H83 | 19, 173 |
| 318-887H | 19, 173 |
| 318-887H81 | 19, 173 |
| 318-887H83 | 19, 173 |
| 318-931H | 16, 170 |
| 318-931H81 | 16, 170 |
| 318-931H83 | 16, 170 |
| 318-932H | 19, 173 |
| 318-932H81 | 19, 173 |
| 318-932H82 | 173 |
| 318-932H83 | 19 |
| 318-941H | 19, 173 |
| 318-941H81 | 19, 173 |
| 318-941H83 | 19, 173 |
| 318-946S | 159, 325 |
| 318-947S | 159, 325 |
| 318-948S | 159, 325 |
| 318-949A | 159, 325 |
| 318-950S | 161, 327 |
| 318-951S | 161, 327 |
| 318-952S | 161, 327 |
| 318-953A | 161, 327 |
| 318-954S | 163, 329 |
| 318-955S | 163, 329 |
| 318-956S | 163, 329 |
| 318-957A | 163, 329 |
| 318-966H | 35, 189 |
| 321256 | 63, 221 |
| 323524 | 97, 257 |
| 324822 | 87, 89, 245, 249 |
| 325027 | 61, 63, 69, 97, 215, 221, 229, 231, 257 |
| 330-297A | 91, 251 |
| 330162 | 231 |
| 331053 | 223 |
| 331573 | 69, 75, 229, 231 |
| 333645 | 221 |
| 3360313 | 73, 227 |
| 339107 | 63 |
| 34007036 | 107, 111, 269, 273, 277 |
| 34021010 | 107, 111, 269, 273, 277 |
| 341586 | 223 |
| 342221 | 223 |
| 351793 | 87, 245 |
| 355155 | 63, 69, 75, 97, 221, 223, 229, 231, 257 |
| 355527 | 69, 75 |
| 362430 | 221 |
| 363617 | 69, 75 |
| 363696 | 229 |
| 363729 | 231 |
| 364915 | 69, 75, 221, 229, 231 |
| 365305 | 63, 69, 75, 97, 221, 223, 229, 231, 257 |
| 365722 | 223 |
| 365725 | 69, 75, 229, 231 |
| 377341 | 223 |
| 377437 | 63, 75, 97, 221, 257 |
| 377442 | 63, 69, 229, 231 |
| 380371 | 63, 69, 75, 97, 221, 223, 229, 231, 257 |
| 380883 | 223 |
| 381367 | 229 |
| 381495 | 87, 89, 245, 249 |
| 381908 | 223 |
| 381957 | 87, 89, 245, 249 |
| 382223 | 97, 257 |
| 382437 | 223 |
| 382647 | 223 |
| 383805 | 87, 97, 245, 257 |
| 384316 | 69, 75, 229, 231 |
| 386048 | 69, 75, 229, 231 |
| 386083 | 223 |
| 386560 | 231 |
| 386561 | 69, 75 |
| 387097 | 229 |
| 387723 | 231 |
| 387767 | 97, 257 |
| 387768 | 221 |
| 388141 | 69, 75 |
| 388204 | 229 |
| 388698 | 69, 75 |
| 388957 | 63, 221 |
| 389850 | 63, 221 |
| 389851 | 223 |
| 390257 | 63, 221 |
| 391239 | 75 |
| 391358 | 89, 249 |
| 391359 | 215, 249 |
| 391406 | 229 |
| 391409 | 221 |
| 391410 | 221 |
| 391639 | 231 |
| 391707 | 97, 257 |
| 391708 | 61, 89 |
| 391709 | 61 |
| 394526 | 69 |
| 3M3406 | 137, 303 |
| 3M4410 | 141, 307 |
| 3M4412 | 125, 129, 291, 295 |
| 3M5408 | 133, 299 |
| 491672 | 119, 285 |
| 491738 | 127, 293 |
| 491742 | 123, 289 |
| 491798 | 121, 287 |
| 492222 | 119, 285 |
| 492278 | 127, 293 |
| 492282 | 123, 289 |
| 492338 | 121, 287 |
| 492647 | 119, 285 |
| 492650 | 119, 285 |

# Part Number Index (continued)


| Part Number | Page |
|---|---|
| 492652 | 121, 123, 287, 289 |
| 492670 | 127, 293 |
| 492675 | 127, 293 |
| 492676 | 121, 287 |
| 492677 | 121, 287 |
| 492688 | 119, 285 |
| 492700 | 121, 287 |
| 492721 | 123, 289 |
| 492722 | 123, 289 |
| 492724 | 119, 285 |
| 492870 | 123, 289 |
| 493211 | 127, 293 |
| 493830 | 127, 293 |
| 494754 | 121, 287 |
| 494768 | 119, 285 |
| 4M3102 | 137, 303 |
| 4M4104 | 125, 129, 141, 291, 295, 307 |
| 4M5102 | 133, 299 |
| 5M3120 | 137, 303 |
| 5M4116 | 125, 129, 291, 295 |
| 5M4120 | 141, 307 |
| 5M5116 | 133, 299 |
| 6037012 | 107, 111, 269, 273, 277 |
| 6040820 | 81, 239 |
| 6100085 | 107, 111, 269, 273, 277 |
| 6141280 | 59, 213 |
| 6204585 | 107, 111, 269, 273, 277 |
| 6206011 | 107, 111, 269, 273, 277 |
| 6280313 | 71, 225 |
| 6310085 | 107, 111, 269, 273, 277 |
| 6320050 | 107, 111, 269, 273, 277 |
| 6331070 | 65, 71, 93, 217, 225, 253 |
| 6331080 | 59, 65, 67, 71, 73, 93, 95, 213, 217, 219, 225, 227, 253, 255 |
| 6340680 | 107, 111, 269, 273, 277 |
| 6402608 | 81, 239 |
| 6410112 | 59, 213 |
| 6410114 | 93, 95, 253, 255 |
| 6412112 | 59, 213 |
| 6412114 | 93, 95, 253, 255 |
| 645004 | 119, 285 |
| 645599 | 123, 127, 289, 293 |
| 6481600 | 107, 111, 269, 273, 277 |
| 648411 | 121, 287 |
| 65316-10 | 107, 111, 269, 273, 277 |
| 6560006 | 81, 93, 239, 253 |
| 6560508 | 65, 67, 71, 73, 93, 95, 213, 217, 219, 225, 227, 253, 255 |
| 6691010 | 91, 251 |
| 6691080 | 247 |
| 6761280 | 59, 213 |
| 6761480 | 93, 95, 253, 255 |
| 6821483 | 65, 67, 71, 73, 217, 219, 225, 227, 247 |
| 6821484 | 91, 247, 251 |
| 6M3118 | 137, 303 |
| 6M4152 | 141, 307 |
| 6M4166 | 125, 129, 291, 295 |
| 6M5142 | 133, 299 |
| 702351 | 75 |
| 702352 | 61, 63, 69, 97, 215, 221, 223, 229, 231, 257 |
| 7106622 | 71, 73, 79 |
| 7106632 | 225, 227, 237 |
| 7600602 | 71, 73, 81 |
| 7600621 | 225, 227, 239 |
| 7M3320 | 137, 303 |
| 7M4316 | 125, 129, 291, 295 |
| 7M4320 | 141, 307 |
| 7M5316 | 133, 299 |
| 8.0.9.00079 | 105, 109, 267, 271, 275 |
| 8.0.9.00143 | 105, 109, 113, 267, 271, 275, 279 |
| 8.0.9.01090 | 105, 109, 267, 271, 275 |
| 8.1.1.00109 | 113, 279 |
| 8.1.1.00501 | 105, 109, 267, 271, 275 |
| 8.2.2.00560 | 20, 105, 109, 174, 267, 271, 275 |
| 8.4.7.01045 | 105, 109, 267, 271, 275 |
| 8.4.7.02265 | 105, 109, 267, 271, 275 |
| 8.5.1.00533 | 105, 109, 267, 271, 275 |
| 8.5.2.00332 | 105, 109, 267, 271, 275 |
| 8.5.2.01772 | 113, 279 |
| 8.6.5.00006 | 105, 109, 267, 271, 275 |
| 8.6.6.00201 | 113, 279 |
| 8.6.7.00269 | 113, 279 |
| 8.7.1.02349 | 105, 109, 267, 271, 275 |
| 8.7.3.00331 | 105, 109, 113, 267, 271, 275, 279 |
| 800-001C | 25, 27, 31, 33, 37, 179, 181, 185, 187, 191 |
| 800-080C | 23, 27, 29, 31, 35, 39, 177, 181, 183, 185, 189, 193 |
| 800-094C | 117, 283 |
| 800-117C | 149, 315 |
| 800-130C | 25, 179 |
| 800-306C | 117, 283 |
| 801-023C | 119, 121, 123, 127, 285, 287, 289, 293 |
| 802-005C | 16, 170 |
| 802-007C | 13, 15, 20, 167, 169, 174 |
| 802-015C | 45, 199 |
| 802-017C | 16, 41, 43, 45, 49, 51, 101, 103, 170, 195, 197, 199, 203, 205, 261, 263, 265 |
| 802-022C | 25, 179 |
| 802-023C | 151, 317 |
| 802-032C | 13, 15, 167, 169 |
| 802-053C | 151, 317 |
| 802-058C | 16, 170 |
| 802-064C | 13, 15, 20, 167, 169, 174 |
| 802-065C | 11, 165 |
| 802-070C | 16, 170 |
| 802-073C | 25, 37, 39, 179, 191, 193 |
| 802-074C | 23, 177 |
| 802-075C | 35, 189 |
| 802-079C | 101, 103, 115, 261, 263, 265, 281 |
| 802-096C | 23, 177 |
| 802-099C | 27, 29, 31, 33, 35, 37, 39, 181, 183, 185, 187, 189, 191, 193 |
| 802-104C | 27, 31, 37, 181, 185, 191 |
| 802-106C | 19, 53, 55, 173, 207, 209 |
| 802-110C | 23, 27, 29, 31, 33, 35, 177, 181, 183, 185, 187, 189 |
| 802-135C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 802-155C | 41, 43, 45, 53, 55, 195, 197, 199, 207, 209 |
| 802-159C | 13, 167 |
| 802-172C | 25, 179 |
| 802-184C | 13, 15, 167, 169 |
| 802-205C | 25, 27, 29, 31, 33, 35, 179, 181, 183, 185, 187, 189 |
| 802-214C | 19, 41, 43, 45, 47, 49, 51, 53, 55, 157, 173, 195, 197, 199, 201, 203, 205, 207, 209, 323 |
| 802-235C | 13, 15, 23, 25, 27, 31, 167, 169, 177, 179, 181, 185 |
| 802-258C | 13, 16, 167, 170 |
| 802-277C | 11, 165 |
| 802-314C | 15, 169 |
| 802-326C | 27, 31, 37, 181, 185, 191 |
| 802-357C | 33, 37, 39, 187, 191, 193 |
| 802-456C | 15, 169 |
| 802-466C | 20, 174 |
| 802-585C | 41, 43, 45, 47, 49, 51, 195, 197, 199, 201, 203, 205 |
| 802-629C | 13, 167 |
| 802-649C | 25, 179 |
| 802-680C | 157, 159, 161, 163, 323, 325, 327, 329 |
| 802-779C | 29, 35, 39, 183, 189, 193 |
| 803-008C | 25, 179 |
| 803-013C | 16, 151, 170, 317 |
| 803-014C | 25, 119, 179, 285 |
| 803-017C | 27, 29, 31, 37, 39, 181, 183, 185, 191, 193 |
| 803-019C | 27, 29, 31, 33, 35, 37, 39, 181, 183, 185, 187, 189, 191, 193 |
| 803-020C | 123, 127, 289, 293 |
| 803-022C | 121, 287 |
| 803-026C | 13, 19, 167, 173 |
| 803-029C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 803-037C | 13, 15, 19, 41, 43, 45, 47, 49, 51, 53, 55, 157, 167, 169, 173, 195, 197, 199, 201, 203, 205, 207, 209, 323 |
| 803-053C | 29, 35, 39, 183, 189, 193 |
| 803-075C | 23, 177 |
| 803-168C | 13, 15, 23, 25, 27, 29, 31, 33, 35, 37, 39, 157, 159, 161, 163, 167, 169, 177, 179, 181, 183, 185, 187, 189, 191, 193, 323, 325, 327, 329 |
| 803-170C | 11, 165 |
| 803-181C | 11, 165 |
| 803-198C | 20, 41, 43, 45, 47, 49, 51, 53, 55, 174, 195, 197, 199, 201, 203, 205, 207, 209 |
| 803-231C | 13, 15, 20, 167, 169, 174 |
| 803-255C | 16, 170 |
| 803-265C | 23, 177 |
| 803-266C | 25, 179 |
| 803-271C | 16, 151, 170, 317 |
| 803-299C | 15, 169 |
| 803-308C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 803-310C | 29, 35, 39, 183, 189, 193 |
| 804-007C | 16, 170 |
| 804-009C | 13, 15, 20, 25, 167, 169, 174, 179 |
| 804-010C | 13, 15, 20, 167, 169, 174 |
| 804-011C | 151, 317 |
| 804-012C | 13, 15, 20, 167, 169, 174 |

# Part Number Index (continued)


| Part Number | Page |
|---|---|
| 804-013C | 13, 15, 20, 25, 103, 115, 151, 167, 169, 174, 179, 281, 317 |
| 804-015C | 13, 15, 27, 31, 37, 167, 169, 181, 185, 191 |
| 804-016C | 13, 16, 27, 31, 37, 167, 170, 181, 185, 191 |
| 804-019C | 151, 317 |
| 804-023C | 13, 15, 167, 169 |
| 804-025C | 23, 177 |
| 804-028C | 16, 23, 170, 177 |
| 804-029C | 25, 33, 35, 179, 187, 189 |
| 804-055C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 804-147C | 11, 165 |
| 804-169C | 13, 167 |
| 804-216C | 29, 35, 39, 183, 189, 193 |
| 805-016C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 805-045C | 16, 170 |
| 805-083C | 23, 177 |
| 805-088C | 25, 179 |
| 805-104C | 25, 179 |
| 805-105C | 13, 20, 167, 174 |
| 805-109C | 23, 177 |
| 805-146C | 33, 35, 187, 189 |
| 805-246C | 29, 35, 39, 183, 189, 193 |
| 805-309C | 16, 170 |
| 807-023C | 13, 15, 167, 169 |
| 807-143C | 13, 15, 167, 169 |
| 810-015C | 125, 129, 141, 291, 295, 307 |
| 810-146C | 131, 297 |
| 810-149C | 133, 299 |
| 810-150C | 119, 135, 137, 149, 285, 301, 303, 315 |
| 810-152C | 145, 311 |
| 810-162C | 117, 121, 131, 133, 283, 287, 297, 299 |
| 810-167C | 147, 313 |
| 810-177C | 137, 139, 303, 305 |
| 810-178C | 135, 139, 301, 305 |
| 810-195C | 117, 129, 283, 295 |
| 810-312C | 123, 139, 141, 149, 289, 305, 307, 315 |
| 810-317C | 117, 283 |
| 810-402C | 147, 313 |
| 810-624C | 125, 127, 291, 293 |
| 811-008C | 147, 313 |
| 811-021C | 145, 311 |
| 811-063C | 117, 283 |
| 811-088C | 145, 311 |
| 811-290C | 147, 313 |
| 811-309C | 149, 315 |
| 811-315C | 143, 309 |
| 811-337C | 149, 315 |
| 811-356C | 149, 315 |
| 811-358C | 145, 147, 311, 313 |
| 811-359C | 147, 313 |
| 811-360C | 145, 147, 311, 313 |
| 811-394C | 117, 143, 149, 283, 309, 315 |
| 811-619C | 117, 283 |
| 811-633C | 143, 149, 309, 315 |
| 814-059C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 814-066C | 27, 31, 37, 181, 185, 191 |
| 814-086C | 27, 31, 37, 181, 185, 191 |
| 814-087C | 27, 31, 37, 181, 185, 191 |
| 814-088C | 27, 31, 37, 181, 185, 191 |
| 814-089C | 27, 31, 37, 181, 185, 191 |
| 814-151C | 27, 31, 37, 181, 185, 191 |
| 814-189C | 27, 31, 37, 181, 185, 191 |
| 814-201C | 27, 31, 37, 181, 185, 191 |
| 814-202C | 27, 31, 37, 181, 185, 191 |
| 814-203C | 27, 31, 37, 181, 185, 191 |
| 814-204C | 27, 31, 37, 181, 185, 191 |
| 814-205C | 27, 31, 37, 181, 185, 191 |
| 814-262C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 814-263C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 814-265C | 29, 35, 39, 183, 189, 193 |
| 814-266C | 27, 31, 33, 35, 37, 181, 185, 187, 189, 191 |
| 814-267C | 27, 31, 33, 35, 37, 181, 185, 187, 189, 191 |
| 814-268C | 27, 31, 33, 35, 37, 181, 185, 187, 189, 191 |
| 814-284C | 29, 39, 183, 193 |
| 814-285C | 29, 35, 39, 183, 189, 193 |
| 814-288C | 29, 35, 39, 183, 189, 193 |
| 814-295C | 29, 39, 183, 193 |
| 814-296C | 29, 39, 183, 193 |
| 814-297C | 29, 39, 183, 193 |
| 815-093C | 27, 31, 37, 181, 185, 191 |
| 815-108C | 31, 37, 185, 191 |
| 815-109C | 27, 37, 181, 191 |
| 815-140C | 31, 185 |
| 815-141C | 27, 181 |
| 815-199C | 33, 187 |
| 815-230C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 815-237C | 39, 193 |
| 815-238C | 39, 193 |
| 815-240C | 29, 183 |
| 815-241C | 35, 189 |
| 815-243C | 29, 35, 39, 183, 189, 193 |
| 816-098C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 816-244C | 41, 43, 195, 197 |
| 816-245C | 41, 43, 195, 197 |
| 816-246C | 53, 55, 207, 209 |
| 816-247C | 41, 195 |
| 816-248C | 41, 195 |
| 816-249C | 53, 207 |
| 816-250C | 53, 207 |
| 816-349C | 43, 45, 197, 199 |
| 816-350C | 43, 45, 197, 199 |
| 816-351C | 55, 209 |
| 816-448C | 45, 199 |
| 816-481C | 16, 170 |
| 816-497C | 29, 35, 39, 183, 189, 193 |
| 817-259C | 16, 20, 170, 174 |
| 817-416C | 15, 169 |
| 818-045C | 153, 319 |
| 818-130C | 153, 319 |
| 818-162C | 153, 319 |
| 818-163C | 153, 319 |
| 818-190C | 153, 319 |
| 818-229C | 153, 319 |
| 818-230C | 153, 319 |
| 818-240C | 153, 319 |
| 818-276C | 153, 319 |
| 818-540C | 63, 65, 67, 69, 71, 73, 75, 93, 95, 97, 153, 217, 219, 221, 223, 225, 227, 229, 231, 253, 255, 257, 319 |
| 818-543C | 153, 319 |
| 818-552C | 63, 65, 67, 69, 71, 73, 75, 93, 95, 97, 153, 154, 217, 219, 221, 223, 225, 227, 229, 231, 253, 255, 257, 319, 320 |
| 818-554C | 153, 319 |
| 818-555C | 153, 319 |
| 818-556C | 153, 319 |
| 818-557C | 153, 319 |
| 818-560C | 153, 319 |
| 818-561C | 153, 319 |
| 818-564C | 153, 319 |
| 818-675C | 153, 319 |
| 818-676C | 153, 319 |
| 818-680C | 153, 154, 319, 320 |
| 818-681C | 153, 319 |
| 818-721C | 153, 319 |
| 818-724C | 153, 319 |
| 818-830C | 153, 319 |
| 818-840C | 153, 319 |
| 818-862C | 153, 319 |
| 818-902C | 153, 319 |
| 818-903C | 153, 319 |
| 818-937C | 153, 319 |
| 818-938C | 153, 319 |
| 818-939C | 153, 319 |
| 818-940C | 153, 319 |
| 820-168C | 11, 157, 159, 161, 163, 165, 323, 325, 327, 329 |
| 820-169C | 11, 157, 159, 161, 163, 165, 323, 325, 327, 329 |
| 820-170C | 11, 157, 159, 161, 163, 165, 323, 325, 327, 329 |
| 820-188C | 11, 165 |
| 820-189C | 11, 165 |
| 820-190C | 11, 165 |
| 820-216C | 157, 159, 161, 163, 323, 325, 327, 329 |
| 820-217C | 157, 159, 161, 163, 323, 325, 327, 329 |
| 822-020C | 29, 35, 39, 183, 189, 193 |
| 822-021C | 29, 35, 39, 183, 189, 193 |
| 822-033C | 29, 35, 39, 183, 189, 193 |
| 822-034C | 29, 35, 39, 183, 189, 193 |
| 822-091C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 822-092C | 27, 31, 33, 37, 181, 185, 187, 191 |
| 826-112C | 16, 63 |
| 826-117 C | 13 |
| 826-117C | 16, 69 |
| 826-118C | 167, 223 |
| 826-174C | 13, 15, 19, 101 |
| 826-175C | 19, 103 |
| 826-176C | 173, 261 |
| 826-177C | 167, 169, 263 |
| 826-178C | 173, 265 |
| 826-179C | 13, 15, 113, 115 |
| 826-179C81 | 15 |
| 826-179C83 | 15 |
| 826-180C | 167, 169, 279, 281 |
| 826-180C81 | 169 |
| 826-180C83 | 169 |
| 826-181C | 13, 71, 73 |
| 826-182C | 167, 225, 227 |
| 826-183C | 13, 15, 59, 167 |
| 826-184C | 167, 169, 213 |
| 826-185C | 20, 93, 95, 174, 253, 255 |
| 826-188C | 13, 65, 67 |
| 826-189C | 170, 217, 219 |
| 826-231C | 15, 19, 101 |
| 826-232C | 19, 103 |
| 826-233C | 173, 261 |
| 826-234C | 169, 263 |
| 826-235C | 174, 265 |
| 826-244C | 167, 170, 229 |
| 826-245C | 167, 170, 231 |

# Part Number Index (continued)


| Part Number | Page |
|---|---|
| 826-247C | 170, 221 |
| 826-260C | 15, 61 |
| 826-261C | 169, 215 |
| 826-262C | 20, 97, 174, 257 |
| 826-315C | 15, 19, 105, 107 |
| 826-315C81 | 15, 19 |
| 826-315C83 | 15, 19 |
| 826-316C | 19, 109, 111 |
| 826-317C | 173, 267, 269 |
| 826-317C81 | 173 |
| 826-317C83 | 173 |
| 826-318C | 169, 271, 273 |
| 826-318C81 | 169 |
| 826-318C83 | 169 |
| 826-319C | 173, 275, 277 |
| 826-319C81 | 173 |
| 826-319C83 | 173 |
| 826-320C | 15, 19, 105, 107 |
| 826-320C81 | 15, 19 |
| 826-320C83 | 15, 19 |
| 826-321C | 19, 109, 111 |
| 826-321C81 | 19 |
| 826-321C83 | 19 |
| 826-322C | 173, 267, 269 |
| 826-322C81 | 173 |
| 826-322C83 | 173 |
| 826-323C | 169, 271, 273 |
| 826-323C81 | 169 |
| 826-323C83 | 169 |
| 826-324C | 173, 275, 277 |
| 826-324C81 | 173 |
| 826-324C83 | 174 |
| 826-336C | 16, 75 |
| 826-476C | 16, 77 |
| 826-477C | 170, 233 |
| 826-478C | 15, 57, 169, 211 |
| 826-481C | 20, 99, 174, 259 |
| 826-499C | 170, 235 |
| 827-001C | 27, 29, 31, 33, 35, 181, 183, 185, 187, 189 |
| 838-039C | 153, 319 |
| 838-040C | 153, 319 |
| 838-047C | 153, 319 |
| 838-048C | 153, 319 |
| 838-094C | 153, 319 |
| 838-243C | 153, 319 |
| 838-585C | 153, 319 |
| 838-586C | 153, 319 |
| 838-588C | 154, 320 |
| 838-636C | 153, 319 |
| 838-637C | 153, 319 |
| 838-642C | 153, 319 |
| 890-005C | 16, 35, 170, 189 |
| 890-175C | 51, 205 |
| 890-182C | 23, 177 |
| 890-226C | 23, 177 |
| 890-341C | 45, 51, 53, 55, 199, 205, 207, 209 |
| 890-393C | 41, 43, 45, 47, 49, 51, 53, 55, 195, 197, 199, 201, 203, 205, 207, 209 |
| 890-400C | 51, 205 |
| 890-485C | 45, 51, 199, 205 |
| 890-506C | 25, 179 |
| 890-671C | 151, 317 |
| 890-679C | 151, 317 |
| 890-680C | 151, 317 |
| 890-766C | 23, 27, 29, 31, 33, 35, 177, 181, 183, 185, 187, 189 |
| 890-817C | 33, 35, 187, 189 |
| 890-819C | 37, 39, 191, 193 |
| 890-893C | 25, 179 |
| 97140 | 215 |
| dwg11196 | 141, 147, 307, 313 |
| dwg11421 | 131, 297 |
| dwg12345 | 123, 289 |
| dwg12382 | 223 |
| dwg12499 | 125, 129, 291, 295 |
| dwg14067 | 229 |
| dwg15338 | 13, 167 |
| dwg15340 | 19, 173 |
| dwg15351 | 23, 177 |
| dwg15352 | 37, 191 |
| dwg15376 | 27, 181 |
| dwg15384 | 31, 185 |
| dwg15410 | 41, 195 |
| dwg15426 | 139, 149, 305, 315 |
| dwg15427 | 117, 283 |
| dwg15436 | 53, 207 |
| dwg15488 | 25, 179 |
| dwg15497 | 213 |
| dwg15500 | 101 |
| dwg15503 | 115 |
| dwg15504 | 281 |
| dwg15506 | 103 |
| dwg15510 | 263 |
| dwg15511 | 265 |
| dwg15512 | 73 |
| dwg15513 | 81, 239 |
| dwg15521 | 91, 251 |
| dwg15523 | 247 |
| dwg15567 | 95, 255 |
| dwg15569 | 67 |
| dwg15570 | 59 |
| dwg15572 | 135, 137, 301, 303 |
| dwg15601 | 261 |
| dwg15690 | 47, 201 |
| dwg16732 | 71 |
| dwg16736 | 65, 217 |
| dwg16924 | 15, 169 |
| dwg16947 | 89 |
| dwg16965 | 61 |
| dwg16966 | 249 |
| dwg16969 | 11, 165 |
| dwg17004 | 97, 257 |
| dwg17005 | 87, 245 |
| dwg17564 | 153, 319 |
| dwg18548 | 63 |
| dwg18549 | 221 |
| dwg19018 | 55, 209 |
| dwg19019 | 43, 197 |
| dwg19020 | 49, 203 |
| dwg19604 | 113 |
| dwg19893 | 133, 145, 299, 311 |
| dwg19897 | 75 |
| dwg20659 | 157, 323 |
| dwg21167 | 105, 267, 271 |
| dwg21171 | 109, 275 |
| dwg21266 | 107, 269, 273 |
| dwg21267 | 111, 277 |
| dwg22084 | 33, 187 |
| dwg22135 | 45, 199 |
| dwg22136 | 51, 205 |
| dwg23947 | 77 |
| dwg23948 | 233 |
| dwg23949 | 159, 325 |
| dwg23950 | 161, 327 |
| dwg23951 | 163, 329 |
| dwg23952 | 57, 211 |
| dwg23953 | 99, 259 |
| dwg23957 | 83, 241 |
| dwg23958 | 85, 243 |
| dwg23960 | 235 |
| dwg23962 | 29, 183 |
| dwg23963 | 39, 193 |
| dwg23964 | 35, 189 |
| dwg23994 | 79 |
| dwg23995 | 237 |
| dwg23996 | 93, 253 |
| dwg25515 | 151, 317 |
| dwg25519 | 143, 309 |
| dwg25896 | 127, 293 |
| dwg25899 | 119, 285 |
| dwg25900 | 121, 287 |
| dwg26857 | 69 |
| dwg26858 | 231 |
| dwg26861 | 227 |
| dwg26862 | 219 |
| dwg26866 | 225 |
| dwg26867 | 215 |
| dwg26958 | 279 |
| N/A | 119, 121, 123, 127, 285, 287, 289, 293 |
| U0.125.0531.00 | 105, 109, 267, 271, 275 |
| U0.125.0532.00 | 109, 267, 271, 275 |
| U0.125.1301.00 | 105, 109, 267, 271, 275 |
| U0.125.2050.00 | 105, 109, 267, 271, 275 |
| U0.125.3002.00 | 105, 109, 267, 271, 275 |
| U0.125.3003.00 | 105, 109, 267, 271, 275 |
| U0.125.5003.00 | 267, 271, 275 |
| U0.125.5005.00 | 105, 109 |
| U0.125.6003.00 | 267, 271, 275 |
| U0.125.6004.00 | 105, 109 |
| U0.125.7003.00 | 105, 109, 267, 271, 275 |
| U0.125.7100.00 | 105, 109, 267, 271, 275 |
| UO.125.0532.00 | 105 |

Great Plains Manufacturing, Inc.
Corporate Office: P.O. Box 5060
Salina, Kansas 67402-5060 USA

www.landpride.com